arXiv:0802.2920v1 [math.GR] 20 Feb 2008

On Normalized Table Algebras Generated by a Faithful Non-real Element of Degree 3-II

Zvi Arad
Department of Mathematics and Computer Science,
Bar-Ilan University, Ramat Gan 52900,Israel
and
Netanya Academic College, Kiryat Rabin, Netanya, Israel
Guiyun Chen
Department of Mathematics, Southwest University,
400715, Chongqing, P. R. China. Email:gychen@swu.edu.cn
Arisha Haj Ihia Hussam,
Department of Mathematics,
Alqasemi Academic College of Education,
P. O. Box 124, Baqa El-Gharbieh 30100, Israel
and
Department of Mathematics,
Beit Berl Academic College,
Beit Berl, Israel, 44905

February 20, 2008

1 Introduction

The concept of "table algebra" was introduced by Z. Arad and H. Blau in [1] in order to study in a uniform way properties of products of conjugacy classes and of irreducible characters of a finite group.

DEFINITION. A table algebra (A, B) is a finite dimensional, commutative algebra A with identity element 1 over the complex numbers C, and a distinguished base $B = \{b_1 = 1,\ b_2,\ ...,\ b_k\}$ such that the following properties hold (where $(b_i,\ a)$ denotes the coefficient of b_i in $a \in A$, a written as a linear combination of B; and where R^* denotes $R^+ \cup \{0\}$, the set of non-negative real numbers):

(I) For all i, j, m, $b_i b_j = \sum_m \delta_{ijm} b_m$ with δ_{ijm} a nonnegative real number.

(II) There is an algebra automorphism (denoted by $^-$) of A, whose order divides 2, such that $b_i \in B$ implies that $\bar{b_i} \in B$. (Then $\bar{i}$ is defined by $\bar{b_i} = b_{\bar{i}}$).

(III) Hypothesis (II) holds and there is a function g:$B \times B \to R^+$(the positive reals) such that

$$(b_m, b_i b_j) = g(b_i, b_j) \cdot (b_i, \bar{b_j} b_m),$$

where $g(b_i, b_m)$ is independent of j for all i, j, m.

B is called the **table basis** of (A, B). Clearly $1 \in B$, we always use b_1 to denote base element 1, and $B^\sharp$ to denote $B \setminus \{b_1\}$. The elements of B are called the **irreducible components** of (A, B), and nonzero non-negative linear combinations of elements of B with coefficients in R^+ are called components. If $a = \sum_{m=1}^{k} \lambda_m b_m$ is a *component* ($\lambda_m \in R^*$) then $Supp\{a\} = \{b_m | \lambda_m \neq 0\}$ is called the set of **irreducible constituents** of a. An element $a \in A$ is called a **real element** if $a = \bar{a}$.

Two table algebras (A, B) and (A', B') are called isomorphic (denoted $B \cong B'$) when there exists an algebra isomorphism $\psi : A \to A'$ such that $\psi(B)$ is a rescaling of B'; and the algebras are called *exactly isomorphic*(denoted $B \cong_x B'$) when $\psi(B) = B'$. So $B \cong_x B'$ means that B and B' yield the same structure constants.

Proposition 2.2 of [1] shows that if (A, B) is a table algebra, then there exists a basis B', which consists of suitable positive real scalar multiples b'_i of the elements b_i of B, $g(b'_i, b'_j) = 1$ for any b'_i, $b'_j \in B'$. Such a basis B' is called a **normalized basis**. Now $Supp(b'_{i_1} b'_{i_2} \cdots b'_{i_t})$ consists of the corresponding scalar multiples of $Supp(b_{i_1} b_{i_2} \cdots b_{i_t})$, for any sequence i_1, i_2, ..., i_t of indices. So in the proof of any proposition which identifies the irreducible constituents of a product of basis elements, we may assume that B is normalized.

Suppose that B is normalized. It follows from (III) and [1] **Sect. 2** that A has a positive definite Hermitian form, with B as an orthonormal basis, and such that

$$(a, bc) = (a\bar{b}, c)$$

for all $a,\ b,\ c \in \mathcal{R}B$.

It follows from Section 2 in [1] that there exists an algebra homomorphism f from A to C such that $f(B) \subseteq R^+$. For an element $b \in B$, $f(b)$ is called the degree of b.

Each finite group G yields two natural table algebras: the table algebra of conjugacy classes (denoted by $(ZC(G),\ Cl(G)))$ and the table algebra of generalized characters (denoted by $(Ch(G),\ Irr(G))$.

Both table algebras arising from group theory have an additional property: their structure constants and degrees are non-negative integers. Such algebras were defined in [9] as **integral table algebras** (abbrev. as ITA).

Each of the elements of a table algebra is contained in a unique table subalgebra which may be considered as a table subalgebra generated by this element. So it is natural to start the study of integral table algebras from those which are generated by a single element. Normalized integral table algebras (abbrev. as NITA) generated by an element of degree 2 were completely classified by H. Blau in [5].

The finite linear groups in dimension $n \leq 7$ have been completely classified. See Feit [15]. Deep theory and properties of finite groups are heavily used for the proofs. For n=2, 3, 4 see Blichfeldt [11]. For n=5 see Brauer [12]. For n=6 see Lindsey [18]. For n=7 see Wales [19]. In order to generalize these results to normalized integral table algebra, the authors began to classify normalized integral table algebras (A, B) generated by a faithful non-real element of degree 3 and without nonidentity irreducible elements of degree 1 or 2 in [13], and came to the following theorem:

Theorem 1.1. *Let* $(A,\ B)$ *be NITA generated by a non-real element* $b_3 \in B$ *of degree 3 and without non-identity basis element of degree 1 or 2. Then* $b_3\bar{b}_3 = 1 + b_8$ *and one of the following holds:*

(1) $(A,\ B) \cong_x (Ch(PSL(2,7)),\ Irr(PSL(2,7))$*;*

(2) $b_3^2 = b_4 + b_5$*, where* $b_4 \in B$ *and* $b_5 \in B$*.*

(3) $b_3^2 = \bar{b}_3 + b_6$*, where* $b_6 \in B$ *nonreal;*

(4) $b_3^2 = c_3 + b_6$*, where* $c_3,\ b_6 \in B$ *and* $c_3 \neq b_3,\ \bar{b}_3$*;*

The purpose of this paper is to investigate NITA generated by a non-real element b_3 and satisfies (2), (3) and (4) in **Theorem 1.1**. The following theorem is proved:

Main Theorem 1. *Let* $(A,\ B)$ *be NITA generated by a non-real element* $b_3 \in B$ *of degree 3 and without non-identity basis element of degree 1 or 2. Then* $b_3\bar{b}_3 = 1 + b_8$, $b_8 \in B$ *and one of the following hold:*

(1) There exists a real element $b_6 \in B$ *such that* $b_3^2 = \bar{b}_3 + b_6$ *and* $(A,\ B) \cong_x (Ch(PSL(2,7)),\ Irr(PSL(2,7))$;

(2) There exist $b_4,\ b_5 \in B$ *such that* $b_3^2 = b_4 + b_5$, $(b_3b_8,\ b_3b_8) = 3$ *and* $(b_4^2,\ b_4^2) = 3$.

(3) There exist $b_6,\ b_{10}, b_{15} \in B$, *where* b_6 *is non-real such that*

$$b_3^2 = \bar{b}_3 + b_6, \quad \bar{b}_3b_6 = b_3 + b_{15}, \quad b_3b_6 = b_8 + b_{10}.$$

and $(b_3b_8,\ b_3b_8) = 3$. *Moreover if* b_{10} *is real, then* $(A,\ B) \cong_x (CH(3 \cdot A_6),\ Irr(3 \cdot A_6))$;

(4) There exist $c_3,\ b_6 \in B$, $c_3 \neq b_3,\ \bar{b}_3$, *such that* $b_3^2 = c_3 + b_6$ *and either* $(b_3b_8,\ b_3b_8) = 3$ *or* 4.

When $(b_3b_8,\ b_3b_8) = 3$. *If* c_3 *is non-real, then* $(A,\ B)$ *is exactly isomorphic to* $(A(3 \cdot A_6 \cdot 2),\ B_{32})$ *(see Theorem 7.2). If* c_3 *is real, then* $(A,\ B)$ *is exactly isomorphic to the NITA* $(A(7 \cdot 5 \cdot 10),\ B_{22})$ *of dimension 22.(see Theorem 8.1).*

Proof. The theorem follows from **Theorems 1.1, 3.1, 5.1, 7.2**.

2 Two NITA Generated by a Non-real element of Degree 3 not derived From a Group and Lemmas

Here are two examples of NITA not induced from group theory, which has either 32 or 22 basis elements. The NITA of dimension 32 contains a subalgebra that is strictly isomorphic to the algebra of dimension 17 of characters of the group $3 \cdot A_6$, we denote it as $(A(3 \cdot A_6 \cdot 2),\ B_{32})$, where its basis is B_{32}.

For B_{32} there are three table subsets: $\{1\} \subseteq C \subseteq D \subseteq B$, where

$$\begin{aligned} C &= \{1,\ b_8,\ x_{10},\ b_5,\ c_5,\ c_8,\ x_9\}, \\ D &= C \cup \{c_3,\ \bar{c}_3,\ d_3,\ \bar{d}_3,\ c_9,\ \bar{c}_9,\ b_6,\ \bar{b}_6,\ y_5,\ \bar{y}_{15}\}, \\ B_{32} &= D \cup \{b_3,\ \bar{b}_3,\ r_3,\ x_6,\ \bar{x}_6,\ s_6,\ b_9,\ \bar{b}_9,\ x_{15},\ \bar{x}_{15},\ t_{15},\ d_9,\ y_3,\ z_3,\ \bar{z}_3\}. \end{aligned}$$

From the below equations one can check that B_{32} has the following table subsets: $\{1\} \subseteq\ C \subseteq E = C \cup \{r_3,\ s_6,\ t_{15},\ d_9,\ y_3\} \subseteq B_{32}$. The table subsets E and D are two maximal table subsets of B_{32}.

The structure algebra constants of C.

$$\begin{array}{rcl}
b_5^2 & = & 1 + x_9 + x_{10} + b_5, \\
b_5 c_5 & = & c_8 + b_8 + x_9, \\
b_5 c_8 & = & c_5 + c_8 + b_8 + x_9 + x_{10}, \\
b_5 b_8 & = & c_5 + c_8 + b_8 + x_9 + x_{10}, \\
b_5 x_9 & = & c_8 + c_5 + b_8 + b_5 + x_9 + x_{10}, \\
b_5 x_{10} & = & c_8 + b_8 + x_9 + b_5 + 2x_{10}, \\
\hline
c_5^2 & = & 1 + x_9 + x_{10} + c_5, \\
c_5 c_8 & = & b_5 + c_8 + b_8 + x_9 + x_{10}, \\
c_5 b_8 & = & b_5 + c_8 + b_8 + x_9 + x_{10}, \\
c_5 x_9 & = & b_8 + c_8 + b_5 + c_5 + x_9 + x_{10}, \\
c_5 x_{10} & = & b_8 + c_8 + x_9 + c_5 + 2x_{10}, \\
\hline
b_8^2 & = & 1 + b_5 + c_5 + c_8 + 2b_8 + x_9 + 2x_{10}, \\
b_8 x_9 & = & b_5 + c_5 + 2c_8 + b_8 + 2x_9 + 2x_{10}, \\
b_8 x_{10} & = & b_5 + c_5 + 2c_8 + 2b_8 + 2x_9 + 2x_{10}. \\
\hline
c_8^2 & = & 1 + b_5 + c_5 + 2c_8 + b_8 + x_9 + 2x_{10}, \\
c_8 b_8 & = & b_5 + c_5 + c_8 + b_8 + 2x_9 + 2x_{10}, \\
c_8 x_9 & = & b_5 + c_5 + c_8 + 2b_8 + 2x_9 + 2x_{10}, \\
c_8 x_{10} & = & b_5 + c_5 + 2c_8 + 2b_8 + 2x_9 + 2x_{10}, \\
\hline
x_9^2 & = & 1 + b_5 + c_5 + 2c_8 + 2b_8 + 2x_9 + 2x_{10}, \\
x_9 x_{10} & = & b_5 + c_5 + 2c_8 + 2b_8 + 2x_9 + 3x_{10}, \\
\hline
x_{10}^2 & = & 1 + 2b_5 + 2c_5 + 2c_8 + 2b_8 + 3x_9 + 2x_{10},
\end{array}$$

The structure algebra constants of D(Since $C \subseteq D$ we will not repeat the equations of C as shown above):

$$\begin{array}{rcl}
c_3\bar{c}_3 & = & 1 + b_8, \\
c_3^2 & = & \bar{c}_3 + \bar{b}_6, \\
c_3 d_3 & = & x_9, \\
c_3\bar{d}_3 & = & \bar{c}_9, \\
c_3 b_6 & = & \bar{c}_3 + \bar{y}_{15}, \\
c_3\bar{b}_6 & = & b_8 + x_{10}, \\
c_3 c_9 & = & d_3 + \bar{c}_9 + \bar{y}_{15}, \\
c_3\bar{c}_9 & = & c_8 + x_9 + x_{10}, \\
c_3 y_{15} & = & \bar{b}_6 + 2\bar{y}_{15} + \bar{c}_9, \\
c_3\bar{y}_{15} & = & b_5 + c_5 + c_8 + b_8 + x_9 + x_{10}, \\
c_3 b_8 & = & c_3 + b_6 + y_{15}, \\
c_3 x_{10} & = & b_6 + c_9 + y_{15}, \\
c_3 b_5 & = & y_{15}, \\
c_3 c_5 & = & y_{15}, \\
c_3 c_8 & = & y_{15} + c_9, \\
c_3 x_9 & = & y_{15} + c_9 + \bar{d}_3, \\
\hline
\end{array}$$

$$\begin{array}{rcl}
d_3\bar{d}_3 & = & 1 + c_8, \\
d_3^2 & = & \bar{d}_3 + b_6, \\
d_3 b_6 & = & c_8 + x_{10}, \\
d_3\bar{b}_6 & = & \bar{d}_3 + y_{15}, \\
d_3 c_9 & = & b_8 + x_9 + x_{10}, \\
d_3\bar{c}_9 & = & c_3 + y_{15} + c_9, \\
d_3 y_{15} & = & b_5 + c_5 + c_8 + b_8 + x_9 + x_{10}, \\
d_3\bar{y}_{15} & = & 2y_{15} + b_6 + c_9, \\
d_3 b_8 & = & \bar{c}_9 + \bar{y}_{15}, \\
d_3 x_{10} & = & \bar{y}_{15} + \bar{b}_6 + \bar{c}_9, \\
d_3 b_5 & = & \bar{y}_{15}, \\
d_3 c_5 & = & \bar{y}_{15}, \\
d_3 c_8 & = & \bar{y}_{15} + b_6 + d_3, \\
d_3 x_9 & = & \bar{y}_{15} + \bar{c}_3 + \bar{c}_9, \\
\hline
\end{array}$$

$$
\begin{array}{rcl}
b_6\bar{b}_6 & = & 1 + b_5 + c_5 + c_8 + b_8 + x_9, \\
b_6^2 & = & 2\bar{b}_6 + \bar{y}_{15} + \bar{c}_9, \\
b_6 c_9 & = & 2\bar{y}_{15} + 2\bar{c}_9 + \bar{b}_6, \\
b_6 \bar{c}_9 & = & b_5 + c_5 + c_8 + b_8 + 2x_9 + x_{10}, \\
b_6 \bar{y}_{15} & = & b_5 + c_5 + 2c_8 + 2b_8 + 2x_9 + 3x_{10}, \\
b_6 y_{15} & = & 4\bar{y}_{15} + \bar{b}_6 + \bar{c}_3 + d_3 + 2\bar{c}_9, \\
b_6 b_5 & = & b_6 + y_{15} + c_9, \\
b_6 c_5 & = & y_{15} + b_6 + c_9, \\
b_6 c_8 & = & \bar{d}_3 + b_6 + 2y_{15} + c_9, \\
b_6 b_8 & = & c_3 + b_6 + c_9 + 2y_{15}, \\
b_6 x_9 & = & 2y_{15} + b_6 + 2c_9, \\
b_6 x_{10} & = & 3y_{15} + c_3 + \bar{d}_3 + c_9, \\
\hline
\end{array}
$$

$$
\begin{array}{rcl}
y_{15}\bar{y}_{15} & = & 1 + 3b_5 + 3c_5 + 5c_8 + 5b_8 + 6x_9 + 6x_{10}, \\
y_{15}^2 & = & 9\bar{y}_{15} + 4\bar{b}_6 + 2\bar{c}_3 + 2d_3 + 6\bar{c}_9, \\
y_{15} b_5 & = & 3y_{15} + b_6 + c_3 + \bar{d}_3 + 2c_9, \\
y_{15} c_5 & = & 3y_{15} + b_6 + c_3 + \bar{d}_3 + 2c_9, \\
y_{15} c_8 & = & 5y_{15} + c_3 + \bar{d}_3 + 2b_6 + 3c_9, \\
y_{15} b_8 & = & 5y_{15} + c_3 + \bar{d}_3 + 2b_6 + 3c_9, \\
y_{15} x_9 & = & 6y_{15} + 2b_6 + \bar{d}_3 + c_3 + 3c_9, \\
y_{15} x_{10} & = & 6y_{15} + 3b_6 + c_3 + \bar{d}_3 + 4c_9, \\
\hline
\end{array}
$$

$$
\begin{array}{rcl}
c_9\bar{c}_9 & = & 1 + 2c_8 + 2b_8 + 2x_9 + 2x_{10} + c_5 + b_5, \\
c_9^2 & = & 3\bar{y}_{15} + d_3 + \bar{c}_3 + 2\bar{b}_6 + 2\bar{c}_9, \\
c_9 y_{15} & = & 6\bar{y}_{15} + 2\bar{b}_6 + \bar{c}_3 + d_3 + 3\bar{c}_9, \\
c_9 \bar{y}_{15} & = & 2b_5 + 2c_5 + 3c_8 + 3b_8 + 3x_9 + 4x_{10}, \\
c_9 b_5 & = & 2y_{15} + b_6 + c_9, \\
c_9 c_5 & = & 2y_{15} + b_6 + c_9, \\
c_9 b_8 & = & 3y_{15} + \bar{d}_3 + b_6 + 2c_9, \\
c_9 c_8 & = & 3y_{15} + b_6 + c_3 + 2c_9, \\
c_9 x_9 & = & c_3 + 2c_9 + 3y_{15} + \bar{d}_3 + 2b_6, \\
c_9 x_{10} & = & c_3 + 2c_9 + 4y_{15} + \bar{d}_3 + b_6, \\
\hline
\end{array}
$$

From the equations one can see that C and D are table subsets of B_{32}. Furthermore the NITA subalgebra $(< D >,\ D)$ of dimension 17 is strictly isomorphic to $(CH(3 \cdot A_6),\ Irr(3 \cdot A_6))$ while our NITA of dimension 32 is not induced from a finite group G.

The following equations give out other products of basis elements in B_{32}:

$$\begin{aligned}
&b_3\bar{b}_3 = 1 + b_8,\\
&b_3^2 = c_3 + b_6,\\
&b_3r_3 = \bar{c}_3 + \bar{b}_6,\\
&b_3x_6 = c_3 + y_{15},\\
&b_3\bar{x}_6 = b_8 + x_{10},\\
&b_3s_6 = \bar{c}_3 + \bar{y}_{15},\\
&b_3b_9 = y_{15} + c_9 + \bar{d}_3,\\
&b_3\bar{b}_9 = x_9 + c_8 + x_{10},\\
&b_3x_{15} = b_6 + 2y_{15} + c_9,\\
&b_3\bar{x}_{15} = b_5 + c_5 + b_8 + c_8 + x_9 + x_{10},\\
&b_3t_{15} = \bar{b}_6 + \bar{c}_9 + 2\bar{y}_{15},\\
&b_3d_9 = \bar{c}_9 + \bar{y}_{15} + d_3,\\
&b_3y_3 = \bar{c}_9,\\
&b_3z_3 = x_9,\\
&b_3\bar{z}_3 = c_9,\\
&b_3b_8 = b_3 + x_6 + x_{15},\\
&b_3x_{10} = x_6 + x_{15} + b_9,\\
&b_3b_5 = x_{15},\\
&b_3c_5 = x_{15},\\
&b_3c_8 = x_{15} + b_9,\\
&b_3x_9 = \bar{z}_3 + b_9 + x_{15},\\
&b_3c_3 = r_3 + s_6,\\
&b_3\bar{c}_3 = \bar{b}_3 + \bar{x}_6,\\
&b_3d_3 = \bar{b}_9,\\
&b_3\bar{d}_3 = d_9,\\
&b_3c_9 = t_{15} + d_9 + y_3,\\
&b_3\bar{c}_9 = \bar{b}_9 + \bar{x}_{15} + z_3,\\
&b_3b_6 = r_3 + t_{15},\\
&b_3\bar{b}_6 = \bar{b}_3 + \bar{x}_{15},\\
&b_3y_{15} = s_6 + 2t_{15} + d_9,\\
&b_3\bar{y}_{15} = \bar{x}_6 + 2\bar{x}_{15} + \bar{b}_9.
\end{aligned}$$

$r_3^2 = 1 + b_8,$
$r_3 x_6 = \bar{c}_3 + \bar{y}_{15},$
$r_3 s_6 = b_8 + x_{10},$
$r_3 b_9 = d_3 + \bar{c}_9 + \bar{y}_{15},$
$r_3 x_{15} = \bar{b}_6 + \bar{c}_9 + 2\bar{y}_{15},$
$r_3 t_{15} = b_5 + c_5 + b_8 + c_8 + x_9 + x_{10},$
$r_3 d_9 = c_8 + x_9 + x_{10},$
$r_3 y_3 = x_9,$
$r_3 z_3 = c_9,$
$r_3 b_8 = s_6 + r_3 + t_{15},$
$r_3 x_{10} = s_6 + t_{15} + d_9,$
$r_3 b_5 = t_{15},$
$r_3 c_5 = t_{15},$
$r_3 c_8 = t_{15} + d_9,$
$r_3 x_9 = t_{15} + d_9 + y_3,$
$r_3 c_3 = \bar{b}_3 + \bar{x}_6,$
$r_3 d_3 = b_9,$
$r_3 c_9 = \bar{b}_9 + \bar{x}_{15} + z_3,$
$r_3 b_6 = \bar{x}_{15} + \bar{b}_3,$
$r_3 y_{15} = \bar{x}_6 + 2\bar{x}_{15} + \bar{b}_9,$

$x_6^2 = 2b_6 + y_{15} + c_9,$
$x_6 \bar{x}_6 = 1 + b_8 + b_5 + c_5 + c_8 + x_9,$
$x_6 s_6 = 2\bar{b}_6 + \bar{c}_9 + \bar{y}_{15},$
$x_6 b_9 = \bar{b}_6 + 2\bar{c}_9 + 2\bar{y}_{15},$
$x_6 \bar{b}_9 = b_5 + c_5 + x_{10} + b_8 + c_8 + 2x_9,$
$x_6 x_{15} = 4y_{15} + b_6 + 2c_9 + d_3 + c_3,$
$x_6 \bar{x}_{15} = b_5 + c_5 + 2b_8 + 3x_{10} + 2c_8 + 2x_9,$
$x_6 t_{15} = \bar{c}_3 + d_3 + 2\bar{c}_9 + 4\bar{y}_{15} + \bar{b}_6$
$x_6 d_9 = \bar{b}_6 + 2\bar{c}_9 + 2\bar{y}_{15},$
$x_6 y_3 = d_3 + \bar{y}_{15},$
$x_6 z_3 = x_{10} + c_8.$
$x_6 \bar{z}_3 = \bar{d}_3 + y_{15},$
$x_6 b_8 = b_3 + x_6 + 2x_{15} + b_9,$
$x_6 x_{10} = b_9 + b_3 + \bar{z}_3 + 3x_{15},$

$$\begin{array}{l}
x_6b_5 = x_6 + b_9 + x_{15},\\
x_6c_5 = x_6 + b_9 + x_{15},\\
x_6c_8 = x_6 + b_9 + 2x_{15} + \bar{z}_3,\\
x_6x_9 = 2b_9 + x_6 + 2x_{15},\\
x_6c_3 = r_3 + t_{15},\\
x_6\bar{c}_3 = \bar{b}_3 + \bar{x}_{15},\\
x_6d_3 = z_3 + \bar{x}_{15},\\
x_6\bar{d}_3 = y_3 + t_{15},\\
x_6c_9 = 2t_{15} + 2d_9 + s_6,\\
x_6\bar{c}_9 = 2\bar{x}_{15} + \bar{x}_6 + 2\bar{b}_9,\\
x_6b_6 = 2s_6 + t_{15} + d_9\\
x_6\bar{b}_6 = 2\bar{x}_6 + \bar{b}_9 + \bar{x}_{15},\\
x_6y_{15} = r_3 + 4t_{15} + s_6 + 2d_9 + y_3,\\
x_6\bar{y}_{15} = \bar{b}_3 + z_3 + \bar{x}_6 + 4\bar{x}_{15} + 2\bar{b}_9,
\end{array}$$

$$\begin{array}{l}
s_6^2 = 1 + b_5 + c_5 + b_8 + c_8 + x_9,\\
s_6b_9 = \bar{b}_6 + 2\bar{c}_9 + 2\bar{y}_{15},\\
s_6x_{15} = \bar{c}_3 + d_3 + \bar{b}_6 + 2\bar{c}_9 + 4\bar{y}_{15},\\
s_6t_{15} = b_5 + c_5 + 2b_8 + 2c_8 + 2x_9 + 3x_{10},\\
s_6d_9 = b_5 + c_5 + 2x_9 + b_8 + c_8 + x_{10},\\
s_6y_3 = c_8 + x_{10},\\
s_6z_3 = \bar{d}_3 + y_{15},\\
s_6b_8 = r_3 + s_6 + 2t_{15} + d_9,\\
s_6x_{10} = r_3 + y_3 + d_9 + 3t_{15},\\
s_6b_5 = s_6 + d_9 + t_{15},\\
s_6c_5 = s_6 + t_{15} + d_9,\\
s_6c_8 = y_3 + s_6 + d_9 + 2t_{15},\\
s_6x_9 = s_6 + 2d_9 + 2t_{15},\\
s_6c_3 = \bar{b}_3 + \bar{x}_{15},\\
s_6d_3 = \bar{z}_3 + x_{15},\\
s_6c_9 = \bar{x}_6 + 2\bar{b}_9 + 2\bar{x}_{15},\\
s_6b_6 = 2\bar{x}_6 + \bar{b}_9 + \bar{x}_{15},\\
s_6y_{15} = \bar{b}_3 + z_3 + 4\bar{x}_{15} + \bar{x}_6 + 2\bar{b}_9.
\end{array}$$

$$b_9\bar{b}_9 = 1 + b_5 + c_5 + 2b_8 + 2c_8 + 2x_9 + 2x_{10},$$
$$b_9^2 = \bar{d}_3 + c_3 + 2b_6 + 2c_9 + 3y_{15},$$
$$b_9x_{15} = 6y_{15} + 3c_9 + \bar{d}_3 + 2b_6 + c_3,$$
$$b_9\bar{x}_{15} = 2b_5 + 2c_5 + 3c_8 + 3b_8 + 4x_{10} + 3x_9,$$
$$b_9t_{15} = d_3 + \bar{c}_3 + 6\bar{y}_{15} + 3\bar{c}_9 + 2\bar{b}_6,$$
$$b_9d_9 = \bar{c}_3 + d_3 + 2\bar{b}_6 + 2\bar{c}_9 + 3\bar{y}_{15},$$
$$b_9y_3 = \bar{c}_3 + \bar{y}_{15} + \bar{c}_9,$$
$$b_9z_3 = b_8 + x_9 + x_{10},$$
$$b_9\bar{z}_3 = c_9 + c_3 + y_{15},$$
$$b_9b_8 = \bar{z}_3 + x_6 + 2b_9 + 3x_{15},$$
$$b_9x_{10} = \bar{z}_3 + b_3 + 2b_9 + x_6 + 4x_{15},$$
$$b_9b_5 = x_6 + b_9 + 2x_{15},$$
$$b_9c_5 = b_9 + 2x_{15} + x_6,$$
$$b_9c_8 = r_3 + t_{15} + 2b_9 + x_6 + 2x_{15},$$

$$b_9x_9 = 2b_9 + 3x_{15} + \bar{z}_3 + b_3 + 2x_6$$
$$b_9c_3 = t_{15} + d_9 + \bar{y}_3,$$
$$b_9\bar{c}_3 = z_3 + \bar{b}_9 + \bar{x}_{15},$$
$$b_9d_3 = \bar{b}_3 + \bar{b}_9 + \bar{x}_{15},$$
$$b_9\bar{d}_3 = r_3 + t_{15} + d_9$$
$$b_9c_9 = r_3 + y_3 + 2s_6 + 2d_9 + 3t_{15},$$
$$b_9\bar{c}_9 = \bar{b}_3 + z_3 + 2\bar{x}_6 + 3\bar{x}_{15} + 2\bar{b}_9,$$
$$b_9b_6 = s_6 + 2d_9 + 2t_{15},$$
$$b_9\bar{b}_6 = 2\bar{b}_9 + 2\bar{x}_{15} + \bar{x}_6$$
$$b_9\bar{y}_{15} = 6\bar{x}_{15} + \bar{b}_3 + z_3 + 2\bar{x}_6 + 3\bar{b}_9,$$
$$b_9y_{15} = r_3 + y_3 + 2s_6 + 6t_{15} + 3d_9$$

$$x_{15}^2 = 2c_3 + 2\bar{d}_3 + 4b_6 + 6c_9 + 9y_{15}$$
$$x_{15}\bar{x}_{15} = 1 + 6x_9 + 3b_5 + 3c_5 + 5b_8 + 5c_8 + 6x_{10}$$
$$x_{15}t_{15} = 4\bar{b}_6 + 6\bar{c}_9 + 9\bar{y}_{15} + 2\bar{c}_3 + 2d_3$$
$$x_{15}d_9 = \bar{c}_3 + d_3 + 2\bar{b}_6 + 3\bar{c}_9 + 6\bar{y}_{15}$$
$$x_{15}y_3 = \bar{b}_6 + \bar{c}_9 + 2\bar{y}_{15},$$
$$x_{15}\bar{z}_3 = b_6 + c_9 + 2y_{15},$$
$$x_{15}z_3 = b_5 + c_5 + b_8 + c_8 + x_9 + x_{10}$$

$x_{15}b_8 = b_3 + \bar{z}_3 + 2x_6 + 5x_{15} + 3b_9,$
$x_{15}x_{10} = b_3 + \bar{z}_3 + 3x_6 + 4b_9 + 6x_{15}$
$x_{15}b_5 = \bar{z}_3 + b_3 + x_6 + 2b_9 + 3x_{15}$
$x_{15}c_5 = b_3 + \bar{z}_3 + x_6 + 2b_9 + 3x_{15}$
$x_{15}c_8 = b_3 + \bar{z}_3 + 2x_6 + 3b_9 + 5x_{15}$
$x_{15}x_9 = b_3 + \bar{z}_3 + 2x_6 + 3b_9 + 6x_{15}$
$x_{15}c_3 = 2t_{15} + s_6 + d_9,$
$x_{15}\bar{c}_3 = 2\bar{x}_{15} + \bar{x}_6 + \bar{b}_9$
$x_{15}d_3 = \bar{x}_6 + 2\bar{x}_{15} + \bar{b}_9$
$x_{15}\bar{d}_3 = s_6 + 2t_{15} + d_9,$
$x_{15}c_9 = r_3 + y_3 + 2s_6 + 6t_{15} + 3d_9$
$x_{15}\bar{c}_9 = \bar{b}_3 + z_3 + 3\bar{b}_9 + 2\bar{x}_6 + 6\bar{x}_{15},$
$x_{15}b_6 = r_3 + s_6 + y_3 + 2d_9 + 4t_{15},$
$x_{15}\bar{b}_6 = \bar{b}_3 + z_3 + 2\bar{b}_9 + 4\bar{x}_{15} + \bar{x}_6,$
$x_{15}y_{15} = 2y_3 + 2r_3 + 4s_6 + 6d_9 + 9t_{15}$
$x_{15}\bar{y}_{15} = 2z_3 + 9\bar{x}_{15} + 2\bar{b}_3 + 4\bar{x}_6 + 6\bar{b}_9.$

$t_{15}^2 = 1 + 5b_8 + 5c_8 + 3b_5 + 3c_5 + 6x_{10} + 6x_9$
$t_{15}d_9 = 2b_5 + 2c_5 + 3b_8 + 3c_8 + 3x_9 + 4x_{10}$
$t_{15}y_3 = b_5 + c_5 + b_8 + c_8 + x_9 + x_{10}$
$t_{15}z_3 = b_6 + c_9 + 2y_{15}$
$t_{15}b_8 = r_3 + y_3 + 5t_{15} + 2s_6 + 3d_9$
$t_{15}x_{10} = r_3 + y_3 + 4d_9 + 3s_6 + 6t_{15}$
$t_{15}b_5 = r_3 + y_3 + s_6 + 2d_9 + 3t_{15}$
$t_{15}c_5 = r_3 + y_3 + s_6 + 2d_9 + 3t_{15}$
$t_{15}c_8 = r_3 + y_3 + 2s_6 + 3d_9 + 5t_{15}$
$t_{15}x_9 = r_3 + y_3 + 3d_9 + 2s_6 + 6t_{15}$
$t_{15}c_3 = \bar{x}_6 + \bar{b}_9 + 2\bar{x}_{15},$
$t_{15}d_3 = x_6 + b_9 + 2x_{15}$
$t_{15}c_9 = \bar{b}_3 + z_3 + 3\bar{b}_9 + 2\bar{x}_6 + 6\bar{x}_{15}$
$t_{15}b_6 = \bar{b}_3 + z_3 + \bar{x}_6 + 2\bar{b}_9 + 4\bar{x}_{15}$
$t_{15}y_{15} = 2\bar{b}_3 + 2z_3 + 4\bar{x}_6 + 6\bar{b}_9 + 9\bar{x}_{15}$

$d_9^2 = 1 + b_5 + c_5 + 2b_8 + 2c_8 + 2x_9 + 2x_{10}$
$d_9y_3 = x_9 + b_8 + x_{10},$
$d_9z_3 = c_3 + c_9 + y_{15},$
$d_9b_8 = y_3 + s_6 + 2d_9 + 3t_{15},$
$d_9x_{10} = y_3 + r_3 + s_6 + 2d_9 + 4t_{15}$
$d_9b_5 = s_6 + d_9 + 2t_{15}$
$d_9c_5 = s_6 + d_9 + 2t_{15}$
$d_9c_8 = r_3 + s_6 + 2d_9 + 3t_{15}$
$d_9x_9 = r_3 + y_3 + 2s_6 + 2d_9 + 3t_{15}$
$d_9c_3 = \bar{b}_9 + z_3 + \bar{x}_{15},$
$d_9d_3 = b_3 + b_9 + x_{15}$
$d_9c_9 = \bar{b}_3 + z_3 + 2\bar{x}_6 + 2\bar{b}_9 + 3\bar{x}_{15}$
$d_9b_6 = \bar{x}_6 + 3\bar{b}_9 + 2\bar{x}_{15},$
$d_9y_{15} = \bar{b}_3 + z_3 + 2\bar{x}_6 + 3\bar{b}_9 + 6\bar{x}_{15}$

$y_3^2 = 1 + c_8,$
$y_3z_3 = \bar{d}_3 + b_6,$
$y_3b_8 = d_9 + t_{15},$
$y_3x_{10} = s_6 + t_{15} + d_9,$
$y_3b_5 = t_{15},$
$y_3c_5 = t_{15},$
$y_3c_8 = s_6 + t_{15} + y_3,$
$y_3x_9 = t_{15} + d_9 + r_3,$
$y_3c_3 = \bar{b}_9,$
$y_3d_3 = x_6 + \bar{z}_3,$
$y_3c_9 = \bar{b}_3 + \bar{b}_9 + \bar{x}_{15},$
$y_3b_6 = \bar{x}_{15} + z_3,$
$y_3y_{15} = \bar{x}_6 + \bar{b}_9 + 2\bar{x}_{15}.$

$z_3\bar{z}_3 = 1 + c_8,$
$z_3^2 = d_3 + \bar{b}_6,$
$z_3b_8 = \bar{b}_9 + \bar{x}_{15},$
$z_3x_{10} = \bar{x}_6 + \bar{b}_9 + \bar{x}_{15},$
$z_3b_5 = \bar{x}_{15},$
$z_3c_5 = \bar{x}_{15},$
$z_3c_8 = \bar{x}_6 + \bar{x}_{15} + z_3,$

$$\begin{aligned}
&z_3x_9 = \bar{b}_3 + \bar{b}_9 + \bar{x}_{15}\\
&z_3c_3 = b_9\\
&z_3\bar{c}_3 = d_9,\\
&z_3d_3 = s_6 + y_3,\\
&z_3\bar{d}_3 = \bar{z}_3 + x_6,\\
&z_3c_9 = b_3 + b_9 + x_{15},\\
&z_3\bar{c}_9 = r_3 + d_9 + t_{15},\\
&z_3b_6 = \bar{z}_3 + x_{15}\\
&z_3\bar{b}_6 = y_3 + t_{15},\\
&z_3y_{15} = x_6 + b_9 + 2x_{15},\\
&z_3\bar{y}_{15} = s_6 + 2t_{15} + d_9.
\end{aligned}$$

Now let us see the following example of NITA of dimension 22, which satifies $b_3^2 = r_3 + s_6$, r_3 is real, denoted as $(A(7 \cdot 5 \cdot 10),\ B_{22})$, where $B_{22} = \{1, b_8,\ x_{10},\ b_5,\ c_5,\ c_8,\ x_9,\ r_3,\ y_3,\ s_6,\ t_{15},\ d_9,\ b_3,\ \bar{b}_3,\ t_6,\ \bar{t}_6,\ b_{15},\ \bar{b}_{15},\ y_9,\ \bar{y}_9,\ x_3, \bar{x}_3\}$. The interesting thing is that this example also contains table subsets:

$$\{1\} \subseteq C \subseteq E \subseteq B_{22},$$

where C and E are the same as defined in the previous example of dimension 32. In particular both examples of dimensions 22 and 32 contain each the same sub-table algebra of dimension 12 generated by the basis E. Also E is a maximal table subset of B_{22}. The equations of products of the basis elements of C and E are as in the example of $A(3 \cdot A_6 \cdot 2,\ 32)$ described above..

$$\begin{aligned}
&b_3\bar{b}_3 = 1 + b_8,\\
&b_3^2 = r_3 + s_6,\\
&b_3t_6 = b_8 + x_{10},\\
&b_3\bar{t}_6 = r_3 + t_{15},\\
&b_3b_{15} = 2t_{15} + s_6 + d_9,\\
&b_3\bar{b}_{15} = b_8 + x_{10} + b_5 + c_5 + c_8 + x_9,\\
&b_3y_9 = t_{15} + d_9 + y_3,\\
&b_3\bar{y}_9 = c_8 + x_9 + x_{10},\\
&b_3x_3 = d_9,\\
&b_3\bar{x}_3 = x_9,
\end{aligned}$$

$b_3 b_8 = b_3 + \bar{t}_6 + b_{15},$
$b_3 x_{10} = b_{15} + \bar{t}_6 + y_9,$
$b_3 b_5 = b_{15},$
$b_3 c_5 = b_{15},$
$b_3 c_8 = b_{15} + y_9,$
$b_3 x_9 = b_{15} + y_9 + x_3,$
$b_3 r_3 = \bar{b}_3 + t_6,$
$b_3 y_3 = \bar{y}_9,$
$b_3 s_6 = \bar{b}_3 + \bar{b}_{15},$
$b_3 t_{15} = 2\bar{b}_{15} + t_6 + \bar{y}_9,$
$b_3 d_9 = \bar{b}_{15} + \bar{y}_9 + \bar{x}_3.$

$t_6 \bar{t}_6 = 1 + b_5 + c_5 + b_8 + c_8 + x_9,$
$t_6^2 = 2s_6 + t_{15} + d_9,$
$t_6 b_{15} = 2b_8 + 2c_8 + b_5 + c_5 + 3x_{10} + 2x_9,$
$t_6 \bar{b}_{15} = c_3 + b_6 + 4t_{15} + y_3 + 2d_9,$
$t_6 y_9 = b_8 + b_5 + c_5 + c_8 + 2x_9 + x_{10},$
$t_6 \bar{y}_9 = s_6 + 2d_9 + 2t_{15},$
$t_6 x_3 = x_{10} + c_8,$
$t_6 \bar{x}_3 = t_{15} + y_3,$
$t_6 b_8 = \bar{b}_3 + 2\bar{b}_{15} + t_6 + \bar{y}_9,$
$t_6 x_{10} = 3\bar{b}_{15} + \bar{y}_9 + \bar{b}_3 + \bar{x}_3,$

$t_6 b_5 = \bar{b}_{15} + t_6 + \bar{y}_9,$
$t_6 c_5 = \bar{b}_{15} + t_6 + \bar{y}_9,$
$t_6 c_8 = 2\bar{b}_{15} + t_6 + \bar{y}_9 + \bar{x}_3,$
$t_6 x_9 = 2\bar{b}_{15} + t_6 + 2\bar{y}_9,$
$t_6 r_3 = b_{15} + b_3,$
$t_6 y_3 = b_{15} + x_3,$
$t_6 s_6 = 2\bar{t}_6 + b_{15} + y_9,$
$t_6 t_{15} = 2y_9 + x_3 + b_3 + \bar{t}_6 + 4b_{15},$
$t_6 d_9 = 2y_9 + 2b_{15} + \bar{t}_6.$

$b_{15} \bar{b}_{15} = 1 + 3b_5 + 3c_5 + 5b_8 + 5c_8 + 6x_{10} + 6x_9,$
$b_{15}^2 = 2r_3 + 2y_3 + 4s_6 + 6d_9 + 9t_{15},$
$b_{15} y_9 = r_3 + y_3 + 2s_6 + 3d_9 + 6t_{15},$
$b_{15} \bar{y}_9 = 2b_5 + 2c_5 + 3b_8 + 3c_8 + 3x_9 + 4x_{10},$
$b_{15} x_3 = s_6 + 2t_{15} + d_9,$
$b_{15} \bar{x}_3 = c_5 + c_8 + x_9 + b_8 + x_{10} + b_5,$
$b_{15} b_8 = 5b_{15} + 3y_9 + x_3 + b_3 + 2\bar{t}_6,$

$b_{15}x_{10} = 6b_{15} + 4y_9 + b_3 + x_3 + 3\bar{t}_6,$
$b_{15}b_5 = b_3 + x_3 + \bar{t}_6 + 2y_9 + 3b_{15},$
$b_{15}c_5 = 3b_{15} + 2y_9 + b_3 + x_3 + \bar{t}_6,$
$b_{15}c_8 = 5b_{15} + 3y_9 + x_3 + b_3 + 2\bar{t}_6,$
$b_{15}x_9 = 6b_{15} + 3y_9 + x_3 + b_3 + 2\bar{t}_6,$
$b_{15}r_3 = 2\bar{b}_{15} + t_6 + \bar{y}_9,$
$b_{15}y_3 = 2\bar{b}_{15} + \bar{y}_9 + t_6,$
$b_{15}s_6 = 4\bar{b}_{15} + 2\bar{y}_9 + \bar{b}_3 + \bar{x}_3 + t_6,$
$b_{15}t_{15} = 9\bar{b}_{15} + 6\bar{y}_9 + 2\bar{b}_3 + 2\bar{x}_3 + 4t_6,$
$b_{15}d_9 = 6\bar{b}_{15} + 3\bar{y}_9 + \bar{b}_3 + \bar{x}_3 + 2t_6.$

$y_9\bar{y}_9 = 1 + b_5 + c_5 + 2b_8 + 2c_8 + 2x_9 + 2x_{10},$
$y_9^2 = r_3 + y_3 + 2s_6 + 2d_9 + 3t_{15},$
$y_9x_3 = r_3 + d_9 + t_{15},$
$y_9\bar{x}_3 = b_8 + x_{10} + x_9,$
$y_9b_8 = \bar{t}_6 + 2y_9 + 3b_{15} + x_3,$
$y_9x_{10} = \bar{t}_6 + 2y_9 + b_3 + x_3 + 4b_{15},$
$y_9b_5 = \bar{t}_6 + y_9 + 2b_{15},$
$y_9c_5 = \bar{t}_6 + y_9 + 2b_{15},$

$y_9c_8 = 3b_{15} + b_3 + 2y_9 + \bar{t}_6,$
$y_9x_9 = 2\bar{t}_6 + 2y_9 + 3b_{15} + x_3 + b_3,$
$y_9r_3 = \bar{b}_{15} + \bar{y}_9 + \bar{x}_3,$
$y_9y_3 = \bar{b}_{15} + \bar{b}_3 + \bar{y}_9,$
$y_9s_6 = 2\bar{b}_{15} + t_6 + 2\bar{y}_9,$
$y_9t_{15} = 6\bar{b}_{15} + 2t_6 + \bar{b}_3 + 3\bar{y}_9 + \bar{x}_3,$
$y_9d_9 = 3\bar{b}_{15} + 2t_6 + \bar{b}_3 + 2\bar{y}_9 + \bar{x}_3.$

$x_3\bar{x}_3 = 1 + c_8,$
$x_3^2 = s_6 + y_3,$
$x_3b_8 = b_{15} + y_9,$
$x_3x_{10} = b_{15} + \bar{t}_6 + y_9,$
$x_3b_5 = b_{15},$
$x_3c_5 = b_{15},$
$x_3c_8 = x_3 + b_{15} + \bar{t}_6,$
$x_3x_9 = b_3 + y_9 + b_{15},$
$x_3r_3 = \bar{y}_9,$
$x_3y_3 = \bar{x}_3 + t_6,$
$x_3s_6 = \bar{b}_{15} + \bar{x}_3,$
$x_3t_{15} = 2\bar{b}_{15} + t_6 + \bar{y}_9,$
$x_3d_9 = \bar{b}_{15} + \bar{b}_3 + \bar{y}_9.$

Table 1: NITA $(A(3 \cdot A_6 \cdot 2), B_{32})$

The powers of b_3	contituents of the powers	Basis of quotient of B_{32}/C
b_3^2	$c_3,\ b_6$	$C = \{1,\ b_8,\ x_{10},\ b_5,\ c_5,\ c_8,\ x_9\}$
b_3^3	$r_3,\ s_6,\ t_{15}$	$Cb_3 = \{b_3,\ x_6,\ x_{15},\ b_9,\ \bar{z}_3\}$
b_3^4	$\bar{c}_3,\ \bar{b}_6,\ \bar{y}_{15},\ \bar{c}_9$	$C\bar{b}_3 = \{\bar{b}_3,\ \bar{x}_6,\ \bar{x}_{15},\ \bar{b}_9,\ z_3\}$
b_3^5	$\bar{b}_3,\ \bar{x}_6,\ \bar{x}_{15},\ \bar{b}_9,\ z_3$	$Cr_3 = \{r_3,\ t_{15},\ d_9,\ y_3,\ s_6\}$
b_3^6	$1,\ b_8,\ x_{10},\ b_5,\ c_5,\ c_8,\ x_9$	$Cc_3 = \{c_3,\ b_6,\ y_{15},\ c_9,\ \bar{d}_3\}$
b_3^7	$b_3,\ x_6,\ x_{15},\ b_9,\ \bar{z}_3$	$C\bar{c}_3 = \{\bar{c}_3,\ \bar{b}_6,\ \bar{y}_{15},\ \bar{c}_9,\ d_3\}$
b_3^8	$c_3,\ b_6,\ y_{15},\ c_9,\ \bar{d}_3$	
b_3^9	$r_3,\ s_6,\ t_{15},\ d_9,\ y_3$	
b_3^{10}	$\bar{c}_3,\ \bar{b}_6,\ \bar{y}_{15},\ \bar{c}_9,\ d_3$	

If we define in a table algebra $(A,\ B)$ for $R,\ S \subseteq B$,

$$R * S = \{\cup Supp(R \cdot S) | r \in R,\ s \in S\},$$

then: $Cb_3 * C\bar{b}_3 = Cr_3^2 = Cc_3 * C\bar{c}_3 = C,\ C$ is identity. $(Cb_3)^2 = C\bar{c}_3$, $Cb_3 * Cc_3 = Cr_3$, $Cb_3 * C\bar{c}_3 = C\bar{b}_3$ and $Cb_3Cr_3 = C\bar{c}_3$. For the definitions of abelian table algebra, quotient of table algebra and its basis and the subtable algebra generated by an element $b \in B$ denoted by $< b >= B_b$ see [1] and [9]. Also the definitions of linear and faithful element $b \in B$ are found there.

One can derived from our table that $B_{32} = \cup_{i=1}^{10} Bb_3^i = \cup_{i=0}^{\infty} Bb_3^i$ and b_3 is a faithful element of B_{32} generates B_{32}. Also the quotient table algebra with basis B_{32}/C is strictly isomorphic the table algebra induced by the cyclic group Z_6 of order 6.

Table 2: NITA $(A(7 \cdot 5 \cdot 10),\ B_{22})$

The powers of b_3	new contituents of the powers	Basis of quotient of B_{32}/C
b_3^2	$r_3,\ s_6$	$C = \{1,\ b_8,\ x_{10},\ b_5,\ c_5,\ c_8,\ c_9\}$
b_3^3	$\bar{b}_3,\ t_6,\ \bar{b}_{15}$	$C\bar{b}_3 = \{\bar{b}_3,\ t_6,\ \bar{b}_{15},\ \bar{y}_9,\ \bar{x}_3\}$
b_3^4	$1,\ b_8,\ x_{10},\ b_5,\ c_5,\ c_8,\ x_9$	$Cr_3 = \{r_3,\ s_6,\ t_{15},\ d_9,\ y_3\}$
b_3^5	$b_3,\ \bar{t}_6,\ b_{15},\ y_9,\ x_3$	$Cb_3 = \{b_3,\ \bar{t}_6,\ b_{15},\ y_9,\ x_3\}$
b_3^6	$r_3,\ s_6,\ t_{15},\ d_9,\ y_{15},\ y_3$	
b_3^7	$\bar{b}_3,\ t_6,\ \bar{b}_{15},\ \bar{y}_9,\ \bar{x}_3$	

One can derived from this table that $B_{22} = \cup_{i=1}^{7} Bb_3^i = \cup_{i=0}^{\infty} Bb_3^i$ and b_3 is a faithful element of B_{22} generates B_{22}. Also the quotient table algebra with basis B_{22}/C is strictly isomorphic to the table algebra induced by the cyclic group Z_n of order 4.

In order to prove Main Theorems, the following fact is frequently used:

Lemma 2.1. *Let* $e_m,\ f_m,\ u_n,\ v_n\ \in B$ *such that* $e_m\bar{e}_m = f_m\bar{f}_m$. *Then* $(e_m u_n,\ e_m u_n) = (\bar{e}_m u_n,\ \bar{e}_m u_n) = (f_m v_n,\ f_m v_n) = (\bar{f}_m v_n,\ \bar{f}_m v_n)$.

Proof. (1) follows from $(e_m u_n,\ e_m u_n) = (e_m\bar{e}_m,\ u_n\bar{u}_n) = (f_m\bar{f}_m,\ u_n\bar{u}_n) = (f_m u_n,\ f_m u_n)$.

Notice that $t_3\bar{t}_3,\ b_8),\ (s_4\bar{s}_4,\ b_8) \leq 1$, we come to (2).

Lemma 2.2. *Let* $b_3,\ t_3,\ s_4\ \in\ B$, $b_3\bar{b}_3\ =\ 1 + b_8$. *Then* $(b_3t_3,\ b_3t_3)$, $(b_3s_4,\ b_3s_4) \leq 2$. *If* $(b_3t_3,\ b_3t_3) = 2$, *then* $t_3\bar{t}_3 = 1 + b_8$.

Proof. If $(b_3x_4,\ b_3x_4) \geq 3$, then $(x_4\bar{x}_4,\ b_8) \geq 2$ for $b_3\bar{b}_3 = 1 + b_8$, a contradiction. (1) follows.

If $(b_3c_3,\ b_3c_3) = 2$, then $(b_3\bar{b}_3,\ c_3\bar{c}_3) = 2$. (2) follows from $b_3\bar{b}_3 = 1 + b_8$.

3 NITA Generated by b_3 and Satisfying $b_3^2 = b_4 + b_5$

In this section, we shall investigate NITA generated by b_3 and satisfying $b_3^2 = b_4 + b_5$ and come to the following theorem:

Theorem 3.1. *Let* $(A,\ B)$ *be NITA generated by a non-real element* $b_3 \in B$ *of degree 3 and without non-identity basis element of degree 1 or 2. Then* $b_3\bar{b}_3 = 1 + b_8,\ b_8 \in B$. *Assume that* $b_3^2 = b_4 + b_5,\ b_4 \in B$ *and* $b_5 \in B$. *Then* $(\bar{b}_5 b_5, b_8) = 1,\ (b_4^2,\ b_4^2) = 3$ *and* $(b_3 b_8,\ b_3 b_8) = 3$.

Now we start to investigate NITA satifying

$$\begin{aligned} b_3\bar{b}_3 &= 1 + b_8, && (1)\\ b_3^2 &= b_4 + b_5. && (2) \end{aligned}$$

The Proof of this theorem is in the rest of this section.

Based on the above equations, one may set that

$$\bar{b}_3 b_4 = b_3 + b_9,\ \text{some } b_9 \in N^*B. \qquad (3)$$

Since $(b_4\bar{b}_4,\ b_8) \le 1$, we have that $(\bar{b}_3 b_4,\ \bar{b}_3 b_4) = 2$, $b_9 \in B$ and

$$b_4\bar{b}_4 = 1 + b_8 + c_7,\ \text{where } c_7 \in N^*B. \qquad (4)$$

Collecting the above equations, checking the associative laws for basis elements and making necessary assumptions, we have the following equations:

Lemma 3.1. *The following equations always hold:*

$$\begin{array}{rcll}
\bar{b}_3 b_4 & = & b_3 + b_9, & \\
b_4\bar{b}_4 & = & 1 + b_8 + c_7, c_7 \in N^*B & \\
\bar{b}_3 b_5 & = & b_3 + x_{12},\quad x_{12} \in N^*B & \textit{assumption},\\
b_3 b_8 & = & b_3 + b_9 + x_{12} & \textit{calculating } b_3^2\bar{b}_3 = b_3(b_3\bar{b}_3),\\
b_3 c_7 & = & b_9 + f_{12},\ \ f_{12} \in N^*B, & \textit{assumption},\\
b_4\bar{b}_9 & = & b_3 + b_9 + x_{12} + f_{12}, & \textit{calculating } b_3(\bar{b}_4 b_4) = (b_3\bar{b}_4)b_4,\\
b_4 b_8 & = & b_5 + b_3 b_9 & \textit{calculating } b_3(\bar{b}_3 b_4) = (b_3\bar{b}_3)b_4,\\
\bar{b}_4 b_5 & = & b_8 + z_{12},\ \ z_{12} \in N^*B & \textit{assumption},\\
\bar{b}_3 b_9 & = & c_7 + b_8 + \bar{z}_{12} & \textit{calculating } \bar{b}_3^2 b_4 = \bar{b}_3(\bar{b}_3 b_4),\\
b_8^2 & = & 1 + c_7 + b_8 + \bar{z}_{12} + \bar{b}_3 x_{12} & \textit{calculating } (b_3\bar{b}_3)b_8 = (b_3 b_8)\bar{b}_3,\\
b_8 c_7 & = & b_8 + \bar{z}_{12} + \bar{b}_3 f_{12} & \textit{calculating } (b_3\bar{b}_3)c_7 = (b_3 b_7)\bar{b}_3,\\
b_5\bar{b}_9 & = & b_9 + b_3 z_{12}, & \textit{calculating } (\bar{b}_3 b_4)\bar{b}_5 = \bar{b}_3(b_4\bar{b}_5),\\
b_9\bar{b}_9 & = & 1 + b_8 - z_{12} + \bar{z}_{12} + \bar{b}_3 f_{12} + \bar{b}_3 x_{12} & \textit{caculating } (b_4\bar{b}_4)b_8 = \bar{b}_4(b_4 b_8).
\end{array}$$

Proof. Based on the known equations, checking associative laws one by one and making necessary assumptions, one can easily come to the equations above. Here is the proof of the last equation. It follows from

$$\begin{aligned}(b_4\bar{b}_4)b_8 &= b_8 + b_8^2 + b_8c_7\\ &= b_8 + 1 + c_7 + b_8 + \bar{z}_{12} + \bar{b}_3x_{12} + b_8 + \bar{z}_{12} + \bar{b}_3f_{12},\\ \bar{b}_4(b_4b_8) &= \bar{b}_4b_5 + (\bar{b}_4b_3)b_9\\ &= \bar{b}_4b_5 + \bar{b}_3b_9 + b_9\bar{b}_9\\ &= b_8 + z_{12} + c_7 + b_8 + \bar{z}_{12} + b_9\bar{b}_9.\end{aligned}$$

Obviously $(b_5\bar{b}_5,\ b_8) \leq 3$, c_7 is either $c_3 + c_4$ or irreducible.

If $c_7 \notin B$, then there exist $c_3,\ c_4 \in B$ such that $c_7 = c_3 + c_4$. At first we have the following lemma:

Lemma 3.2. *There exits no NITA generated by b_3 and satisfying $b_3\bar{b}_3 = 1 + b_8$, $b_3^2 = b_4 + b_5$ and $c_7 = c_3 + c_4$.*

Proof. By the assumption, we have that

$$b_4\bar{b}_4 = 1 + b_8 + c_3 + c_4. \tag{5}$$

Then

$$\begin{aligned}b_3^2\bar{b}_4 &= b_4\bar{b}_4 + b_5\bar{b}_4\\ &= 1 + c_3 + c_4 + b_8 + \bar{b}_4b_5,\\ b_3(b_3\bar{b}_4) &= b_3\bar{b}_3 + b_3\bar{b}_9\\ &= 1 + b_8 + b_3\bar{b}_9.\end{aligned}$$

Hence $(c_3,\ b_3\bar{b}_9) = (c_4,\ b_3\bar{b}_9) = 1$. Therefore

$$\begin{aligned}b_3c_3 &= b_9, &(6)\\ b_3c_4 &= d_3 + b_9,\ \text{some } d_3 \in B,\ d_3 \neq b_3. &(7)\end{aligned}$$

Now one has $(b_3\bar{d}_3,\ c_4) = 1$. Then

$$b_3\bar{d}_3 = c_4 + d_5,\ \text{some } d_5 \in B, \tag{8}$$

from which $(b_3\bar{b}_3,\ d_3\bar{d}_3) = 2$ follows. Hence

$$d_3\bar{d}_3 = 1 + b_8. \tag{9}$$

By (5), we have that $(b_4c_3,\ b_4) = 1$. Let

$$b_4c_3 = b_4 + y_8,\ y_8 \in N^*B. \tag{10}$$

Since $(b_3\bar{b}_3)c_3 = c_3 + c_3b_8,\ \bar{b}_3(b_3c_3) = \bar{b}_3b_9$, one has that $\bar{b}_3b_9 = c_3 + c_3b_8$. But $(c_4,\ \bar{b}_3b_9) = 1$. Then $(c_4,\ c_3b_8) = 1$ and so $(c_4c_3,\ b_8) = 1$. Thus

$$c_3c_4 = x_4 + b_8, \text{some } x_4 \in B. \tag{11}$$

By (10) we have that

$$2 \le (b_4c_3,\ b_4c_3) = (b_4\bar{b}_4,\ c_3^2) = (1 + c_3 + c_4 + b_8,\ c_3^2),$$

which implies that c_3^2 equals one of

$$1 + b_8,\ 1 + c_3 + x_5,\ 1 + c_4 + y_4,\ 1 + 2c_4.$$

By (11), we know that c_3^2 cannot be $1 + c_4 + y_4$ or $1 + 2c_4$. And by (6), $c_3^2 \neq 1 + b_8$. Hence

$$c_3^2 = 1 + c_3 + x_5. \tag{12}$$

Therefore $(b_4c_3,\ b_4c_3) = (c_3^2,\ b_4\bar{b}_4) = 2$, which implies that $y_8 \in B$.

By **Lemma** 3.1, (8) and (9), we have

$$\begin{aligned} b_3(b_3\bar{b}_3) &= b_3 + b_3b_8 = 2b_3 + b_9 + x_{12}, \\ \bar{b}_3(b_3^2) &= \bar{b}_3b_4 + \bar{b}_3b_5 = b_3 + b_9 + \bar{b}_3b_5, \\ (b_3\bar{d}_3)d_3 &= c_4d_3 + d_5d_3. \end{aligned}$$

Hence $b_3b_8 = b_9 + \bar{b}_3b_5$, and $b_9 \in Supp\{c_4d_3 + d_5d_3\}$.

Assume that $b_9 \in Supp\{d_3d_5\}$. By (8), it follow that

$$\begin{aligned} d_3d_5 &= b_9 + b_3 + l_3,\ l_3 \in B, \\ \bar{b}_3b_5 &= c_4d_3 + l_3, \end{aligned}$$

so that $b_3b_8 = b_9 + l_3 + c_4d_3$, which implies that $b_8 \in Supp\{b_3\bar{l}_3\}$. Hence $l_3 = b_3$. So $(d_3d_5,\ b_3) = 3$, which implies that $(b_4\bar{d}_3,\ d_5) = 2$, a contradiction to (8). Thus $b_9 \in Supp\{c_4d_3\}$ and

$$c_4d_3 = b_3 + b_9. \tag{13}$$

Thus $(d_3\bar{d}_3,\ c_4^2) = 2$, we may assume that

$$c_4^2 = 1 + b_8 + f_7, \text{ some } f_7 \in N^*B. \tag{14}$$

Then $c_4 \notin Supp\{c_4x_5\}$. Otherwise, $c_4 \in Supp\{c_4x_5\}$, which implies that $x_5 \in Supp\{c_4^2\}$, and so $f_7 = x_5 + x_2$, a contradiction.

Since

$$\begin{aligned} c_3^2c_4 &= c_4 + c_3c_4 + x_5c_4 \\ &= c_4 + x_4 + b_8 + c_4x_5, \\ c_3(c_3c_4) &= c_3b_8 + c_3x_4, \end{aligned}$$

we have that

$$c_3b_8 + c_3x_4 = c_4 + x_4 + b_8 + c_4x_5.$$

But left side of the above equation contains two c_4 by (11). Hence $c_4 = x_4$ by $c_4 \notin Supp\{c_4x_5\}$. Therefore

$$c_3c_4 = b_8 + c_4, \tag{15}$$

which implies that $(c_4^2,\ c_3) = 1$ and

$$c_4^2 = 1 + b_8 + c_3 + e_4, \text{some } e_4 \in B.$$

Now we have following equations

$$\begin{aligned} b_3c_4^2 &= b_3 + b_3b_8 + b_3c_3 + b_3e_4 \\ &= 2b_3 + 2b_9 + x_{12} + b_3e_4, \\ \text{By (7) and (13)} \quad c_4(b_3c_4) &= c_4b_9 + c_4d_3 \\ &= c_4b_9 + b_9 + b_3. \end{aligned}$$

Then $c_4b_9 = b_3 + b_9 + x_{12} + b_3e_4$. Since $d_3 \in Supp\{c_4b_9\}$, one has that $d_3 \in Supp\{x_{12}\}$ or b_3e_4.

If $d_3 \in Supp\{x_{12}\}$, then $d_3 \in Supp\{b_3b_8\}$, which implies that $b_3\bar{d}_3 = 1 + b_8$. Thus $b_3 = d_3$, which implies that $b_3\bar{b}_3 = c_4 + d_5$, a contradiction. Hence $d_3 \in Supp\{b_3e_4\}$, $e_4 \in Supp\{b_3\bar{d}_3\}$. Therefore by (8) $e_4 = c_4$ and

$$\begin{aligned} \text{by (7)} \ \ c_4^2 &= 1 + c_3 + c_4 + b_8 = b_4\bar{b}_4, \\ c_4b_9 &= b_3 + d_3 + 2b_9 + x_{12}. \end{aligned}$$

Furthermore

$$\begin{aligned}
b_3c_4^2 &= b_3 + b_3b_8 + b_3c_4 + b_3c_3 \\
&= b_3 + b_3 + b_9 + x_{12} + d_3 + b_9 + b_9, \\
(b_3\bar{b}_4)b_4 &= \bar{b}_3b_4 + \bar{b}_9b_4 \\
&= b_3 + b_9 + b_4\bar{b}_9, \\
(b_3c_4)c_4 &= c_4b_9 + d_3c_4 \\
&= c_4b_9 + b_3 + b_9.
\end{aligned}$$

Thus

$$b_4\bar{b}_9 = b_3 + d_3 + 2b_9 + x_{12} = c_4b_9.$$

Hence by (6) $(b_3c_3)c_4 = b_9c_4 = b_3 + d_3 + 2b_9 + x_{12}$. But by (7) $(b_3c_4)c_3 = c_3b_9 + c_3d_3$.

Since $d_3 \notin Supp\{c_3d_3\}$, we have that $d_3 \in Supp\{c_3b_9\}$

$$\begin{aligned}
c_3d_3 &= b_9, \\
c_3b_9 &= b_3 + d_3 + b_9 + x_{12}. \qquad (16)
\end{aligned}$$

Therefore $(b_3c_3,\ c_3d_3) = 1$, so $(b_3\bar{d}_3,\ c_3^2) = 1$. By (8) and (12), we have that $(b_3\bar{d}_3,\ x_5) = 1$, which implies that $x_5 = d_5$. Consequently d_5 is real. Then

$$\begin{aligned}
b_3\bar{d}_3 &= c_4 + d_5 = \bar{b}_3d_3, \\
c_3^2 &= 1 + c_3 + d_5.
\end{aligned}$$

Moreover $(b_3^2,\ d_3^2) = (b_3\bar{d}_3,\ \bar{b}_3d_3) = 2$. So

$$d_3^2 = 1 + 2b_4 \text{ or } b_4 + b_5.$$

Since (9) implies that d_3 is non-real. So

$$d_3^2 = b_4 + b_5.$$

By (8), we may set that

$$\bar{b}_3d_5 = \bar{d}_3 + u_{12},\ u_{12} \in N^*B.$$

Then

$$\begin{aligned}
\bar{b}_3c_3^2 &= \bar{b}_3 + \bar{b}_3c_3 + \bar{b}_3d_5 \\
&= \bar{b}_3 + \bar{b}_9 + \bar{d}_3 + u_{12}, \\
(\bar{b}_3c_3)c_3 &= c_3\bar{b}_9.
\end{aligned}$$

Thus

$$c_3b_9 = b_3 + d_3 + b_9 + \bar{u}_{12}.$$

Hence $x_{12} = \bar{u}_{12}$ by (16) and so $b_3d_5 = d_3 + x_{12}$. Since $c_4c_3^2 = c_4 + c_3c_4 + d_5c_4$ and $c_3(c_3c_4) = c_3c_4 + c_3b_8$ by (15), we have that

$$c_3b_8 = c_4 + c_4d_5.$$

Now, by $c_4^2 = b_4\bar{b}_4$, we have that

$$\begin{aligned} c_3c_4^2 &= c_3 + c_3^2 + c_3c_4 + c_3b_8 \\ &= c_3 + 1 + c_3 + d_5 + c_4 + b_8 + c_4 + c_4d_5, \\ (c_3b_4)\bar{b}_4 &= b_4\bar{b}_4 + y_8\bar{b}_4 \\ &= 1 + c_3 + c_4 + b_8 + \bar{b}_4y_8. \end{aligned}$$

So

$$\bar{b}_4y_8 = c_3 + c_4 + d_5 + c_4d_5.$$

We have known that y_8 is irreducible, then $(c_4b_4,\ y_8) = 1$. But $(b_4c_4,\ b_4c_4) = 4$. Hence $(c_4b_4 - y_8,\ c_4b_4 - y_8) = 3$, which is impossible for $L_1(B) = \{1\}$ and $L_2(B) = \emptyset$. The lemma follows.

Now we begin to investigate NITA such that $c_7 \in B$ based on the value of $(b_5\bar{b}_5,\ b_8)$.

Lemma 3.3. *There exits no NITA such that $c_7 \in B$ and $(b_5\bar{b}_5,\ b_8) = 3$.*

Proof. It is easy to see that $(b_5\bar{b}_5,\ b_8) = 3$ implies that $(\bar{b}_3b_5,\ \bar{b}_3b_5) = 4$. By **Lemma 3.1**, we may assume that

$$\begin{aligned} x_{12} &= x + y + z,\ x,\ y,\ z \in B, \\ \bar{b}_3b_5 &= b_3 + x + y + z, \\ b_3b_8 &= b_3 + b_9 + x + y + z. \end{aligned}$$

By the last equation above, one has that b_8 is contained in $\bar{b}_3x$, $\bar{b}_3y$ and $\bar{b}_3z$. Hence no one of x, y and z has degree 3. Therefore

$$\begin{aligned} x_{12} &= x_4 + y_4 + z_4, \\ \bar{b}_3x_4 &= r_4 + b_8,\ \text{some } r_4 \in B, \\ \bar{b}_3y_4 &= s_4 + b_8,\ \text{some } s_4 \in B, \\ \bar{b}_3z_4 &= t_4 + b_8,\ \text{some } t_4 \in B. \end{aligned}$$

Furthermore b_3x_4, b_3y_4 and b_3z_4 have exactly two constituents. Let

$$\begin{aligned} b_3x_4 &= b_5 + r_7, \text{ some } r_7 \in B, \\ b_3y_4 &= b_5 + s_7, \text{ some } s_7 \in B, \\ b_3z_4 &= b_5 + t_7, \text{ some } t_7 \in B. \end{aligned}$$

Since

$$\begin{aligned} \bar{b}_3(b_3x_4) &= \bar{b}_3b_5 + \bar{b}_3r_7 \\ &= b_3x_4 + y_4 + z_4 + \bar{b}_3r_7, \\ b_3(\bar{b}_3x_4) &= b_3b_8 + b_3r_4 \\ &= b_3 + b_9 + x_4 + y_4 + z_4 + b_3r_4, \end{aligned}$$

we have that $\bar{b}_3r_7 = b_9 + b_3r_4$. By the same reasoning we have that $\bar{b}_3s_7 = b_9 + b_3s_4$ and $\bar{b}_3t_7 = b_9 + b_3t_4$. Hence $r_7,\ s_7,\ t_7 \in Supp\{b_3b_9\}$.

If r_7, s_7 and t_7 are distinct, then

$$b_3b_9 = b_4 + r_7 + s_7 + t_7 + e_2, \text{ some } e_2 \in B,$$

a contradiction. Hence at least two of r_7, s_7 and t_7 are equal, without loss of generality, let $r_7 = s_7$. Then $(b_3x_4,\ b_3y_4) = (\bar{b}_3x_4,\ \bar{b}_3y_4) = 2$. Thus $r_4 = s_4$. BY **Lemma 3.1**, we have

$$b_8^2 = 1 + 4b_8 + c_7 + z_{12} + 2r_4 + t_4.$$

So $\bar{z}_{12} = 2r_4 + t_4$. **Lemma 3.1** implies that

$$\bar{b}_3b_9 = c_7 + b_8 + 2r_4 + t_4.$$

Then $(\bar{b}_3b_9,\ r_4) = (b_9,\ b_3r_4) \geq 2$, a contradiction, which lemma follows from.

Lemma 3.4. *There exits no NITA such that $c_7 \in B$ and $(b_5\bar{b}_5,\ b_8) = 2$.*

Proof. Suppose that $(b_5\bar{b}_5,\ b_8) = 2$. Let

$$b_5\bar{b}_5 = 1 + 2b_8 + d_8, \text{ some } d_8 \in N^*B.$$

Since $(\bar{b}_3b_5,\ \bar{b}_3b_5) = (b_3\bar{b}_3,\ b_5\bar{b}_5) = 3$, by **Lemma 3.1**, we have that $x_{12} = x + y$ and

$$\begin{aligned} \bar{b}_3b_5 &= b_3 + x + y, \\ b_3b_8 &= b_3 + b_9 + x + y. \end{aligned}$$

Thus $b_8 \in Supp\{\bar{b}_3 x\}$, $Supp\{\bar{b}_3 y\}$, which implies that degrees of x and y are ≥ 4. We have three possibilities: $(f(x),\ f(y)) = (4,\ 8),\ (5,\ 7),\ (6,\ 6)$.

We shall divide the proof into three propositions. And the lemma follows from **Proposition 3.1, 3.2, 3.3.**

Proposition 3.1. *No NITA such that* $b_5\bar{b}_5 = 1 + 2b_8 + d_8$ *and* $(f(x),\ f(y)) = (4,\ 8)$.

Proof. Assume $(f(x),\ f(y)) = (4,\ 8)$. Then $x_{12} = x_4 + y_8$ and we may set

$$\begin{aligned} \bar{b}_3 x_4 &= b_8 + x'_4,\ x'_4 \in B, \\ \bar{b}_3 y_8 &= b_8 + y_{16},\ y_{16} \in N^* B, \end{aligned} \tag{17}$$

Then

$$b_8^2 = 1 + c_7 + 3b_8 + x'_4 + \bar{z}_{12} + y_{16}.$$

Hence

$$\begin{aligned} (b_3\bar{b}_3)^2 &= 2 + 5b_8 + c_7 + x'_4 + \bar{z}_{12} + y_{16}, \\ b_3^2\bar{b}_3^2 &= b_4\bar{b}_4 + b_4\bar{b}_5 + \bar{b}_4 b_5 + b_5\bar{b}_5 \\ &= 1 + b_8 + c_7 + b_4\bar{b}_5 + \bar{b}_4 b_5 + 1 + 2b_8 + d_8, \end{aligned}$$

so $z_{12} + d_8 = x'_4 + y_{16}$.

Now two cases appear, $x'_4 \in Supp\{d_8\}$ or $x'_4 \notin Supp\{d_8\}$.

Case I. Suppose that $x'_4 \in Supp\{z_{12}\}$. Then there exists s_8 such that

$$\begin{aligned} z_{12} &= x'_4 + s_8, \\ y_{16} &= d_8 + s_8. \end{aligned}$$

Since $(\bar{b}_4 b_5,\ \bar{b}_4 b_5) = (b_4\bar{b}_4,\ b_5\bar{b}_5) = 3$, we have that $s_8 \in B$ and

$$\bar{b}_3 b_9 = c_7 + b_8 + \bar{x}'_4 + \bar{s}_8.$$

Hence $b_9 \in Supp\{b_3 x'_4\}$, which means that $(b_3\bar{x}'_4,\ b_3\bar{x}'_4) = 2$. So $(b_3 x'_4,\ b_3 x'_4) = 2$. Since $\bar{b}_3 x_4 = b_8 + x'_4$, we may set $b_3\bar{x}'_4 = a_3 + b_9$ and $b_3 x'_4 = x_4 + e_8$, some $a_3,\ e_8 \in B$.

Suppose that $b_3\bar{a}_3 = x'_4 + l_5,$ some $l_5 \in B.$ Then

$$\begin{aligned} b_3(\bar{b}_3 x'_4) &= b_3\bar{b}_9 + b_3\bar{a}_3 \\ &= c_7 + b_8 + x'_4 + s_8 + x'_4 + l_5, \\ \bar{b}_3(b_3 x'_4) &= \bar{b}_3 x_4 + \bar{b}_3 e_8 \\ &= b_8 + x'_4 + \bar{b}_3 e_8. \end{aligned}$$

Hence

$$\bar{b}_3 e_8 = c_7 + s_8 + x'_4 + l_5.$$

Therefore $e_8 \in Supp\{b_3c_7\}$. Let $b_3c_7 = b_9 + e_8 + e_4,\ e_4 \in B.$ By $(b_3\bar{b}_3)\bar{a}_3 = \bar{b}_3(b_3\bar{a}_3)$, we come to

$$\bar{a}_3 b_8 = \bar{b}_9 + \bar{b}_3 l_5.$$

Since $(\bar{a}_3b_8,\ \bar{a}_3b_8) = (a_3\bar{a}_3,\ b_8^2) = (b_3\bar{b}_3,\ b_8^2) = 4$, we have that $(\bar{b}_3l_5,\ \bar{b}_3l_5) = 3$. So $(b_3l_5,\ b_3l_5) = 3$. Let

$$b_3 l_5 = e_8 + \alpha_3 + \beta_4,$$

where $\alpha_3,\ \beta_4 \in B$. Obviously $\alpha_3 \neq b_3$.

$$\begin{aligned} b_3(\bar{b}_3 e_8) &= b_3c_7 + b_3b_8 + b_3x'_4 + b_3l_5 \\ &= 2b_9 + 3e_8 + e_4 + b_3 + 2x_4 + y_8 + \alpha_3 + \beta_4, \\ (b_3\bar{b}_3)e_8 &= e_8 + e_8b_8. \end{aligned}$$

Then

$$e_8b_8 = 2b_9 + 2e_8 + e_4 + b_3 + 2x_4 + y_8 + \alpha_3 + \beta_4.$$

Hence $e_8 \in Supp\{b_3b_8\}$, which implies that $e_8 = y_8$. Hence $b_3c_7 = b_9 + y_8 + e_4$, so that $c_7 \in Supp\{\bar{b}_3y_8\}$, which implies that $c_7 \in Supp\{y_{16}\} = \{d_8,\ s_8\}$, a contradiction.

Case II. NITA satisfying $x'_4 \in Supp\{d_8\}$.

If $x'_4 \in d_8$, then $d_8 = x'_4 + \bar{x}'_4$ (x'_4 maybe real). Then

$$b_5\bar{b}_5 = 1 + 2b_8 + x'_4 + \bar{x}'_4.$$

Hence $y_{16} = \bar{x}'_4 + z_{12}$ and

$$\begin{aligned} b_8^2 &= 1 + c_7 + 3b_8 + x'_4 + \bar{x}'_4 + z_{12} + \bar{z}_{12}, &(18)\\ \bar{b}_3 y_8 &= b_8 + \bar{x}'_4 + z_{12}, &(19)\\ b_9\bar{b}_9 &= 1 + 3b_8 + x'_4 + z_{12} + \bar{x}'_4 + \bar{b}_3 f_{12}, &(20) \end{aligned}$$

by (17). Therefore $(y_8,\ b_3\bar{x}_4')=1$. Let

$$b_3\bar{x}_4'=y_8+t_4,\ b_3x_4'=x_4+j_8,\ \text{where } t_4,\ j_8\in B. \tag{21}$$

Since

$$\begin{array}{rcl} b_3(b_5\bar{b}_5) & = & b_3+2b_3b_8+b_3x_4'+b_3\bar{x}_4' \\ & = & 3b_3+3b_9+2x_4+3y_8+t_4+x_4+j_8, \\ b_5(b_3\bar{b}_5) & = & b_5\bar{b}_3+b_5\bar{x}_4+b_5\bar{y}_8 \\ & = & b_3+x_4+y_8+b_5\bar{x}_4+b_5\bar{y}_8. \end{array}$$

we have that

$$\bar{x}_4b_5+\bar{y}_8b_5=2b_3+2b_9+2x_4+2y_8+t_4+j_8.$$

Since

$$\begin{array}{rcl} x_4'(\bar{b}_3b_4) & = & b_3x_4'+b_9x_4' \\ & = & x_4+j_8+b_9x_4', \\ (\bar{b}_3x_4')b_4 & = & \bar{y}_8b_4+\bar{t}_4b_4, \end{array}$$

we have that $x_4\in Supp\{b_4\bar{y}_8\}$ or $Supp\{\bar{t}_4b_4\}$.

We assert that $x_4\in Supp\{b_4\bar{t}_4\}$. Otherwise $x_4\in Supp\{b_4\bar{y}_8\}$, and $y_8\in Supp\{b_4\bar{x}_4\}$. But $b_9\in Supp\{b_4\bar{x}_4\}$ by **Lemma 3.1**, a contradiction. Hence $x_4\in Supp\{b_4\bar{t}_4\}$, which implies that $t_4\in Supp\{b_4\bar{x}_4\}$. Therefore

$$b_4\bar{x}_4=t_4+b_9+r_3,\ r_3\in B. \tag{22}$$

Since

$$\begin{array}{rcl} \bar{b}_3(b_4b_8) & = & \bar{b}_3b_5+\bar{b}_3(b_3b_9) \\ & = & b_3+x_4+y_8+b_9+b_3(\bar{b}_3b_9) \\ & = & b_3+x_4+y_8+b_9+b_3c_7+b_3b_8+b_3\bar{z}_{12} \\ & = & b_3+x_4+y_8+b_9+b_9+f_{12}+b_3+x_4+y_8+b_9+b_3\bar{z}_{12}, \\ b_4(\bar{b}_3b_8) & = & b_4\bar{b}_3+b_4\bar{x}_4+b_4\bar{y}_8+b_4\bar{b}_9 \\ & = & b_3+b_9+t_4+b_9+r_3+b_4\bar{y}_8+b_3+b_9+x_4+y_8+f_{12}, \\ (\bar{b}_3b_4)b_8 & = & b_3b_8+b_8b_9 \\ & = & b_3+x_4+y_8+b_9+b_8b_9, \end{array}$$

we have that

$$\begin{array}{rcl} x_4'b_8 & = & b_8+z_{12}+b_3\bar{t}_4, \\ b_8b_9 & = & b_3+x_4+y_8+b_9+y_{12}+b_3\bar{z}_{12}, \\ b_4\bar{y}_8+b_9+t_4+r_3 & = & x_4+y_8+b_3\bar{z}_{12} \end{array}$$

We continue the proof based on $t_4 = x_4$ or $t_4 \neq x_4$.

Subcase I. No NITA such that $t_4 = x_4$.

If $t_4 = x_4$, then $(x_4,\ b_3\bar{x}'_4) = 1$ by $b_3\bar{x}'_4 = y_8 + t_4$, which implies that $x'_4 \in Supp\{b_3\bar{x}_4\} = \{b_8,\ \bar{x}'_4\}$. And $\bar{b}_3t_4 = \bar{b}_3x_4 = b_8 + x'_4$. Hence x'_4 is real and

$$\begin{aligned} b_5\bar{b}_5 &= 1 + 2b_8 + 2x'_4, \qquad (23)\\ b_3x'_4 &= x_4 + y_8. \qquad (24)\end{aligned}$$

Thus

$$\begin{aligned} \bar{b}_3(b_3x'_4) &= \bar{b}_3y_8 + \bar{b}_3x_4\\ &= b_8 + x'_4 + \bar{z}_{12} + b_8 + x'_4,\\ (b_3\bar{b}_3)x'_4 &= x'_4 + x'_4b_8.\end{aligned}$$

So

$$x'_4b_8 = x'_4 + 2b_8 + z_{12}.$$

Since

$$\begin{aligned} b_3(b_5\bar{b}_5) &= b_3 + 2b_3b_8 + 2b_3x'_4\\ &= b_3 + 2b_3 + 2b_9 + 2x_4 + 2y_8 + 2x_4 + 2y_8,\\ b_5(b_3\bar{b}_5) &= \bar{b}_3b_5 + \bar{x}_4b_5 + \bar{y}_8b_5\\ &= b_3 + x_4 + y_8 + \bar{x}_4b_5 + \bar{y}_8b_5,\end{aligned}$$

we have that $\bar{x}_4b_5 + \bar{y}_8b_5 = 2b_3 + 2b_9 + 3x_4 + 3y_8$. Because $b_3 \in Supp\{\bar{x}_4b_5\}$ and $b_3 \in Supp\{\bar{y}_8b_5\}$, there exactly two possibilities:

$$\begin{aligned} &\bar{x}_4b_5 = b_3 + b_9 + y_8, \quad \bar{y}_8b_5 = b_3 + b_9 + 3x_4 + 2y_8,\\ &\bar{x}_4b_5 = b_3 + b_9 + 2x_4, \quad \bar{y}_8b_5 = b_3 + b_9 + x_4 + 3y_8.\end{aligned}$$

If $\bar{x}_4b_5 = b_3 + b_9 + y_8$ and $\bar{y}_8b_5 = b_3 + b_9 + 3x_4 + 2y_8$, then $(\bar{y}_8b_5,\ x_4) = 3$, which implies that $(b_5\bar{x}_4,\ y_8) = 3$, a contradiction.

If $\bar{x}_4b_5 = b_3 + b_9 + 2x_4$ and $\bar{y}_8b_5 = b_3 + b_9 + x_4 + 3y_8$. Then $(\bar{x}_4b_5,\ x_4) = 3$. So $(x_4^2,\ b_5) = 2$. It follow that $(x_4^2,\ x_4^2) \geq 5$. It is impossible for either $x_4\bar{x}_4 = 1 + b_8 + r_7,\ r_7 \in B$ or $x_4\bar{x}_4 = 1 + b_8 + r_4 + r_3,\ r_3,\ r_4 \in B$. Hence **Subcase I** follows.

Subcase II. No NITA such that $t_4 \neq x_4$.

If $t_4 \neq x_4$, by $b_4\bar{y}_8+b_9+t_4+r_3 = x_4+y_8+b_3\bar{z}_{12}$, we have that $r_3+t_4+b_9$ is a part of $b_3\bar{z}_{12}$, x_4+y_8 is a part of $b_4\bar{y}_8$ and $b_3+x_4+y_8+b_9+y_{12}+r_3+t_4+b_9$ is a part of b_8b_9.

If $b_9 \in Supp\{y_{12}\}$, then there exists $h_3 \in B$ such that $y_{12} = h_3 + b_9$. So $b_3c_7 = h_3 + 2b_9$, $b_3\bar{h}_3$ contains c_7, which is impossible for $L_2(B) = \emptyset$. Hence $b_9 \notin Supp\{y_{12}\}$.

Since $(b_9\bar{b}_9,\ b_8) = 3$, so $(b_8b_9,\ b_9) = 3$, which implies that $(b_3\bar{z}_{12},\ b_9) = 2$ and there exists $x_{11} \in N^*B$ of degrees 11 such that

$$\begin{array}{rcl} b_3\bar{z}_{12} & = & 2b_9 + t_4 + r_3 + x_{11}, \\ b_4\bar{y}_8 & = & x_4 + y_8 + b_9 + x_{11}. \end{array}$$

At the following we'll discuss based on what z_{12} is like. Since $(z_{12},\ z_{12}) = 2$, we have that $z_{12} = \alpha + \beta$, where $(f(\alpha),\ f(\beta)) = (3,\ 9)$, $(4,\ 8)$, $(5,\ 7)$ or $(6,\ 6)$.

Step 1. There exists no NITA such that $z_{12} = \alpha_3 + \beta_9$.

If $z_{12} = \alpha_3 + \beta_9$. Then $b_3(\bar{\alpha}_3 + \bar{\beta}_9) = r_3 + t_4 + b_9 + x_{11}$, $b_3\bar{\alpha}_3 = b_9$ and

$$\begin{array}{rcl} \bar{b}_3(b_3\bar{\alpha}_3) & = & c_7 + b_8 + \bar{\alpha}_3 + \bar{\beta}_9, \\ (\bar{b}_3b_3)\bar{\alpha}_3 & = & \bar{\alpha}_3 + \bar{\alpha}_3b_8. \end{array}$$

Thus

$$\alpha_3b_8 = c_7 + b_8 + \beta_9,$$

which implies that $(\alpha_3b_8,\ \alpha_3b_8) = 3$. Hence $(\alpha_3\bar{\alpha}_3,\ b_8^2) = 3$. It follows that $\alpha_3\bar{\alpha}_3 = 1 + x_4' + \bar{x}_4'$ by the expression of b_8^2 (see (18), which contradicts Theorem 1.1.

Step 2. There exists no NITA such that $z_{12} = \alpha_4 + \beta_8$.

If $z_{12} = \alpha_4 + \beta_8$. Then $b_3(\bar{\alpha}_4 + \bar{\beta}_8) = r_3 + t_4 + 2b_9 + x_{11}$. Since $b_9 \in Supp\{b_3\bar{\alpha}_4\}$, we have that

$$b_3\bar{\alpha}_4 = r_3 + b_9,\ b_3\bar{\beta}_8 = t_4 + b_9 + x_{11}.$$

Let $\bar{b}_3 r_3 = \bar{\alpha}_4 + e_5$. Then

$$\begin{aligned} \bar{b}_3(b_3\bar{\alpha}_4) &= \bar{b}_3 b_9 + \bar{b}_3 r_3 \\ &= c_7 + b_8 + \bar{\alpha}_4 + \bar{\beta}_8 + \bar{\alpha}_4 + e_5, \\ \bar{\alpha}_4(b_3\bar{b}_3) &= \bar{\alpha}_4 + \bar{\alpha}_4 b_8, \end{aligned}$$

which means that $\alpha_4 b_8 = c_7 + b_8 + \beta_8 + e_5$. Since $\bar{b}_3 y_8 = \alpha_4 + \beta_8 + \bar{x}'_4 + b_8$, we have that $b_3\alpha_4 = y_8 + \gamma_4,\ \gamma_4 \in B$.

Since

$$\begin{aligned} \bar{b}_3(b_3\alpha_4) &= \bar{b}_3 y_8 + b_3\gamma_4 \\ &= b_8 + \alpha_4 + \beta_8 + \bar{x}'_4 + b_3\gamma_4, \\ (\bar{b}_3 b_3)\alpha_4 &= \alpha_4 + \alpha_4 b_8 \\ &= 2\alpha_4 + c_7 + b_8 + \beta_8 + e_5, \end{aligned}$$

we have that $\bar{x}'_4 + b_3\gamma_4 = \alpha_4 + c_7 + e_5$, which implies that $\bar{x}'_4 = \alpha_4$. But by (21) $b_3 x'_4 = j_8 + x_4$, $j_8 \in B$ and $b_3\bar{\alpha}_4 = b_9 + r_3$, a contradiction.

Step 3. There exits no NITA such that $z_{12} = \alpha_5 + \beta_7$.

If $z_{12} = \alpha_5 + \beta_7$. Then

$$b_3(\bar{\alpha}_5 + \bar{\beta}_7) = 2b_9 + r_3 + t_4 + 2b_9 + x_{11}.$$

We need a sum of degree 6 to make up $b_3\bar{\alpha}_5$ for $b_9 \in Supp\{b_3\bar{\alpha}_5\}$.

If $r_3 \in Supp\{b_3\bar{\beta}_7\}$, then $\bar{b}_3 r_3$ contains an element of degree 2, a contradiction. Hence $r_3 \in Supp\{b_3\bar{\alpha}_5\}$. We may set

$$b_3\bar{\alpha}_5 = b_9 + r_3 + \delta_3,\ \ \delta_3 \in Supp\{x_{11}\}.$$

Furthermore $\bar{b}_3 r_3 = \bar{\alpha}_5 + d_4$, some $d_4 \in B$. It follows that $r_3\bar{r}_3 = 1 + b_8$. Now we have that $(\alpha_5\bar{\alpha}_5,\ b_8) = 2$ and

$$2b_3 + x_4 + y_8 + b_9 = b_3(b_3\bar{b}_3) = r_3(b_3\bar{r}_3) = r_3\alpha_5 + r_3\bar{d}_4,$$

from which the following holds:

$$r_3\alpha_5 + r_3\bar{d}_4 = 2b_3 + x_4 + y_8 + b_9.$$

Comparing the two sides, the following equations hold:

$$\begin{aligned} r_3\bar{d}_4 &= b_3 + b_9, \\ r_3\alpha_5 &= b_3 + x_4 + y_8. \end{aligned}$$

Therefore

$$\begin{aligned}\bar{b}_3(r_3\alpha_5) &= b_3\bar{b}_3 + x_4\bar{b}_3 + y_8\bar{b}_3 \\ &= 1 + b_8 + b_8 + x'_4 + b_8 + \alpha_5 + \beta_7 + \bar{x}'_4, \\ \alpha_5(\bar{b}_3 r_3) &= \alpha_5\bar{\alpha}_5 + d_4\alpha_5.\end{aligned}$$

Since $(\alpha_5\bar{\alpha}_5,\ b_8) = 2$, we can only have that

$$\begin{aligned}\alpha_5\bar{\alpha}_5 &= 1 + 2b_8 + x'_4 + \bar{x}'_4, \\ d_4\alpha_5 &= b_8 + \alpha_5 + \beta_7.\end{aligned}$$

Hence $d_4 = x'_4$ or $\bar{x}'_4$. So $\bar{b}_3 r_3 = \alpha_5 + x'_4$ or $\alpha_5 + \bar{x}'_4$.

If $\bar{b}_3 r_3 = \alpha_5 + \bar{x}'_4$, then $r_3 \in Supp\{b_3\bar{x}'_4\} = \{y_8,\ t_4\}$ by (21), a contradiction. Hence $\bar{b}_3 r_3 = \alpha_5 + x'_4$, which implies that $r_3 \in Supp\{b_3 x'_4\} = \{x_4,\ j_8\}$, a contradiction.

Step 4. There exists no NITA such that $z_{12} = \alpha_6 + \beta_6$.

If $z_{12} = \alpha_6 + \beta_6$, then

$$b_3(\bar{\alpha}_6 + \bar{\beta}_6) = 2b_9 + t_4 + r_3 + x_{11}.$$

Hence $\alpha_6 \neq \beta_6$. Without loss of generality, let $r_3 \in Supp\{b_3\alpha_6\}$. We may set that $\bar{b}_3 r_3 = \bar{\alpha}_6 + d_3$, which implies that $r_3\bar{r}_3 = 1 + b_8$. Therefore we have the following equation:

$$\begin{aligned}\alpha_6 r_3 + \bar{d}_3 r_3 &= (b_3\bar{r}_3)r_3 \\ &= (b_3\bar{b}_3)b_3 \\ &= 2b_3 + b_9 + x_4 + y_8.\end{aligned}$$

It is easy to see that we cannot sum up $\bar{d}_3 r_3$, a contradiction. The **Proposition 1** follows.

Proposition 3.2. *No NITA such that* $(f(x),\ f(y)) = (5,\ 7)$.

Proof. If $(f(x),\ f(y)) = (5,\ 7)$, that is to say, $x_{12} = x_5 + y_7$, and

$$\begin{aligned}\bar{b}_3 b_5 &= b_3 + x_5 + y_7, \\ b_3 b_8 &= b_3 + b_9 + x_5 + y_7.\end{aligned}$$

So we may set that

$$\begin{aligned}\bar{b}_3x_5 &= b_8+e_7,\ e_7\in N^*B,\\ b_3x_5 &= b_5+e_{10},\ e_{10}\in N^*B,\\ \bar{b}_3y_7 &= b_8+y_{13},\ y_{13}\in N^*B,\\ b_3y_7 &= b_5+y_{16},\ y_{16}\in N^*B.\end{aligned}$$

Hence

$$\begin{aligned}\bar{b}_3(b_3b_8) &= \bar{b}_3b_3+\bar{b}_3b_9+\bar{b}_3x_5+\bar{b}_3y_7\\ &= 1+b_8+c_7+b_8+\bar{z}_{12}+b_8+e_7+b_8+y_{13},\\ (b_3\bar{b}_3)b_8 &= b_8+b_8^2,\\ (\bar{b}_3b_5)b_3 &= b_3^2+b_3x_5+b_3y_7\\ &= b_4+3b_5+e_{10}+y_{16},\\ (b_3\bar{b}_3)b_5 &= b_5+b_5b_8,\end{aligned}$$

one has that

$$\begin{aligned}b_8^2 &= 1+c_7+e_7+3b_8+\bar{z}_{12}+y_{13},\\ b_5b_8 &= b_4+2b_5+e_{10}+y_{16}.\end{aligned}$$

On the other hand,

$$\begin{aligned}(b_3\bar{b}_3)^2 &= 1+2b_8+1+c_7+e_7+3b_8+\bar{z}_{12}+y_{13},\\ b_3^2\bar{b}_3^2 &= 1+b_8+c_7+b_8+z_{12}+b_8+\bar{z}_{12}+1+2b_8+d_8,\end{aligned}$$

which implies that $z_{12}+d_8=e_7+y_{13}$.

Step 1. There exists no NITA such that $e_7\notin Supp\{z_{12}\}$.

Suppose that $e_7\notin Supp\{z_{12}\}$. Since $e_7\notin Supp\{d_8\}$, there exist $\alpha_3\in Supp\{z_{12}\}$, $g_4\in Supp\{d_8\}$ or $\alpha_4\in Supp\{z_{12}\}$, $g_3\in Supp\{d_8\}$ such that

$$e_7=\alpha_3+g_4 \text{ or } \alpha_4+g_3.$$

Substep 1. There exists no NITA such that $e_7=\alpha_3+g_4$.

If $e_7=\alpha_3+g_4$, then there exist $z_9\in N^*B$ and $h_4\in B$ such that $z_{12}=\alpha_3+z_9$ and $d_8=g_4+h_4$. Further

$$\begin{aligned}\bar{b}_4b_5 &= \alpha_3+z_9+b_8,\\ \bar{b}_3b_9 &= c_7+b_8+\bar{\alpha}_3+\bar{z}_9,\\ \bar{b}_3x_5 &= b_8+\alpha_3+g_4,\end{aligned}$$

Hence

$$\begin{aligned} b_3\alpha_3 &= x_5 + i_4,\ i_4 \in B, \\ b_3\bar{\alpha}_3 &= b_9, \end{aligned}$$

which is impossible for $(b_3\bar{\alpha}_3,\ b_3\bar{\alpha}_3) = 1$ and $(b_3\alpha_3,\ b_3\alpha_3) = 2$.

Substep 2. No NITA such that $e_7 = \alpha_4 + g_3$.

If $e_7 = \alpha_4 + g_3$, then there exist $z_8 \in Supp\{N^*B\}$ and $h_5 \in B$ such that $\bar{z}_{12} = \alpha_4 + z_8$, $d_8 = g_3 + h_5$. Hence

$$\begin{aligned} \bar{b}_3 x_5 &= g_3 + \alpha_4 + b_8, \\ b_5\bar{b}_5 &= 1 + 2b_8 + g_3 + h_5, \\ \bar{b}_3 y_7 &= b_8 + z_8 + h_5. \end{aligned}$$

So there exists $l_4 \in B$ and $n_8 \in N^*B$ such that $b_3g_3 = x_5 + l_4$ and $b_3h_5 = y_7 + n_8$. Hence $g_3\bar{g}_3 = 1 + b_8$ and $\bar{b}_3 l_4 = g_3 + m_9$. Here $m_9 \in B$, otherwise $\bar{l}_4 l_4$ will contains two b_8, which is a contradiction.

Since

$$\begin{aligned} b_3(b_3\bar{b}_3) &= 2b_3 + b_9 + x_5 + y_7, \\ (b_3g_3)\bar{g}_3 &= \bar{g}_3 x_5 + \bar{g}_3 l_4, \end{aligned}$$

it follows that $\bar{g}_3 l_4 = b_3 + b_9$ and

$$\bar{g}_3 x_5 = b_3 + x_5 + y_7 = \bar{b}_3 b_5. \tag{25}$$

We assert that $Supp\{n_8\} \cap \{b_3,\ x_5,\ y_7,\ l_4\} = \emptyset$. Obviously $y_7 \notin Supp\{n_8\}$. By the expressions of b_3h_5 and $b_3\bar{b}_3$, we have that $b_3 \notin Supp\{n_8\}$. If $x_5 \in Supp\{n_8\}$, then $h_5 \in Supp\{\bar{b}_3 x_5\}$, a contradiction. If $l_4 \in Supp\{n_8\}$, then $h_5 \in Supp\{\bar{b}_3 l_4\}$, a contradiction. Since

$$\begin{aligned} b_3(b_5\bar{b}_5) &= b_3 + 2b_3b_8 + b_3g_3 + b_3h_5 \\ &= 3b_3 + 2b_9 + 2x_5 + 2y_7 + x_5 + l_4 + y_7 + n_8, \\ (b_3\bar{b}_5)b_5 &= b_5(\bar{b}_3 + \bar{x}_5 + \bar{y}_7) \\ &= b_3 + x_5 + y_7 + \bar{x}_5 b_5 + \bar{y}_7 b_5, \end{aligned}$$

It holds that

$$b_5\bar{x}_5 + b_5\bar{y}_7 = 2b_3 + 2b_9 + 2x_5 + 2y_7 + l_4 + n_8. \tag{26}$$

Now we assert that $(b_5\bar{y}_7,\ b_9) = 1$. In fact, it follows from that $b_5\bar{b}_9 = b_9 + b_3\alpha_4 + b_3z_8$ by **Lemma 3.1** and $(b_3\alpha_4,\ y_7) = 0$, $(b_3z_8,\ y_7) = 1$. Therefore $(b_5\bar{x}_5,\ b_3) = (b_5\bar{x}_5,\ b_9) = 1$ and $(b_5\bar{y}_7,\ b_3) = (b_5\bar{y}_7,\ b_9) = 1$.

By (25), $(\bar{g}_3x_5,\ \bar{b}_3b_5) = 3$. So $(b_3\bar{g}_3,\ b_5\bar{x}_5) = 3$. By (26), $b_5\bar{x}_5$ cannot contains three multiple of a constituent of degree 3 or two multiple of constituent of degree 6. Then the common constituents of $b_3\bar{g}_3$ and $b_5\bar{x}_5$ are degree 5 or 4 for $b_3\bar{g}_3$ can only have constituents of degree 5 and 4 at this moment. From $(b_3\bar{g}_3,\ b_5\bar{x}_5) = 3$ and (26), we have that $b_5\bar{x}_5$ must contains $2x_5$ and some element v_4 of degree 4 from $l_4 + n_8$. It leads to that

$$b_5\bar{x}_5 = b_3 + b_9 + 2x_5 + v_4,$$

a contradiction for left side having degree 26.

Step 2. There exists no NITA such that $e_7 \in Supp\{z_{12}\}$.

If $e_7 \in Supp\{z_{12}\}$, then there exists $w_5 \in B$ such that $z_{12} = e_7 + w_5$. So $y_{13} = d_8 + w_5$ and

$$\bar{b}_3x_5 = b_8 + e_7, \tag{27}$$

$$\begin{aligned} \bar{b}_3y_7 &= b_8 + d_8 + w_5, & (28)\\ \bar{b}_4b_5 &= w_5 + e_7 + b_8, & (29)\\ \bar{b}_3b_9 &= \bar{w}_5 + c_7 + \bar{e}_7 + b_8. & (30) \end{aligned}$$

Since $(\bar{b}_4b_5,\ \bar{b}_4b_5) = 3$, we have that $e_7,\ w_5 \in B$. By Lemma 3.1

$$b_5\bar{b}_9 = b_9 + b_3e_7 + b_3w_5. \tag{31}$$

Since $y_7 \in Supp\{b_3w_5\}$, $b_9 \in Supp\{b_3\bar{w}_5\}$, and $x_5 \in Supp\{b_3e_7\}$, we may set that

$$\begin{aligned} b_3w_5 &= y_7 + v_8,\ v_8 \in N^*B, & (32)\\ b_3\bar{w}_5 &= b_9 + d_6,\ d_8 \in N^*B, & (33)\\ b_3c_7 &= b_9 + f_{12}, f_{12} \in N^*B & (34)\\ b_3e_7 &= x_5 + h_{16}, h_{16} \in N^*B & (35)\\ b_3\bar{e}_7 &= b_9 + g_{12}, g_{12} \in N^*B. & (36) \end{aligned}$$

Case 1. There exists no NITA such that either v_8 or d_6 reducible.

It is easy to see that one of v_8 and d_6 is reducible will imply another one is reducible. Let $d_6 = d_3 + g_3$. Then

$$b_3\bar{w}_5 = d_3 + g_3 + b_9.$$

It is easy to show that $d_3 \neq g_3$. Hence we may set that

$$\begin{aligned} b_3\bar{d}_3 &= w_5 + \delta_4, \\ b_3\bar{g}_3 &= w_5 + \psi_4, \end{aligned}$$

which implies that $d_3\bar{d}_3 = g_3\bar{g}_3 = 1 + b_8$. If $\delta_4 = \psi_4$, then $b_3\bar{d}_3 = b_3\bar{g}_3$, $(b_3\bar{d}_3,\ b_3\bar{g}_3) = 2$, which implies that $d_3\bar{g}_3 = 1 + b_8$. Thus $g_3 = d_3$ and $b_3\bar{w}_5 = b_9 + 2g_3$, so that $(b_3\bar{g}_3,\ w_5) = 2$, a contradiction. Hence $\delta_4 \neq \psi_4$. Let's calculate $b_3^2\bar{b}_3 = b_3d_3\bar{d}_3 = b_3g_3\bar{g}_3$, we have that

$$\begin{aligned} (b_3\bar{b}_3)b_3 &= 2b_3 + b_9 + x_5 + y_7, \\ (b_3\bar{d}_3)d_3 &= w_5d_3 + \delta_4d_3, \\ (b_3\bar{g}_3)g_3 &= w_5g_3 + \psi_4g_3. \end{aligned}$$

It is easy to see that

$$\begin{aligned} \delta_4d_3 &= \psi_4g_3 = b_3 + b_9, \\ w_5d_3 &= w_5g_3 = b_3 + x_5 + y_7. \end{aligned}$$

On the other hand, we have that

$$\begin{aligned} w_5\bar{w}_5 &= 1 + 2b_8 + u_8, \\ \bar{b}_3(g_3\psi_4) &= \bar{b}_3(d_3\delta_4) = \bar{b}_3b_3 + \bar{b}_3b_9 \\ &= 1 + b_8 + c_7 + \bar{e}_7 + \bar{w}_5 + b_8, \\ (\bar{b}_3g_3)\psi_4 &= \bar{w}_5\psi_4 + \bar{\psi}_4\psi_4, \\ (\bar{b}_3d_3)\delta_4 &= \bar{w}_5\delta_4 + \bar{\delta}_4\delta_4, \end{aligned}$$

so that

$$\begin{aligned} \bar{w}_5\psi_4 &= \bar{w}_5\delta_4 = \bar{e}_7 + \bar{w}_5 + b_8, \\ \psi_4\bar{\psi}_4 &= \delta_4\bar{\delta}_4 = 1 + b_8 + c_7. \end{aligned}$$

Hence $\psi_4,\ \delta_4 \in Supp\{w_5\bar{w}_5\}$. Therefore

$$w_5\bar{w}_5 = 1 + 2b_8 + \delta_4 + \psi_4.$$

But $(g_3\bar{d}_3,\ w_5\bar{w}_5) = (g_3w_5,\ d_3w_5) = 3$. We have that $1 \in Supp\{g_3\bar{d}_3\}$, which implies that $g_3 = d_3$, a contradiction.

Case 2. There exists no NITA such that v_8 and d_6 irreducible.

Suppose v_8 and d_6 irreducible. We assert that f_{12} is irreducible. Otherwise, let $f_{12} = r + s$. Suppose that $c_7 \in Supp\{\bar{b}_3r\}$, which implies that $f(r) \geq 4$.

By **Lemma 3.1**, one has that

$$\begin{aligned} b_8c_7 &= e_7 + w_5 + b_8 + b_3\bar{f}_{12}, \\ \bar{b}_9b_9 &= 1 + d_8 + 3b_8 + e_7 + w_5 + b_3\bar{f}_{12}. \end{aligned}$$

Subcase 1. w_5 is not real.

If w_5 is real, then $y_7 + v_8 = b_3w_5 = b_3\bar{w}_5 = b_9 + d_6$ by (32) and (33), a contradiction.

Subcase 2. $f_{12} \notin B$.

By the expression of b_8c_7, we have that $\bar{w}_5 \in Supp\{b_3\bar{f}_{12}\}$. If f_{12} is irreducible, then $f_{12} \in Supp\{b_3w_5\} = \{y_7,\ v_8\}$ by (32), a contradiction. So f_{12} is reducible.

Subcase 3. e_7 is not real.

If e_7 is real, then there exists an element $u_7 \in N^*B$ by (27) and (30), such that

$$b_3e_7 = x_5 + b_9 + u_7.$$

Hence $(e_7^2,\ b_8) \geq 2$. So $(e_7b_8,\ e_7) \geq 2$, By the expressions of b_8c_7 and b_8^2, we have that $(e_7b_8,\ c_7) = 1$, $(e_7b_8,\ b_8) \geq 2$. Thus there exists an element $x_{19} \in N^*B$ of degree 19 such that

$$e_7b_8 = 2e_7 + 2b_8 + c_7 + x_{19}.$$

On ther other hand, from (27) and (30), we have that

$$\begin{aligned}\bar{b}_3(b_3e_7) &= \bar{b}_3x_5 + \bar{b}_3b_9 + \bar{b}_3u_7\\ &= b_8 + e_7 + c_7 + e_7 + \bar{w}_5 + b_8 + \bar{b}_3u_7,\\ (\bar{b}_3b_3)e_7 &= e_7 + b_8e_7\\ &= 3e_7 + 2b_8 + c_7 + x_{19}.\end{aligned}$$

Then $\bar{w}_5 + \bar{b}_3u_7 = e_7 + x_{19}$. Since right side is real, we have that $w_5 \in Supp\{\bar{b}_3u_7\}$ by **Substep 1**, which implies that there exists a constituent t of u_7 such that $w_5 \in Supp\{\bar{b}_3t\}$. Then $t \in Supp\{b_3w_5\}$, so $t = y_7$ or v_8. It follows that $u_7 = y_7$. By (28) implies that

$$w_5 + \bar{w}_5 + b_8 + d_8 = \bar{w}_5 + \bar{b}_3y_7 = e_7 + x_{19},$$

a contradiction.

Subcase 4. Case 2 follows.

By **Subcases 1, 2, 3,** we have that e_7 and w_5 are not real, and f_{12} is reducible. Notice b_8c_7 is real, by the expression of b_8c_7, we have that $b_3\bar{f}_{12}$ contains $\bar{w}_5$ and $\bar{e}_7$. Hence there exists a constituent r of f_{12} such that $b_3\bar{r}$ contains $\bar{w}_5$, which implies that $r \in Supp\{b_3w_5\}$. Therefore $r = y_7$ or v_8.

If $r = y_7$, then $b_3\bar{y}_7 = b_8 + d_8 + \bar{w}_5$ by (28). But (34) means that $b_3\bar{y}_7$ contains c_7, a contradiction.

If $r = v_8$, then there exists s_4 such that $f_{12} = v_8 + s_4$. Since $c_7 \in Supp\{b_3\bar{s}_4\}$ by (34), we have that $\bar{e}_7 \notin Supp\{b_3\bar{s}_4\}$. So $\bar{e}_7 \in Supp\{b_3\bar{v}_8\}$. Hence there exists a basis element a_5 of degree 5 such that

$$\begin{aligned}b_3\bar{v}_8 &= \bar{w}_5 + \bar{e}_7 + c_7 + a_5, && (37)\\ b_3\bar{s}_4 &= c_7 + c_5, && (38)\\ b_3c_7 &= v_8 + s_4 + b_9. && (39)\end{aligned}$$

Checking $b_3(b_5\bar{b}_5) = b_5(b_3\bar{b}_5)$, one implies that

$$b_5\bar{x}_5 + b_5\bar{y}_7 = 2b_3 + 2b_9 + x_5 + y_7 + b_3d_8. \qquad (40)$$

We assert that $d_8 \in B$. In fact, if $d_8 \notin B$, then $d_8 = 2x_4$ or $x_4 + y_4$.

If $d_8 = 2x_4$, then $\bar{b}_3 y_7 = b_8 + 2x_4 + w_5$ by (28). Hence $(b_3 x_4,\ y_7) = 2$. It is impossible.

If $d_8 = x_4 + y_4$, then $\bar{b}_3 y_7 = b_8 + x_4 + y_4 + w_5$ by (28). Let $b_3 x_4 = y_7 + p_5$ and $b_3 y_4 = y_7 + q_5$. By (40), it holds that

$$b_5 \bar{x}_5 + b_5 \bar{y}_7 = 2b_3 + 2b_9 + x_5 + 3y_7 + p_5 + q_5.$$

But $(b_5 \bar{x}_5,\ b_3) = (b_5 \bar{x}_5,\ b_9) = 1$. So it is necessary to find elements from the left side of above equation such that their sum having degree 13 to make up $b_5 \bar{x}_5$. It is impossible. Therefore $d_8 \in B$.

Since

$$\begin{array}{rcl} \bar{b}_3(b_3 w_5) & = & \bar{b}_3 y_7 + \bar{b}_3 v_8 \\ & = & b_8 + d_8 + w_5 + c_7 + w_5 + e_7 + \bar{a}_5, \\ b_3(\bar{b}_3 w_5) & = & b_3 \bar{b}_9 + b_3 \bar{d}_6 \\ & = & w_5 + c_7 + e_7 + b_8 + b_3 \bar{d}_6, \end{array}$$

then

$$b_3 \bar{d}_6 = d_8 + w_5 + \bar{a}_5. \tag{41}$$

Now we assert that c_5 and e_5 are nonreal. Otherwise, $d_6,\ v_8, \in Supp\{b_3 a_5\}$ by (42) and (41). So $1 \in Spp\{b_3 a_5\}$, a contradiction.Hence c_5 and a_5 are nonreal, and $c_5 = \bar{a}_5$ by the expression of b_8^2. Hence $b_3 \bar{d}_6 = d_8 + w_5 + c_5$. Associated with(38), we have that $(b_3 \bar{c}_5,\ d_6) = (b_3 \bar{c}_5,\ s_4) = 1$, which implies that $(b_3 \bar{c}_5,\ b_3 \bar{c}_5) = 3$. Furthermore $(b_3 c_5,\ b_3 c_5) = 3$. Let

$$b_3 c_5 = v_8 + \delta_3 + \lambda_4.$$

Thus we may set that $\bar{b}_3 \delta_3 = c_5 + \Delta_4$. Then $\bar{\delta}_3 \delta_3 = 1 + b_8$. And

$$\begin{array}{rcl} b_3(\delta_3 \bar{\delta}_3) & = & b_3 + b_3 b_8 \\ & = & 2b_3 + b_9 + x_5 + y_7, \\ (b_3 \bar{\delta}_3)\delta_3 & = & \bar{c}_5 \delta_3 + \bar{\Delta}_4 \delta_3. \end{array}$$

We have that

$$\bar{\Delta}_4 \delta_3 = b_3 + b_9 \text{ and } \bar{c}_5 \delta_3 = b_3 + x_5 + y_7. \tag{42}$$

Further

$$\begin{aligned}\bar{b}_3(\bar{\Delta}_4\delta_3) &= \bar{b}_3b_3+\bar{b}_3b_9\\ &= 1+2b_8+c_7+\bar{w}_5+\bar{e}_7,\\ (\bar{b}_3\delta_3)\bar{\Delta}_4 &= c_5\bar{\Delta}_4+\Delta_4\bar{\Delta}_4.\end{aligned}$$

It follow that

$$\Delta_4\bar{\Delta}_4 = 1+b_8+c_7 \text{ and } c_5\bar{\Delta}_4 = b_8+\bar{w}_5+\bar{e}_7 = b_4\bar{b}_5.$$

Hence $(b_3c_5)\bar{\Delta}_4 = b_3(c_5\bar{\Delta}_4) = b_3(b_4\bar{b}_5) = b_4(b_3\bar{b}_5)$. But

$$\begin{aligned}b_4(b_3\bar{b}_5) &= b_4\bar{b}_3+b_4\bar{x}_5+b_4\bar{y}_7\\ &= b_3+b_9+b_4\bar{x}_5+b_4\bar{y}_7,\end{aligned}$$

$$(b_3c_5)\bar{\Delta}_4 = v_8\bar{\Delta}_4+\delta_3\bar{\Delta}_4+\lambda_4\bar{\Delta}_4.$$

So b_3 is a constituent of one of $v_8\bar{\Delta}_4$, $\delta_3\bar{\Delta}_4$ and $\lambda_4\bar{\Delta}_4$. Then one of v_8, δ_3 and λ_4 is a constituent of $b_3\Delta_4$. On the other hand $\delta_3 \in Supp\{b_3\Delta_4\}$ by (42). But $b_3\Delta_4$ contains at most two constituents, a contradiction. **Subcase 4** follows, which concludes **Step 2.** Consequently the proposition follows.

Proposition 3.3. *No NITA such that* $(f(x),\ f(y)) = (6,\ 6)$.

Proof. If $x_{12} = x_6+y_6$, then

$$\begin{aligned}\bar{b}_3b_5 &= b_3+x_6+y_6,\\ b_3b_8 &= b_3+b_9+x_6+y_6.\end{aligned}$$

Assume that

$$\begin{aligned}\bar{b}_3x_6 &= b_8+h_{10},\ \text{for some } h_{10}\in N^*B,\\ \bar{b}_3y_6 &= b_8+i_{10},\ \text{for some } i_{10}\in N^*B,\\ b_3x_6 &= b_5+g_{13},\ \text{for some } g_{13}\in N^*B,\\ b_3y_6 &= b_5+f_{13},\ \text{for some } f_{13}\in N^*B.\end{aligned}$$

Therefore

$$b_8^2 = 1+c_7+3b_8+h_{10}+i_{10}+\bar{z}_{12}.$$

By the above equations and **Lemma 3.1**, one has that

$$\begin{aligned}(\bar{b}_3b_3)^2 &= 2+c_7+5b_8+h_{10}+i_{10}+\bar{z}_{12},\\ \bar{b}_3^2b_3^2 &= \bar{b}_4b_4+\bar{b}_4b_5+\bar{b}_5b_4+\bar{b}_5b_5\\ &= 2+5b_8+c_7+\bar{z}_{12}+z_{12}+d_8.\end{aligned}$$

Hence

$$d_8 + z_{12} = h_{10} + i_{10}.$$

We assert that d_8 cannot be totally contained in one of h_{10} and i_{10}. Otherwise, without loss of generality, assume d_8 is contained in h_{10}. Then h_{10} contains an element of degree 2, a contradiction. Thus d_8 must be reducible and cannot be contained in one of h_{10} and i_{10}. For d_8, there are four possibilities:

$$d_8 = c_3 + d_5,\ c_4 + d_4,\ c_4 + \bar{c}_4 \text{ and } 2c_4.$$

Step 1. No NITA such that $d_8 = c_3 + d_5$.

If $d_8 = c_3 + d_5$, then $c_3 + d_5 + z_{12} = h_{10} + i_{10}$. Without loss of generality, let

$$h_{10} = c_3 + h_7,\ \ i_{10} = d_5 + i_5.$$

Then $z_{12} = h_7 + i_5$ and

$$\begin{aligned}
\bar{b}_3 x_6 &= c_3 + h_7 + b_8, && (43)\\
\bar{b}_3 y_6 &= d_5 + i_5 + b_8, && (44)\\
\bar{b}_4 b_5 &= b_8 + i_5 + h_7, && (45)\\
\bar{b}_3 b_9 &= c_7 + b_8 + \bar{i}_5 + \bar{h}_7, && (46)\\
b_8^2 &= 1 + c_7 + 3b_8 + c_3 + h_7 + d_5 + i_5 + \bar{h}_7 + \bar{i}_5. && (47)
\end{aligned}$$

Hence c_3 is real. By (45) and $(\bar{b}_4 b_5,\ \bar{b}_4 b_5) = 3$, we have that $h_7 \in B$. Set $b_3 c_3 = x_6 + u_3,\ u_3 \in B$ by **Lemma 2.2** . Thus $(b_3 c_3,\ b_3 c_3) = 2$ so that

$$c_3^2 = 1 + b_8.$$

Moreover

$$\begin{aligned}
(b_3 c_3) c_3 &= x_6 c_3 + u_3 c_3,\\
b_3 c_3^2 &= b_3^2 \bar{b}_3 = b_3 + b_3 b_8\\
&= 2b_3 + b_9 + x_6 + y_6.
\end{aligned}$$

Hence

$$\begin{aligned}
c_3 u_3 &= b_3 + x_6 \text{ or } b_3 + y_6,\\
c_3 x_6 &= b_3 + b_9 + y_6 \text{ or } b_3 + b_9 + x_6.
\end{aligned}$$

If $c_3u_3 = b_3 + x_6,\ c_3x_6 = b_3 + b_9 + y_6$, then $c_3 \in Supp\{\bar{u}_3x_6\}$. But

$$\begin{aligned}(b_3\bar{b}_3)(c_3^2) &= 2 + 5b_8 + c_7 + c_3 + d_5 + h_7 + \bar{h}_7 + i_5 + \bar{i}_5,\\ (b_3c_3)(\bar{b}_3c_3) &= x_6\bar{x}_6 + u_3\bar{x}_6 + \bar{u}_3x_6 + 1 + b_8.\end{aligned}$$

Notice that $u_3\bar{x}_6 + \bar{u}_3x_6$ contains two c_3, we come to a contradiction. Therefore $c_3u_3 = b_3 + y_6,\ c_3x_6 = b_3 + b_9 + x_6$. Let $\bar{b}_3u_3 = c_3 + w_6$. Then $u_3\bar{u}_3 = 1 + b_8$ by **Lemma 2.2** and

$$\begin{aligned}(c_3b_3)\bar{b}_3 &= \bar{b}_3x_6 + \bar{b}_3u_3\\ &= b_8 + c_3 + h_7 + c_3 + w_6\end{aligned}$$

Since $c_3(b_3\bar{b}_3)$ is real, it follows that h_7 and w_6 are real. Since

$$\begin{aligned}(\bar{b}_3u_3)c_3 &= c_3^2 + c_3w_6\\ &= 1 + b_8 + c_3w_6,\\ (\bar{b}_3c_3)u_3 &= \bar{x}_6u_3 + \bar{u}_3u_3\\ &= 1 + b_8 + \bar{x}_6u_3,\\ \bar{b}_3(c_3u_3) &= \bar{b}_3b_3 + \bar{b}_3y_6\\ &= 1 + b_8 + b_8 + d_5 + i_5,\end{aligned}$$

we have that

$$c_3w_6 = \bar{x}_6u_3 = d_5 + i_5 + b_8,$$

Since c_3, w_6 are real, i_5 is real too by above equation. By (43), (44) and (46), one has that

$$\begin{aligned}b_3i_5 &= y_6 + b_9,\\ b_3h_7 &= b_9 + x_6 + l_6, \text{ for some } l_6 \in N^*B.\end{aligned}$$

Considering $c_3^2u_3\bar{u}_3$, we have that

$$\begin{aligned}(c_3u_3)(c_3\bar{u}_3) &= b_3\bar{b}_3 + \bar{b}_3y_6 + b_3\bar{y}_6 + y_6\bar{y}_6\\ &= 1 + b_8 + 2b_8 + 2d_5 + 2i_5 + y_6\bar{y}_6,\\ c_3^2(u_3\bar{u}_3) &= 2 + 5b_8 + c_7 + c_3 + 2i_5 + 2h_7 + d_5.\end{aligned}$$

Comparing the number of elements of degree 5, we come to a contradiction. **Step 1** follows.

Step 2. There exists no NITA such that $d_8 = 2c_4$.

If $d_8 = 2c_4$, then $2c_4 + z_{12} = h_{10} + i_{10}$. There exist h_6 and i_6 such that $z_{12} = h_6 + i_6$. Since $(\bar{b}_4 b_5, \bar{b}_4 b_5) \leq 4$, we obtain that $h_6,\ i_6 \in B$. Furthermore

$$\bar{b}_3 x_6 = b_8 + c_4 + h_6,\ \ \bar{b}_3 y_6 = b_8 + c_4 + i_6.$$

Thus $b_3 c_4 = x_6 + y_6$. Then we can set

$$c_4^2 = 1 + b_8 + g_7,\ \ g_7 \in N^* B.$$

Since $b_5 \bar{b}_5 = 1 + 2b_8 + 2c_4$, $(c_4 b_5,\ b_5) = 2$. Further $(c_4 b_5,\ c_4 b_5) \geq 5$. Hence

$$c_4^2 = 1 + b_8 + c_4 + e_3$$

and $(c_4 b_5,\ c_4 b_5) = 5$. There exists $t_{10} \in B$ such that

$$c_4 b_5 = 2b_5 + t_{10}.$$

Since

$$\begin{array}{rcl} b_3(b_5\bar{b}_5) & = & b_3 + 2b_3 b_8 + 2b_3 c_4 \\ & = & 3b_3 + 2b_9 + 4x_6 + 4y_6, \\ b_5(b_3\bar{b}_5) & = & b_5(\bar{b}_3 + \bar{x}_6 + \bar{y}_6) \\ & = & b_3 + x_6 + y_6 + \bar{x}_6 b_5 + \bar{y}_6 b_5, \end{array}$$

we have that $b_5\bar{x}_6 + b_5\bar{y}_6 = 2b_3 + 2b_9 + 3x_6 + 3y_6$. On the other hand

$$\bar{b}_3(c_4 b_5) = 2\bar{b}_3 b_5 + \bar{b}_3 t_{10}$$

$$\begin{array}{rcl} & = & 2b_3 + 2x_6 + 2y_6 + \bar{b}_3 t_{10}, \\ (\bar{b}_3 c_4) b_5 & = & \bar{x}_6 b_5 + \bar{y}_6 b_5 \\ & = & 2b_3 + 2b_9 + 3x_6 + 3y_6. \end{array}$$

Hence $\bar{b}_3 t_{10} = 2b_9 + x_6 + y_6$, from which it follows that $(b_3 b_9,\ t_{10}) = 2$. Therefore $(b_3 b_9,\ b_3 b_9) \geq 5$. But $(\bar{b}_3 b_9,\ \bar{b}_3 b_9) = 4$ by **Lemma 3.1** and h_6, $i_6 \in B$, a contradiction.

Step 3. There exists no NITA such that $d_8 = c_4 + d_4$.

If $d_8 = c_4 + d_4$, then there exist h_6, $i_6 \in N^* B$ such that $h_{10} = c_4 + h_6$, $i_{10} = d_4 + i_6$, $z_{12} = h_6 + i_6$ and

$$\begin{aligned}
\bar{b}_3 x_6 &= c_4 + h_6 + b_8, && (48)\\
\bar{b}_3 y_6 &= d_4 + i_6 + b_8, && (49)\\
\bar{b}_4 b_5 &= b_8 + i_6 + h_6, && (50)\\
\bar{b}_3 b_9 &= c_7 + b_8 + \bar{i}_6 + \bar{h}_6, && (51)\\
b_8^2 &= 1 + c_7 + 3b_8 + c_4 + h_6 + d_4 + i_6 + \bar{h}_6 + \bar{i}_6. && (52)
\end{aligned}$$

By (50) and $(\bar{b}_4 b_5,\ \bar{b}_4 b_5) = 3$, we have that $i_6,\ h_6 \in B$. Now we may set that

$$\begin{aligned}
b_3 c_4 &= x_6 + z_6,\ z_6 \in B, && (53)\\
b_3 d_4 &= y_6 + p_6,\ p_6 \in B. && (54)
\end{aligned}$$

Substep 1. h_6 and i_6 are non-real.

If h_6 is real, then there exist e_3 and f_3 such that

$$\begin{aligned}
\bar{b}_3 h_6 &= \bar{b}_9 + \bar{x}_6 + e_3,\\
b_3 e_3 &= f_3 + h_6.
\end{aligned}$$

Thus $e_3 \bar{e}_3 = 1 + b_8$ bu **Lemma 2.2**. Since

$$\begin{aligned}
b_3(e_3\bar{e}_3) &= 2b_3 + b_9 + x_6 + y_6,\\
(b_3 e_3)\bar{e}_3 &= h_6 \bar{e}_3 + f_3 \bar{e}_3.
\end{aligned}$$

Hence

$$\begin{aligned}
f_3 \bar{e}_3 &= b_3 + x_6 \text{ or } b_3 + y_6,\\
h_6 \bar{e}_3 &= b_3 + b_9 + y_6 \text{ or } b_3 + b_9 + x_6.
\end{aligned}$$

Therefore

$$\begin{aligned}
\bar{b}_3(f_3\bar{e}_3) &= \bar{b}_3 b_3 + \bar{b}_3 x_6 \text{ or } \bar{b}_3 b_3 + \bar{b}_3 y_6\\
&= 1 + 2b_8 + c_4 + h_6 \text{ or } 1 + 2b_8 + d_4 + i_6,\\
f_3(\bar{b}_3\bar{e}_3) &= f_3(h_6 + \bar{f}_3)\\
&= 1 + b_8 + f_3 h_6.
\end{aligned}$$

Thus

$$f_3 h_6 = b_8 + c_4 + h_6 \text{ or } b_8 + d_4 + i_6.$$

On the other hand, one has the following equations:

$$\begin{aligned}(b_3\bar{b}_3)h_6 &= h_6 + h_6b_8,\\ (b_3h_6)\bar{b}_3 &= (\bar{e}_3 + x_6 + b_9)\bar{b}_3\\ &= \bar{b}_3b_9 + \bar{b}_3x_6 + \bar{b}_3\bar{e}_3\\ &= c_7 + 2b_8 + 3h_6 + \bar{i}_6 + c_4 + \bar{f}_3.\end{aligned}$$

Then

$$h_6b_8 = c_7 + c_4 + 2b_8 + 2h_6 + \bar{i}_6 + \bar{f}_3, \tag{55}$$

which implies that i_6 and f_3 are real.

Now let us calculate $(b_3\bar{b}_3)(e_3\bar{e}_3)$:

$$\begin{aligned}(b_3\bar{b}_3)(e_3\bar{e}_3) &= 2 + 5b_8 + c_7 + c_4 + d_4 + 2h_6 + 2i_6,\\ (b_3e_3)(\bar{b}_3\bar{e}_3) &= (h_6 + f_3)^2\\ &= h_6^2 + 2f_3h_6 + f_3^2\\ &= 1 + h_6^2 + 3b_8 + 2c_4 + 2h_6 \text{ or } 1 + h_6^2 + 3b_8 + 2d_4 + 2i_6.\end{aligned}$$

Comparing the number of elements of degree 4, we have that $c_4 = d_4$, a contradiction.

Symmetricly, we can prove that i_6 is non-real.

Substep 2. There exists no NITA such that $d_8 = c_4 + d_4$ and h_6, i_6 are non-real.

Since $(b_3\bar{b}_3)c_4 = c_4 + c_4b_8$ and $\bar{b}_3(b_3c_4) = \bar{b}_3x_6 + \bar{b}_3z_6 = c_4 + h_6 + b_8 + \bar{b}_3z_6$, we have that

$$c_4b_8 = b_8 + h_6 + \bar{b}_3z_6,$$

Because h_6 is non-real and c_4b_8 is real, $\bar{h}_6 \in Supp\{\bar{b}_3z_6\}$. By (53), there exists $r_8 \in N^*B$ such that

$$\bar{b}_3z_6 = c_4 + \bar{h}_6 + r_8.$$

By (51), there exists α_3 such that

$$b_3\bar{h}_6 = b_9 + z_6 + \alpha_3.$$

Thus there exists γ_3 such that $b_3\bar{\alpha}_3 = h_6 + \gamma_3$. Hence $\alpha_3\bar{\alpha}_3 = 1 + b_8$ by **Lemma 2.2**.

Since

$$\begin{aligned} b_3(\alpha_3\bar{\alpha}_3) &= 2b_3 + b_9 + x_6 + y_6, \\ (b_3\alpha_3)\bar{\alpha}_3 &= h_6\bar{\alpha}_3 + \gamma_3\bar{\alpha}_3, \end{aligned}$$

we have that

$$\begin{aligned} \gamma_3\bar{\alpha}_3 &= b_3 + x_6 \text{ or } b_3 + y_6, \\ h_6\bar{\alpha}_3 &= b_3 + b_9 + y_6 \text{ or } b_3 + b_9 + x_6. \end{aligned}$$

Hence

$$\begin{aligned} \bar{b}_3(\gamma_3\bar{\alpha}_3) &= \bar{b}_3b_3 + \bar{b}_3x_6 \text{ or } \bar{b}_3b_3 + \bar{b}_3y_6 \\ &= 1 + 2b_8 + c_4 + h_6 \text{ or } 1 + 2b_8 + d_4 + i_6, \\ \gamma_3(\bar{b}_3\bar{\alpha}_3) &= \gamma_3\bar{h}_6 + \gamma_3\bar{\gamma}_3 \\ &= 1 + b_8 + \gamma_3\bar{h}_6. \end{aligned}$$

Therefore

$$\gamma_3\bar{h}_6 = b_8 + c_4 + h_6 \text{ or } b_8 + d_4 + i_6.$$

Since

$$\begin{aligned} (b_3\bar{b}_3)(\alpha_3\bar{\alpha}_3) &= 2 + 5b_8 + c_7 + c_4 + d_4 + 2h_6 + 2i_6, \\ (b_3\alpha_3)(\bar{b}_3\bar{\alpha}_3) &= (h_6 + \gamma_3)(\bar{h}_6 + \bar{\gamma}_3) \\ &= h_6\bar{h}_6 + \gamma_3\bar{h}_6 + \bar{\gamma}_3h_6 + \gamma_3\bar{\gamma}_3 \\ &= 1 + 3b_8 + 2c_4 + h_6 + \bar{h}_6 + h_6\bar{h}_6 \text{ or } 1 + 3b_8 + 2d_4 + i_6 + \bar{i}_6 + h_6\bar{h}_6. \end{aligned}$$

Comparing the number of degree 4, we come to $c_4 = d_4$, a contradiction. So **Substep 2** follows.

Step 4. There exists no NITA such that $d_8 = c_4 + \bar{c}_4$.

If $d_8 = c_4 + \bar{c}_4$, then $b_5\bar{b}_5 = 1 + 2b_8 + c_4 + \bar{c}_4$. And (48), (49), (50), (51), (52), (53) and (54) still hold with $d_4 = \bar{c}_4$. Thus

$$\begin{aligned} \bar{b}_3(b_3c_4) &= \bar{b}_3x_6 + \bar{b}_3z_6, \\ &= c_4 + h_6 + b_8 + \bar{b}_3z_6, \\ b_3(\bar{b}_3c_4) &= b_3\bar{y}_6 + b_3\bar{p}_6 \\ &= c_4 + \bar{i}_6 + b_8 + b_3\bar{p}_6. \end{aligned}$$

Then

$$h_6 + \bar{b}_3z_6 = \bar{i}_6 + b_3\bar{p}_6. \tag{56}$$

Substep 1. There exists no NITA such that $h_6 = \bar{i}_6$.

If $h_6 = \bar{i}_6$, then it follows from (48) and (51) that there is $\alpha_3 \in B$ such that

$$\begin{aligned} b_3h_6 &= b_9 + x_6 + \alpha_3, \\ b_3\bar{h}_6 &= b_9 + y_6 + \beta_3. \end{aligned}$$

It is easy to see that $\alpha_3 \neq \beta_3$. Since $z_{12} = h_6 + \bar{h}_6$ right now, it means by **Lemma 3.1** that

$$b_5\bar{b}_9 = x_6 + y_6 + 3b_9 + \alpha_3 + \beta_3.$$

Thus $(b_5\bar{b}_9,\ b_5\bar{b}_9) = 13$.

By **Lemma 3.1**, we have that

$$b_9\bar{b}_9 = 1 + 3b_8 + c_4 + \bar{c}_4 + h_6 + \bar{h}_6 + \bar{b}_3f_{12}.$$

But $b_5\bar{b}_5 = 1 + 2b_8 + c_4 + \bar{c}_4$. Since $(b_9\bar{b}_9,\ b_8) = 3$, we have that

$$13 = (b_5\bar{b}_9,\ b_5\bar{b}_9) = 9 + (c_4,\ \bar{b}_3f_{12}) + (\bar{c}_4,\ \bar{b}_3f_{12}).$$

It concludes that $(c_4,\ \bar{b}_3f_{12}) = (\bar{c}_4,\ \bar{b}_3f_{12}) = 2$. Thus

$$(b_3c_4,\ f_{12}) = (b_3\bar{c}_4,\ f_{12}) = 2.$$

From (53) and (54), it follows that

$$(x_6 + z_6,\ f_{12}) = (y_6 + p_6,\ f_{12}) = 2.$$

Since $x_6 \neq y_6$ by $(b_3\bar{b}_3,\ b_5\bar{b}_5) = 3$ and $z_6 \neq x_6$, $y_6 \neq p_6$ by **Lemma 2.2**, it follows that $f_{12} = 2z_6$ and $z_6 = p_6$. Hence $b_3c_7 = b_9 + 2z_6$ by **Lemma 3.1**. Therefore $(b_3c_7,\ b_3c_7) = 5$ and $(\bar{b}_3z_6,\ c_7) = 2$. So $\bar{b}_3z_6 = 2c_7 + c_4$. But

$$b_8c_7 = b_8 + h_6 + \bar{h}_6 + 2\bar{b}_3z_6 = b_8 + h_6 + \bar{h}_6 + 4c_7 + 2c_4.$$

It is impossible for b_8c_7 is real and c_4 not real.

Substep 2. There exists no NITA such that $h_6 \neq \bar{i}_6$.

Suppose that $h_6 \neq \bar{i}_6$. By (56), it follows that $(b_3\bar{p}_6,\ h_6) = (p_6,\ b_3\bar{h}_6) = (\bar{i}_6,\ \bar{b}_3 z_6) = (b_3\bar{i}_6,\ z_6) = 1$. But $b_9 \in Supp\{b_3\bar{h}_6\}$ by (51) and $(c_4,\ b_6\bar{p}_6) = (c_4,\ \bar{b}_3 z_6) = 1$ by (53) and (54). By (56) , (51) and (54), there exist δ_3, z_3 and $v_8 \in N^*B$ such that

$$\begin{aligned} b_3\bar{h}_6 &= b_9 + p_6 + \delta_3, && (57)\\ \bar{b}_3 z_6 &= \bar{i}_6 + c_4 + v_8, && (58)\\ b_3\bar{p}_6 &= h_6 + c_4 + v_8. && (59) \end{aligned}$$

Hence $\bar{b}_3\delta_3 = \bar{h}_6 + \gamma_3$, some $\gamma_3 \in B$. Therefore $(b_3\gamma_3,\ b_3\gamma_3) \geq 2$. It follows that

$$\delta_3\bar{\delta}_3 = \gamma_3\bar{\gamma}_3 = 1 + b_8$$

by **Lemma 2.2**.

Since

$$\begin{aligned} (b_3\bar{b}_3)c_4 &= c_4 + c_4 b_8,\\ b_3(\bar{b}_3 c_4) &= b_3\bar{y}_6 + b_3\bar{p}_6,\\ &= c_4 + \bar{i}_6 + b_8 + h_6 + c_4 + v_8, \end{aligned}$$

we have that $c_4 b_8 = c_4 + h_6 + \bar{i}_6 + v_8 + b_8$. Then $(c_4 b_8,\ c_4 b_8) \geq 5$. Let $c_4\bar{c}_4 = 1 + b_8 + r_7$, $r \in N^*B$ and r_7 is real. By (52) and c_4 is not real, we have that $r_7 = c_7$ and then $(c_4 b_8,\ c_4 b_8) = 5$. Consequently $v_8 \in B$. By $b_3(\delta_3\bar{\delta}_3) = (b_3\bar{\delta}_3)\delta_3$, we have that

$$\begin{aligned} \delta_3\bar{\gamma}_3 &= b_3 + x_6 \text{ or } b_3 + y_6,\\ \delta_3\bar{h}_6 &= b_3 + b_9 + y_6 \text{ or } b_3 + b_9 + x_6. \end{aligned}$$

Without loss of generality, let $\delta_3\bar{\gamma}_3 = b_3 + x_6$, then

$$\begin{aligned} 1 + 2b_8 + b_8^2 = (\delta_3\bar{\delta}_3)(\gamma_3\bar{\gamma}_3) = (\delta_3\bar{\gamma}_3)(\bar{\delta}_3\gamma_3) &= b_3\bar{b}_3 + b_3\bar{x}_6 + \bar{b}_3 x_6 + x_6\bar{x}_6\\ &= 1 + 3b_8 + c_4 + \bar{c}_4 + h_6 + \bar{h}_6 + x_6\bar{x}_6. \end{aligned}$$

It holds by (52) that

$$x_6\bar{x}_6 = 1 + 2b_8 + c_7 + i_6 + \bar{i}_6.$$

Furthermore $(b_5\bar{b}_5,\ x_6\bar{x}_6) = 5$. On the other hand, the following equations hold:

$$\begin{aligned}
b_3(b_5\bar{b}_5) &= b_3 + 2b_3b_8 + b_3c_4 + b_3\bar{c}_4, \\
&= 3b_3 + 2b_9 + 2x_6 + 2y_6 + x_6 + z_6 + y_6 + p_6, \\
(b_3\bar{b}_5)b_5 &= \bar{b}_3b_5 + \bar{x}_6b_5 + \bar{y}_6b_5 \\
&= b_3 + x_6 + y_6 + \bar{x}_6b_5 + \bar{y}_6b_5.
\end{aligned}$$

Hence

$$\bar{x}_6b_5 + \bar{y}_6b_5 = 2b_3 + 2b_9 + 2x_6 + 2y_6 + z_6 + p_6. \tag{60}$$

It is proved that $(b_5\bar{b}_5,\ x_6\bar{x}_6) = 5$. By above equation and $(b_5\bar{x}_5,\ b_3) = (b_5\bar{y}_5,\ b_3) = 1$, we can only have that

$$\begin{aligned}
b_5\bar{x}_6 &= b_3 + b_9 + x_6 + y_6 + z_6 \text{ or } b_3 + b_9 + x_6 + y_6 + p_6, \\
b_5\bar{y}_6 &= b_3 + b_9 + x_6 + y_6 + p_6 \text{ or } b_3 + b_9 + x_6 + y_6 + z_6.
\end{aligned}$$

Hence

$$\begin{aligned}
\bar{b}_3(b_5\bar{x}_6) &= \bar{b}_3b_3 + \bar{b}_3b_9 + \bar{b}_3x_6 + \bar{b}_3y_6 + \bar{b}_3z_6 \text{ or } \bar{b}_3b_3 + \bar{b}_3b_9 + \bar{b}_3x_6 + \bar{b}_3y_6 + \bar{b}_3p_6 \\
&= 1 + b_8 + c_7 + b_8 + \bar{h}_6 + \bar{i}_6 + c_4 + h_6 + b_8 + \bar{c}_4 + i_6 + b_8 + \bar{i}_6 + c_4 + v_8 \\
&\text{or } 1 + b_8 + c_7 + b_8 + \bar{h}_6 + \bar{i}_6 + c_4 + h_6 + b_8 + \bar{c}_4 + i_6 + b_8 + \bar{h}_6 + \bar{c}_4 + \bar{v}_8, \\
(\bar{b}_3b_5)\bar{x}_6 &= b_3\bar{x}_6 + x_6\bar{x}_6 + y_6\bar{x}_6 \\
&= \bar{c}_4 + \bar{h}_6 + b_8 + 1 + 2b_8 + c_7 + i_6 + \bar{i}_6 + y_6\bar{x}_6.
\end{aligned}$$

Therefore

$$y_6\bar{x}_6 = 2c_4 + h_6 + b_8 + \bar{i}_6 + v_8 \text{ or } c_4 + \bar{c}_4 + h_6 + b_8 + \bar{h}_6 + \bar{v}_8.$$

If $y_6\bar{x}_6 = 2c_4 + h_6 + b_8 + \bar{i}_6 + v_8$, then $(c_4x_6,\ y_6) = 2$. Hence $(c_4x_6,\ c_4x_6) \geq 5$, a contradiction. Therefore

$$y_6\bar{x}_6 = c_4 + \bar{c}_4 + h_6 + b_8 + \bar{h}_6 + \bar{v}_8. \tag{61}$$

Thus $(\bar{c}_4x_6,\ y_6) = 1$.

Considering the following equations:

$$\begin{aligned}
b_3(c_4\bar{c}_4) &= b_3 + b_3b_8 + b_3c_7 \\
&= 2b_3 + b_9 + x_6 + y_6 + b_9 + f_{12}, \\
(b_3c_4)\bar{c}_4 &= \bar{c}_4x_6 + \bar{c}_4z_6, \\
(b_3\bar{c}_4)c_4 &= c_4y_6 + c_4p_6.
\end{aligned}$$

By the expression of $x_6\bar{x}_6$, we have that $(x_6,\ \bar{c}_4x_6) = 0$. Consequently $(x_6,\ \bar{c}_4z_6) = 1$ by above equations. Because $b_3c_7 = b_9 + f_{12}$ and $L_1(B) = \{1\}$ and $L_2(B) = \emptyset$, so the constituents of f_{12} are of degrees larger than 3. Since $(\bar{c}_4x_6,\ b_3) = (\bar{c}_4z_6,\ b_3) = 1$ by (53), $(\bar{c}_4x_6,\ \bar{c}_4x_6) = 4$ and it is proved that $(\bar{c}_4x_6,\ y_6) = 1$, we have that

$$\bar{c}_4x_6 = b_3 + y_6 + b_9 + g_6,\ g_6 \in B.$$

Consequently $\bar{c}_4z_6 = b_3 + x_6 + b_9 + f_6$, where $f_{12} = f_6 + g_6$ and $f_6 \in N^*B$.

Let $\bar{b}_3g_6 = c_7 + x_{11}$ and $\bar{b}_3f_6 = c_7 + y_{11}$, $x_{11}, y_{11} \in N^*(B)$. Then

$$\begin{array}{rcl}
\bar{b}_3(\bar{c}_4x_6) & = & \bar{b}_3b_3 + \bar{b}_3y_6 + \bar{b}_3b_9 + \bar{b}_3g_6 \\
 & = & 1 + b_8 + \bar{c}_4 + i_6 + b_8 + c_7 + b_8 + \bar{h}_6 + \bar{i}_6 + c_7 + x_{11}, \\
\bar{c}_4(\bar{b}_3x_6) & = & \bar{c}_4c_4 + \bar{c}_4h_6 + \bar{c}_4b_8 \\
 & = & 1 + b_8 + c_7 + \bar{c}_4h_6 + \bar{c}_4 + \bar{h}_6 + i_6 + \bar{v}_8 + b_8; \\
\bar{b}_3(\bar{c}_4z_6) & = & \bar{b}_3b_3 + \bar{b}_3x_6 + \bar{b}_3b_9 + \bar{b}_3f_6 \\
 & = & 1 + b_8 + c_4 + h_6 + b_8 + c_7 + b_8 + \bar{h}_6 + \bar{i}_6 + c_7 + y_{11}, \\
\bar{c}_4(\bar{b}_3z_6) & = & \bar{c}_4c_4 + \bar{c}_4\bar{i}_6 + \bar{c}_4v_8 \\
 & = & 1 + b_8 + c_7 + \bar{c}_4\bar{i}_6 + \bar{c}_4v_8.
\end{array}$$

Hence

$$\bar{c}_4h_6 + \bar{v}_8 = b_8 + \bar{i}_6 + c_7 + x_{11} \tag{62}$$

$$\bar{c}_4\bar{i}_6 + \bar{c}_4v_8 = c_4 + h_6 + 2b_8 + \bar{i} + \bar{h}_6 + c_7 + y_{11}. \tag{63}$$

We assert that $v_8 \neq b_8$. Otherwise, if $v_8 = b_8$, then $(c_4b_8,\ b_8) = 2$. So $(b_8^2,\ c_4) = 2$, a contradiction by (52). Hence $\bar{v}_8 \in Supp\{x_{11}\}$ by (62). Let $x_{11} = \bar{v}_8 + x_3$, then it follows by (62) that

$$\bar{c}_4h_6 = b_8 + \bar{i}_6 + c_7 + x_3.$$

By (63), we have that $\bar{h}_6 \in Supp\{\bar{c}_4\bar{i}_6 + \bar{c}_4v_8\}$. So $(\bar{c}_4h_6,\ i_6) \geq 1$ or $(\bar{c}_4h_6,\ \bar{v}_8) \geq 1$. The latter case will leads to $v_8 = b_8$, a contradiction. Hence $(\bar{c}_4h_6,\ i_6) \geq 1$. Thus $i_6 = \bar{i}_6$ and $(\bar{c}_4h_6,\ i_6) = 1$. Furthermore

$$x_6\bar{x}_6 = 1 + 2b_8 + c_7 + 2i_6.$$

And it follows by (49) and (51) that

$$b_3i_6 = b_9 + y_6 + z_3,\ \text{some } z_3 \in B.$$

Thus

$$\begin{aligned}
b_3(x_6\bar{x}_6) &= b_3 + 2b_3b_8 + b_3c_7 + 2b_3i_6 \\
&= 3b_3 + 2b_9 + 2x_6 + 2y_6 + b_9 + g_6 + f_6 + 2b_9 + 2y_6 + 2z_3, \\
x_6(b_3\bar{x}_6) &= x_6\bar{c}_4 + x_6\bar{h}_6 + x_6b_8 \\
&= b_3 + y_6 + b_9 + g_6 + x_6\bar{h}_6 + x_6b_8.
\end{aligned}$$

Then $x_6\bar{h}_6 + x_6b_8 = 2b_3 + 2b_9 + 2x_6 + 3y_6 + f_6 + 2b_9 + 2z_3$

By the expression of $y_6\bar{x}_6$ and $v_8 \neq b_8$, we have that $(b_8x_6,\ y_6) = 1$. Hence $(x_6\bar{h}_6,\ y_6) = 2$ and so $(\bar{x}_6y_6,\ \bar{h}_6) = 2$. Again by the expression of $y_6\bar{x}_6$, we have that $h_6 = \bar{h}_6$. Now (48) implies that $x_6 \in Supp\{b_3h_6\}$. Then $p_6 = x_6$ by (57). Consequently $b_3\bar{c}_4 = x_6 + y_6$, from which we have $(bc_4,\ \bar{b}_3x_6) = 1$. Thus $c_4 = \bar{c}_4$ by (48). **Step 4** follows. This complete the proof of the lemma 3.4.

Therefore $(b_5\bar{b}_5, b_8) = 1$ and $(b_3\bar{b}_3, b_5\bar{b}_5) = 2$. Consequently by lemma 3.1 we have $x_{12} \in B$ and $(b_3b_8, b_3b_8) = 3$. Thus Theorem 3.1 holds. Furthermore, in Lemma 3.1 we proved that $c_7 \in B$.

4 General Information of NITA Generated by b_3 and Satisfying $b_3^2 = \bar{b}_3 + b_6$ and $b_3^2 = c_3 + b_6$

Since the structure of NITA generated by b_3 and satisfying $b_3^2 = \bar{b}_3 + b_6$ and $b_3^2 = c_3 + b_6$ are related, we investigate them simultaneously. Some results are written in the same proposition. The purpose of this section is to obtain (3) and (4) in the **Main Theorem**. The following lemmas are useful during our investigation.

Lemma 4.1. *(1) If $b_3^2 = \bar{b}_3 + b_6$, then $b_3b_8 = b_6 + \bar{b}_3b_6$;*

(2) If $b_3^2 = c_3 + b_6$, then there exists an element $x_6 \in B$ such that $\bar{b}_3c_3 = b_3 + x_6$ and $c_3\bar{c}_3 = 1 + b_8$. Further $b_3b_8 = x_6 + \bar{b}_3b_6$ and $c_3b_8 = b_6 + b_3x_6$.

Proof. (1) follows from $(b_3\bar{b}_3)b_3 = b_3^2\bar{b}_3$.

Since $b_3 \in Supp\{\bar{b}_3c_3\}$, $(b_3\bar{b}_3,\ c_3\bar{c}_3) \geq 2$. But $(b_3\bar{b}_3,\ c_3\bar{c}_3) \leq 2$, so $(b_3\bar{b}_3,\ c_3\bar{c}_3) = 2$ and

$$c_3\bar{c}_3 = 1 + b_8,\ \bar{b}_3c_3 = b_3 + x_6,\ x_6 \in B.$$

Checking $(b_3\bar{b}_3)b_3 = b_3^2\bar{b}_3$ and $c_3(c_3\bar{c}_3) = b_3(\bar{b}_3c_3)$, one has (2).

Lemma 4.2. *If* $(b_3b_8,\ b_3b_8) \geq 4$*, then any constituent of* b_3b_8 *and* $\bar{b}_3b_6$ *is either* b_3 *or of degree* > 3 *and* $(b_3b_8,\ b_3b_8) = 4,\ 5$*.*

Proof. Since $(b_3b_8,\ b_3) = 1$, the degree of the sum of the remaining constituents of b_3b_8 must be 21.

On the other hand, any constituent y_n of b_3b_8 must have degree≥ 4. Otherwise, $n = 3$ and $b_3\bar{y}_3 = 1 + b_8$, which implies that $b_3 = y_3$, a contradiction.

Theorem 4.1. *There is no NITA generated by* b_3 *and satisfying* $b_3^2 = \bar{b}_3 + b_6$ *or* $b_3^2 = c_3 + b_6$ *and* $(b_3b_8,\ b_3b_8) = 2$*.*

Proof. Since $b_3\bar{b}_3 = 1 + b_8$ and $(b_3b_8,\ b_3b_8) = 2$, we may assume that $b_3b_8 = b_3 + b_{21}$, where $b_{21} \in B$. By Lemma 4.1, one has that

$$b_3 + b_{21} = b_6 + \bar{b}_3b_6 \text{ or } x_6 + \bar{b}_3b_6.$$

It is impossible.

Theorem 4.2. *There is no NITA generated by* b_3 *and satisfying* $b_3^2 = \bar{b}_3 + b_6$ *or* $b_3^2 = c_3 + b_6$ *and* $(b_3b_8,\ b_3b_8) = 5$*.*

Proof. (1) there is no NITA satisfying $b_3^2 = \bar{b}_3 + b_6$ and $(b_3b_8,\ b_3b_8) = 5$.

By $b_3^2\bar{b}_3 = (b_3\bar{b}_3)b_3$, we have that $b_3b_8 = b_6 + \bar{b}_3b_6$, which implies that $b_8 \in Supp\{\bar{b}_3b_6\}$. But $b_3 \in Supp\{\bar{b}_3b_6\}$. We need a sum with degree 7 of two constituents to make up $\bar{b}_3b_6$, which is impossible by Lemma 4.1.

(2) there is no NITA satisfying $b_3^2 = c_3 + b_6$ and $(b_3b_8,\ b_3b_8) = 5$.

By Lemma 4.1 and $(b_3b_8,\ b_3b_8) = 5$, we may assume that

$$\begin{array}{llll} (A) & b_3b_8 & = & b_3 + x_6 + x_4 + y_4 + z_7, \\ (B) & b_3b_8 & = & b_3 + x_6 + x_4 + y_5 + z_6, \\ (C) & b_3b_8 & = & b_3 + x_6 + x_5 + y_5 + z_5. \end{array}$$

Since

$$\begin{aligned}\bar{b}_3(\bar{b}_3c_3) &= b_3\bar{b}_3 + x_6\bar{b}_3\\ \bar{b}_3^2c_3 &= c_3\bar{c}_3 + c_3\bar{b}_6\\ &= 1 + b_8 + c_3\bar{b}_6,\end{aligned}$$

we have that $\bar{b}_3x_6 = c_3\bar{b}_6$.

Since $(c_3b_8,\ c_3b_8) = (b_3b_8,\ b_3b_8) = 5$ by **Lemma** 4.1 and $c_3b_8 = b_6 + b_3x_6$ by **Lemma** 4.1, we have $(b_3x_6,\ b_3x_6) = 4$. Further $(\bar{b}_3x_6,\ \bar{b}_3x_6) = 4$. But $(\bar{b}_3x_6,\ b_8) = 1$. We may assume

$$c_3\bar{b}_6 = \bar{b}_3x_6 = b_8 + m_3 + n_3 + v_4,$$

where $m_3,\ n_3,\ v_4 \in B$ and $m_3,\ n_3,\ v_4$ are distinct. We may assume

$$\begin{aligned}c_3\bar{m}_3 &= b_6 + m_3^*,\ m_3^* \in B,\\ c_3\bar{n}_3 &= b_6 + n_3^*.\end{aligned}$$

Hence $(c_3\bar{m}_3,\ c_3\bar{m}_3) = 2$. So $m_3\bar{m}_3 = 1 + b_8$. Moreover

$$\begin{aligned}(c_3\bar{c}_3)\bar{m}_3 &= \bar{m}_3 + \bar{m}_3b_8,\\ (c_3\bar{m}_3)\bar{c}_3 &= \bar{c}_3b_6 + \bar{c}_3m_3^*\\ &= b_8 + \bar{m}_3 + \bar{n}_3 + \bar{v}_4 + \bar{c}_3m_3^*\end{aligned}$$

Then

$$\bar{m}_3b_8 = b_8 + \bar{n}_3 + \bar{v}_4 + \bar{c}_3m_3^*,$$

which implies that $m_3\bar{n}_3 = 1 + b_8$. So $m_3 = n_3$, a contradiction.

Theorem 4.3. *There exists no NITA generated by* b_3 *and satisfying* $b_3^2 = \bar{b}_3 + b_6$, $(b_3b_8,\ b_3b_8) = 4$.

Proof. Because $b_3b_8 = b_6 + \bar{b}_3b_6$ by Lemma 4.1 and by assumption that $(b_3b_8,\ b_3b_8) = 4$, then $b_8 \in Supp\{\bar{b}_3b_6\}$ and $(\bar{b}_3b_6,\ \bar{b}_3b_6) = 3$. But $b_3 \in Supp\{\bar{b}_3b_6\}$. Thus there exists $p_7 \in B$ such that

$$\bar{b}_3b_6 = b_3 + b_8 + p_7,\ b_3b_8 = b_3 + b_6 + b_8 + p_7.$$

Hence

$$\begin{aligned}(b_3\bar{b}_3)b_8 &= b_8 + b_8^2\\ \bar{b}_3(b_3b_8) &= \bar{b}_3b_3 + \bar{b}_3b_6 + \bar{b}_3b_8 + \bar{b}_3p_7\\ &= 1 + b_8 + b_3 + b_8 + p_7 + \bar{b}_3 + \bar{b}_6 + \bar{b}_8 + \bar{p}_7 + \bar{b}_3p_7.\end{aligned}$$

Consequently $b_8^2 = 1 + b_3 + \bar{b}_3 + p_7 + \bar{p}_7 + 2b_8 + \bar{b}_6 + \bar{b}_3 p_7$. On the other hand,

$$\begin{aligned}
(b_3\bar{b}_3)^2 &= 1 + 2b_8 + b_8^2,\\
b_3^2\bar{b}_3^2 &= b_3\bar{b}_3 + \bar{b}_3 b_6 + b_3\bar{b}_6 + b_6\bar{b}_6\\
&= 1 + b_8 + b_3 + b_8 + p_7 + \bar{b}_3 + b_8 + \bar{p}_3 + b_6\bar{b}_6.
\end{aligned}$$

We have that $b_8^2 = b_3 + \bar{b}_3 + p_7 + \bar{p}_7 + b_8 + b_6\bar{b}_6$. Hence $b_6\bar{b}_6 = 1 + \bar{b}_6 + b_8 + \bar{b}_3 p_7$.

Since

$$\begin{aligned}
\bar{b}_3^2 b_6 &= b_3 b_6 + \bar{b}_6 b_6\\
&= b_3 b_6 + 1 + b_8 + \bar{b}_6 + \bar{b}_3 p_7,\\
\bar{b}_3(\bar{b}_3 b_6) &= \bar{b}_3 b_3 + \bar{b}_3 b_8 + \bar{b}_3 p_7\\
&= 1 + b_8 + \bar{b}_3 + \bar{b}_6 + b_8 + \bar{p}_7 + \bar{b}_3 p_7,
\end{aligned}$$

it holds that $b_3 b_6 = \bar{b}_3 + \bar{p}_7 + b_8$. Now the following equations follow:

$$\begin{aligned}
b_3(\bar{b}_3 b_6) &= b_3^2 + b_3 b_8 + b_3 p_7\\
&= \bar{b}_3 + b_6 + b_3 + b_6 + b_8 + p_7 + b_3 p_7,\\
(b_3 b_6)\bar{b}_3 &= \bar{b}_3^2 + \bar{b}_3\bar{p}_7 + b_8\bar{b}_3\\
&= b_3 + \bar{b}_6 + \bar{b}_3 + \bar{b}_6 + b_8 + \bar{p}_7 + \bar{b}_3\bar{p}_7.
\end{aligned}$$

Then $2b_6 + p_7 + b_3 p_7 = 2\bar{b}_6 + \bar{p}_7 + \bar{b}_3\bar{p}_7$. Since b_6 is nonreal, we have that $(b_3 p_7, \bar{b}_6) = 2$, a contradiction to the expression of $\bar{b}_3 b_6$. The theorem follows.

Theorem 4.4. *There exists no NITA satisfying* $b_3^2 = c_3 + b_6$, $(b_3 b_8,\ b_3 b_8) = 4$ *and* $c_3^2 = r_4 + s_5$.

Proof. Let investigate Sub-NITA generated by c_2. By assumptions, we have that $(b_3\bar{b}_3,\ b_3\bar{b}_3) = (c_3\bar{c}_3,\ c_3\bar{c}_3)$, hence $b_3\bar{b}_3 = c_3\bar{c}_3$. Therefore $(c_3\bar{c}_3,\ b_8^2) = (b_3\bar{b}_3,\ b_8^2) = 4$, thus $(c_3 b_8,\ c_3 b_8) = 4$, a contradiction to **Theorem 3.1**.

5 NITA Generated by b_3 Satisfying $b_3^2 = \bar{b}_3 + b_6$ and b_6 non-real and $b_{10} \in B$ is real

Now we discuss NITA satisfying the following hypothesis.

Hypothesis 5.1. *Let* $(A,\ B)$ *be a* $NITA$ *generated by an non-real element* $b_3 \in B$ *satisfies* $b_3\bar{b}_3 = 1 + c_8$ *and* $b_3^2 = \bar{b}_3 + b_6$*, where* $b_6 \in B$ *is non-real. Here we still assume that* $L(B) = 1$ *and* $L_2(B) = \emptyset$*. In this section, we use the symbols* $b_i,\ c_i,\ d_i$ *denote elements of* B *with degree* i*, where* $i \geq 2$*.*

By the associative law and **Hypothesis 5.1**, we have $b_3(b_3\overline{b}_3) = (b_3^2)\overline{b}_3$, $b_3 + c_8b_3 = \overline{b}_3^2 + b_6\overline{b}_3$, so

$$c_8b_3 = \overline{b}_6 + b_6\overline{b}_3.$$

Hence $(b_3b_6,\ c_8) = (b_3c_8,\ \overline{b}_6) = 1$, so

$$b_3b_6 = c_8 + b_{10},$$

therefore $b_{10} \in B$ since $(b_3c_8,\ b_3c_8) = 3$.

Now we shall deal with the case $b_{10} = \overline{b}_{10} \in B$**.**

Lemma 5.1. *Let* $(A,\ B)$ *satisfies* **Hypothesis 5.1** *and* $\overline{b}_{10} = b_{10} \in B$*, then*

1) $b_3b_6 = c_8 + b_{10}$*;*

2) $\overline{b}_3b_6 = b_3 + b_{15}$*, where* $b_{15} \in B$*;*

3) $b_3c_8 = b_3 + \overline{b}_6 + b_{15}$*;*

4) $b_3b_{10} = b_{15} + \overline{b}_6 + \overline{c}_9,\ c_9 \in B$*;*

5) $b_3b_{15} = 2\overline{b}_{15} + b_6 + c_9$*;*

6) $b_6^2 = 2\overline{b}_6 + \overline{c}_9 + b_{15}$*;*

7) $b_6c_8 = \overline{b}_3 + 2\overline{b}_{15} + b_6 + c_9$*;*

8) $\overline{b}_6b_6 = 1+c_8+x+y+z+w$*, where* $x,\ y,\ z,\ w \in B$*,* $\mid x+y+z+w \mid= 27$*, and the degrees of* $x,\ y,\ z$ *and* $w \geq 5$*. Moreover* $\overline{x+y+z+w} = x+y+z+w$*;*

9) $c_8^2 = 1 + 2c_8 + 2b_{10} + x + y + z + w$*;*

10) $b_3\overline{b}_{15} = b_{10} + c_8 + x + y + z + w$*;*

11) $(\overline{c}_9b_3,\ c_9) = 1$ *or* $(b_6c_9,\ \overline{c}_9) \geq 1$*.*

Proof. We have seen that

$$c_8b_3 = \overline{b}_6 + b_6\overline{b}_3. \tag{1}$$

and

$$b_3b_6 = c_8 + b_{10}, \tag{2}$$

where b_{10} is real. So we get $(\overline{b}_3b_6,\ \overline{b}_3b_6) = 2$ and consequently we get

$$\overline{b}_3b_6 = b_3 + b_{15}, \tag{3}$$

where $b_{15} \in B$. Hence by (1)

$$c_8 b_3 = b_3 + \overline{b}_6 + b_{15} \tag{4}$$

By the associative law and (2), (3), we have $b_3(\overline{b}_3 b_6) = (b_3 b_6)\overline{b}_3$ and $b_3^2 + b_{15}b_3 = c_8\overline{b}_3 + b_{10}\overline{b}_3$, so by (4) and **Hypothesis 5.1** one gets

$$b_{15}b_3 = \overline{b}_{15} + \overline{b}_3 b_{10} \tag{5}$$

If $x \in B$ and $(b_{15}b_3,\ x) = (b_{15},\ \overline{b}_3 x)$, so $\mid x \mid \geq 5,\ \forall x \in B$. So every constituent of $\overline{b}_3 b_{10}$ have degrees ≥ 5. Since b_{10} is real also constituents of $b_3 b_{10}$ have degrees ≥ 5, by the associative law and Hypothesis 5.1 and (4), (2):

$$(\overline{b}_3 b_3)c_8 = (b_3 c_8)\overline{b}_3,$$

$$c_8 + c_8^2 = b_3\overline{b}_3 + \overline{b}_6\overline{b}_3 + b_{15}\overline{b}_3,$$

$$c_8^2 = 1 + c_8 + b_{10} + \overline{b}_3 b_{15} \tag{6}$$

By the associative law and Hypothesis 5.1 and (2):

$$(b_3\overline{b}_3)(b_3\overline{b}_3) = b_3^2\overline{b}_3^2,$$

$$1 + 2c_8 + c_8^2 = \overline{b}_3 b_3 + \overline{b}_3\overline{b}_6 + b_6 b_3 + b_6\overline{b}_6,$$

$$c_8^2 = 2b_{10} + c_8 + b_6\overline{b}_6 \tag{7}$$

so we get

$$1 = (\bar{b}_3 b_{15},\ b_{10}) = (b_{15},\ b_3 b_{10}).$$

By (2),

$$(b_3 b_{10},\ \overline{b}_6) = (b_3 b_6,\ b_{10}) = 1.$$

$b_3 b_{10}$ have constituents of degree ≥ 5 as we proves. Therefore

$$b_3 b_{10} = b_{15} + \overline{b}_6 + \overline{c}_9 \tag{8}$$

where $c_9 \in B$. So by (5),

$$b_3 b_{15} = 2\overline{b}_{15} + b_6 + c_9. \tag{9}$$

By the associative law and Hypothesis 5.1 and (2), (3), (4):

$$(b_3^2)b_6 = (b_3b_6)b_3,$$

$$\overline{b}_3b_6 + b_6^2 = c_8b_3 + b_{10}b_3,$$

consequently

$$b_6^2 = 2\bar{b}_6 + b_{15} + \bar{c}_9.$$

Now

$$b_3(\bar{b}_3b_6) = (b_3\bar{b}_3)b_6,$$

$$b_3^2 + b_{15}b_3 = b_6 + b_6b_8.$$

Thus

$$c_8b_6 = \overline{b}_3 + 2\overline{b}_{15} + b_6 + c_9.$$

So

$$(\overline{b}_6b_6,\ c_8) = (b_6,\ b_6c_8) = 1.$$

Since

$$(b_6^2,\ b_6^2) = 6 = (\overline{b}_6b_6,\ \overline{b}_6b_6),$$

hence

$$b_6\overline{b}_6 = 1 + c_8 + x + y + z + w$$

where $x, \quad y, \quad z, \quad w \in B$. Therefore by (7), (6)

$$c_8^2 = 1 + 2c_8 + 2b_{10} + x + y + z + w,$$

and

$$b_3\overline{b_5} = b_{10} + c_8 + x + y + z + w.$$

So $(b_3\bar{b}_{15}, \quad m) = (b_3\bar{m}, \quad b_{15})$, so $\mid m \mid \geq 5$, hence

$$\mid x \mid, \quad \mid y \mid, \quad \mid z \mid, \quad \mid w \mid \geq 5.$$

By (8),

$$(b_3c_9,\ b_{10}) = (b_3b_{10},\ \overline{c}_9) = 1,$$

hence

$$b_3c_9 = b_{10} + \alpha,$$

where $\alpha \in N^*B$. By the associative law and Hypothesis 5.1:

$$(b_3^2)c_9 = (b_3c_9)b_3,$$

$$c_9\overline{b}_3 + c_9b_6 = b_{10}b_3 + \alpha b_3 = b_{15} + \overline{b}_6 + \overline{c}_9 + \alpha b_3.$$

hence, $(c_9\overline{b}_3,\ \overline{c}_9) \geq 1$, or $(b_6c_9,\ \overline{c}_9) \geq 1$. By (9) we conclude that either $(c_9\bar{b}_3, \bar{c}_9) = 1$ or $(b_6c_9, \bar{c}_9) \geq 1$.

We start to investigate the case $(\bar{c}_9b_3, c_9) = 1$ of Lemma 5.1.

□

Lemma 5.2. *Let* $(A,\ B)$ *satisfies Hypothesis 5.1. Assume that* $\overline{b}_{10} = b_{10} \in B$ *and* $(\overline{c}_9b_3,\ c_9) = 1$. *Then we get the following:*

1) $b_3\overline{c}_9 = \overline{b}_{15} + c_9 + c_3,\ c_3,\ c_9 \in B$;

2) $b_6b_{10} = 3\overline{b}_{15} + \overline{b}_3 + c_3 + c_9,\ b_{15} \in B$;

3) $c_8b_{15} = 5b_{15} + b_3 + \overline{c}_3 + 2\overline{b}_6 + 3\overline{c}_9$;

4) $b_3\overline{c}_3 = c_9$;

5) $b_3c_3 = b_9,\ \overline{b}_9 = b_9 \in B$;

6) $b_3c_9 = b_9 + b_{10} + b_8,\ b_9 = \overline{b}_9,\ \overline{b}_8 = b_8 \in B$;

7) $\overline{c}_3b_6 = b_{10} + b_8$;

8) $b_6\overline{b}_{15} = 4b_{15} + \overline{b}_6 + b_3 + \overline{c}_3 + 2\overline{c}_9$;

9) $c_3\overline{c}_3 = 1 + b_8$;

10) $\overline{b}_6b_6 = 1 + c_8 + b_9 + b_8 + c_5 + b_5,\ \overline{c_5 + b_5} = c_5 + b_5$;

11) $c_8^2 = 1 + 2c_8 + 2b_{10} + b_9 + b_8 + b_5 + c_5$;

12) $b_3\overline{b}_{15} = b_{10} + c_8 + b_9 + b_8 + b_5 + c_5$;

13) $b_6b_{15} = 2c_8 + 3b_{10} + 2b_9 + 2b_8 + b_5 + c_5$;

14) $c_8b_{10} = 2c_8 + 2b_{10} + 2b_9 + 2b_8 + b_5 + c_5$;

15) $b_6\overline{c}_9 = b_{10} + c_8 + 2b_9 + b_8 + b_5 + c_5$;

16) $b_{10}^2 = 1 + 2c_8 + 2b_{10} + 3b_9 + 2b_8 + 2b_5 + 2c_5$.

Proof. By 5) in **Lemma 5.1** , $(\overline{b}_3c_9,\ b_{15}) = (c_9,\ b_3b_{15}) = 1$. So by the assumption in the lemma, $(b_3\overline{c}_9,\ c_9) = 1$, hence

$$b_3\overline{c}_9 = \overline{b}_{15} + c_9 + c_3, \tag{1}$$

where $c_3 \in B$. By the associative law and Hypothesis 5.1 and 4) in **Lemma 5.1**

$$(b_3^2)b_{10} = (b_3b_{10})b_3,$$

$$\overline{b}_3b_{10} + b_6b_{10} = b_{15}b_3 + \overline{b}_6b_3 + \overline{c}_9b_3,$$

by 2), 4), 5) in **Lemma 5.1** and (1),

$$b_6b_{10} = 3\overline{b}_{15} + \overline{b}_3 + c_3 + c_9. \tag{2}$$

By the associative law and Hypothesis 5.1 and 5) in **Lemma 5.1**:

$$(\overline{b}_3b_3)b_{15} = (b_3b_{15})\overline{b}_3,$$

$$c_8b_{15} + b_{15} = 2\overline{b}_{15}\overline{b}_3 + \overline{b}_3b_6 + c_9\overline{b}_3,$$

by (1) and 2), 5) in **Lemma 5.1**:

$$c_8b_{15} = 5b_{15} + b_3 + \overline{c}_3 + 2\overline{b}_6 + 3\overline{c}_9. \tag{3}$$

By (1),

$$(\overline{c}_3b_3,\ c_9) = (b_3\overline{c}_9,\ c_3) = 1,$$

hence

$$\overline{c}_3b_3 = c_9 \qquad (3').$$

So

$$(c_3b_3,\ c_3b_3) = (b_3\overline{c}_9,\ c_3) = 1,$$

hence

$$c_3b_3 = b_9. \tag{4}$$

By the associative law and Hypothesis 5.1 and (3)

$$\overline{c}_3(b_3^2) = (\overline{c}_3b_3)b_3,$$

$$\overline{c}_3\overline{b}_3 + \overline{c}_3b_6 = c_9b_3,$$

hence

$$c_9b_3 = \overline{b}_9 + \overline{c}_3b_6 \tag{5}$$

(1) and (4) in **Lemma 5.1**, $(c_9b_3,\ b_{10}) = (b_3b_{10},\ \overline{c}_9) = 1$, $(b_3c_9,\ b_3c_9) = (b_3\overline{c}_9,\ b_3\overline{c}_9) = 3$, hence

$$c_9b_3 = \overline{b}_9 + b_{10} + b_8, \tag{6}$$

where $b_8 \in B$. So

$$\overline{c}_3 b_6 = b_{10} + b_8 \tag{7}$$

By the associative law and Hypothesis 5.1 and 4) in **Lemma 5.1**:

$$(\overline{b}_3 b_3) b_{10} = (b_3 b_{10}) \overline{b}_3$$

$$b_{10} + c_8 b_{10} = b_{15} \overline{b}_3 + \overline{b}_6 \overline{b}_3 + \overline{c}_9 \overline{b}_3,$$

by 1), 10) in **Lemma 5.1** and (6)

$$c_8 b_{10} = c_8 + \overline{x} + \overline{y} + \overline{z} + \overline{w} + \overline{b}_8. \tag{8}$$

$b_{10},\ c_8$ are reals , so if $\overline{b}_8 \neq b_8$, then $(c_8 b_{10},\ b_8) \neq 0$, and without lose of generality $\overline{x} = b_8$, so $x = b_8$ and by 8) in **Lemma 5.1** and without lose of generality $y = b_8$, so by (8) $(c_8 b_{10},\ \overline{b}_8) = 2$, hence $(c_8 b_{10},\ b_8) = 2$, so without lose of generality $\overline{z} = b_8$, hence $z = \overline{b}_8$ and by 8) in **Lemma 5.1** without lose of generality $w = b_8$ then $(c_8 b_{10},\ b_8) = 3$ a contradiction. Hence $b_8 = \overline{b}_8$. In the same way $b_9 = \overline{b}_9$.

By the associative law and 2), 6) in **Lemma 5.1**:

$$(b_6^2) \overline{b}_3 = (b_6 \overline{b}_3) b_6$$

$$2 \overline{b}_6 \overline{b}_3 + \overline{c}_9 \overline{b}_3 + b_{15} \overline{b}_3 = b_3 b_6 + b_{15} b_6.$$

and by **Lemma 5.1** and (6)

$$b_6 b_{15} = 2c_8 + 3b_{10} + b_8 + b_9 + x + y + w + z. \tag{9}$$

By the associative law and Hypothesis and 4) in **Lemma 5.1**:

$$b_{10}(b_3 \overline{b}_3) = (\overline{b}_3 b_{10}) b_3,$$

$$b_{10} + c_8 b_{10} = b_3 \overline{b}_{15} + b_3 b_6 + b_3 c_9,$$

by (6) and 1) , 10) in **Lemma 5.1**

$$c_8 b_{10} = 2c_8 + 2b_{10} + x + y + z + w + b_8 + b_9. \tag{10}$$

By the associative law and 2), 3), 6) in **Lemma 5.1** and (3):

$$c_8(\overline{b}_3 b_6) = (\overline{b}_3 c_8) b_6,$$

$$b_3c_8 + b_{15}c_8 = \overline{b}_3b_6 + b_6^2 + \overline{b}_{15}b_6,$$

$$b_6\overline{b}_{15} = 4b_{15} + \overline{b}_6 + b_3 + \overline{c}_3 + 2\overline{c}_9.$$

By the associative law and (1), (4), (6) and Hypothesis1:

$$(b_3^2)\overline{c}_9 = (b_3\overline{c}_9)b_3,$$

$$\overline{b}_3\overline{c}_9 + b_6\overline{c}_9 = \overline{b}_{15}b_3 + c_9b_3 + c_3b_3,$$

$$b_6\overline{c}_9 = b_{10} + c_8 + x + y + z + w + b_9. \tag{11}$$

By the associative law and 1)in the **Lemma 5.1** and (2):

$$(b_3b_6)b_{10} = (b_6b_{10})b_3$$

$$c_8b_{10} + b_{10}^2 = 3\overline{b}_{15}b_3 + \overline{b}_3b_3 + c_3b_3 + c_9b_3,$$

by (4), (6), (10) and Hypothesis 5.1

$$b_{10}^2 = 1 + 2c_8 + b_9 + 2b_{10} + 2x + 2y + 2z + 2w. \tag{12}$$

By (2), $(b_6b_{10},\ b_6b_{10}) = 12$. But by 8) in **Lemma 5.1** and (12) $(b_6\overline{b}_6,\ b_{10}^2) = 10$, so we get without lose of generality

$$x = b_9. \tag{13}$$

By (4) and that $b_9 = \overline{b}_9$, $(c_3b_3,\ \overline{c}_3\overline{b}_3) = (b_3^2,\ \overline{c}_3^2) = 1$, but by (3') $(c_3^2,\ b_3) = (c_3\overline{b}_3,\ \overline{c}_3) = 0$, so by hypothesis 5.1

$$(\overline{c}_3^2,\ b_6) = 1. \tag{14}$$

Hence

$$(c_3\overline{c}_3,\ c_3\overline{c}_3) = 2,$$

so

$$c_3\overline{c}_3 = 1 + t_8. \tag{15}$$

By (4)

$$(c_3b_3,\ c_3b_3) = (c_3\overline{c}_3,\ b_3\overline{b}_3) = 1,$$

therefore by hypothesis $t_8 \neq c_8$. By (12), (13) and 9) in **Lemma 5.1**

$$(b_{10}^2,\ c_8^2) = 18 = (c_8b_{10},\ c_8b_{10}).$$

So by (8) we conclude that without lose of generality

$$y = b_8. \tag{16}$$

So by (13), (16) and 8) in lemma 1 we obtain $\mid z \mid = \mid w \mid = 5$, set $z = b_5$ and $w = c_5$. By (7),

$$(\overline{c}_3 b_6,\ \overline{c}_3 b_6) = (\overline{c}_3 c_3,\ \overline{b}_6 b_6) = 2,$$

so by (15) and 8) in **Lemma 5.1** and by (16) $t_8 = b_8$. So $c_3\overline{c}_3 = 1 + b_8$. By 8), 9), 10) in **Lemma 5.1** and (10), (11), (12), (13), (16), (9)

$$\overline{b}_6 b_6 = 1 + c_8 + b_9 + b_8 + c_5 + b_5,$$

$$c_8^2 = 1 + 2c_8 + 2b_{10} + b_9 + b_8 + b_5 + c_5,$$

$$b_3\overline{b}_{15} = b_{10} + c_8 + b_9 + b_8 + b_5 + c_5,$$

$$b_6 b_{15} = 2c_8 + 3b_{10} + 2b_9 + 2b_8 + b_5 + c_5,$$

$$c_8 b_{10} = 2c_8 + 2b_{10} + 2b_9 + 2b_8 + b_5 + c_5,$$

$$b_6\overline{c}_9 = b_{10} + c_8 + 2b_9 + b_8 + b_5 + c_5,$$

$$b_{10}^2 = 1 + 2c_8 + 2b_{10} + 3b_9 + 2b_8 + 2b_5 + 2c_5.$$

□

Lemma 5.3. *Let $(A,\ B)$ satisfy Hypothesis 5.1. Assume that $\overline{b}_{10} = b_{10} \in B$ and $(\overline{c}_9 b_3,\ c_9) = 1$. Then we get the following equations:*

1) $b_3 b_9 = b_{15} + \overline{c}_9 + \overline{c}_3$;
2) $c_3 c_8 = c_9 + \overline{b}_{15}$;
3) $b_3 b_8 = b_{15} + \overline{c}_9$;
4) $b_3 c_5 = b_{15}$;
5) $b_3 b_5 = b_{15}$;
6) $b_6 b_5 = \overline{b}_{15} + b_6 + c_9$;
7) $b_6 c_9 = 2b_{15} + 2\overline{c}_9 + \overline{b}_6$;
8) $c_3 b_6 = \overline{c}_3 + b_{15}$;
9) $b_6 b_9 = 2\overline{b}_{15} + b_6 + 2c_9$;
10) $b_6 c_5 = \overline{b}_{15} + b_6 + c_9$;
11) $b_6 b_8 = 2\overline{b}_{15} + b_6 + c_3 + c_9$;

12) $c_3b_{10} = \overline{b}_{15} + b_6 + c_9$*;*

13) $c_3c_9 = b_{15} + \overline{c}_9 + b_3$*;*

14) $c_3b_8 = c_3 + b_6 + \overline{b}_{15}$*;*

15) $c_3b_9 = \overline{b}_{15} + \overline{b}_3 + c_9$*;*

16) $c_3\overline{b}_{15} = 2b_{15} + \overline{b}_6 + \overline{c}_9$*;*

17) $b_8\overline{b}_{15} = 5\overline{b}_{15} + \overline{b}_3 + c_3 + 2b_6 + 3c_9$*;*

18) $b_8c_9 = 3\overline{b}_{15} + 2c_9 + b_6 + \overline{b}_3$*.*

Proof. By 5), 6), 12), in Lemma 5.2

$$(b_3b_9,\ \overline{c}_3) = (b_3c_3,\ b_9) = 1,$$

$$(b_3b_9,\ \overline{c}_9) = (b_3c_9,\ b_9) = 1,$$

$$(b_3b_9,\ b_{15}) = (b_3\overline{b}_{15},\ b_9) = 1,$$

then

$$b_3b_9 = b_{15} + \overline{c}_9 + \overline{c}_3. \tag{1}$$

By the associative law and 1), 4) in **Lemma 5.2** and Hypothesis 5.1

$$(\overline{b}_3c_3)b_3 = (\overline{b}_3b_3)c_3,$$

$$\overline{c}_9b_3 = c_3 + c_3c_8,$$

so

$$c_3c_8 = c_9 + \overline{b}_{15}. \tag{2}$$

By 6), 12) in **Lemma 5.2**,

$$(b_3b_8,\ b_{15}) = (b_3\overline{b}_{15}, b_8) = 1,$$

$$(b_3b_8,\ \overline{c}_9) = (b_3c_9,\ b_8) = 1,$$

then

$$b_3b_8 = b_{15} + \overline{c}_9. \tag{3}$$

By the associative law and 2) in **Lemma 5.1** and 10) in **Lemma 5.2**:

$$(b_6\overline{b}_6)b_3 = (b_3\overline{b}_6)b_6,$$

$$b_3 + c_8b_3 + b_9b_3 + b_8b_3 + c_5b_3 + b_5b_3 = \overline{b}_3b_6 + \overline{b}_{15}b_6.$$

by 2), 3)in **Lemma 5.1** and (3), (1) and 8) in **Lemma 5.2**:

$$c_5 b_3 + b_5 b_3 = 2b_{15},$$

so

$$c_5 b_3 = b_{15}, \tag{4}$$

$$b_5 b_3 = b_{15}. \tag{5}$$

By the associative law and Hypothesis 5.1 and (5) and 5) in Lemma 5.1

$$(b_3^2) b_5 = (b_3 b_5) b_3 = b_3 b_{15},$$

$$\overline{b}_3 b_5 + b_6 b_5 = 2\overline{b}_{15} + b_6 + c_9,$$

by (5)

$$(\overline{b}_3 b_5,\ \overline{b}_3 b_5) = (b_5 b_3,\ b_5 b_3) = 1.$$

So $\overline{b}_3 b_5 = \overline{b}_{15}$, therefore

$$b_6 b_5 = \overline{b}_{15} + b_6 + c_9. \tag{6}$$

By the associative law and 4), 7) in **Lemma 5.2**:

$$(b_3 \overline{c}_3) b_6 = (\overline{c}_3 b_6) b_3,$$

$$c_9 b_6 = b_{10} b_3 + b_8 b_3,$$

by 4) in **Lemma 5.1** and by (3)

$$b_6 c_9 = 2b_{15} + 2\overline{c}_9 + \overline{b}_6. \tag{7}$$

By the associative law and Hypothesis 5.1 and 5) in **Lemma 5.2**:

$$(b_3^2) c_3 = (b_3 c_3) b_3,\ \overline{b}_3 c_3 + b_6 c_3 = b_9 b_3,$$

so by (1) and 4) in **Lemma 5.2**

$$b_6 c_3 = \overline{c}_3 + b_{15}. \tag{8}$$

10), 13), 15) in **Lemma 5.2**,

$$(b_6 b_9,\ \overline{b}_{15}) = (b_6 b_{15},\ b_9) = 2,$$

$$(b_6b_9,\ b_6) = (b_9,\ \overline{b}_6b_6) = 1,$$

$$(b_6b_9,\ c_9) = (b_6\overline{c}_9,\ b_9) = 2,$$

so

$$b_6b_9 = 2\overline{b}_{15} + b_6 + 2c_9. \tag{9}$$

By the associative law and Hypothesis 5.1 and (4):

$$(b_3^2)c_5 = (b_3c_5)b_3,\ \overline{b}_3c_5 + b_6c_5 = b_{15}b_3,$$

by 5) in **Lemma 5.1**

$$\overline{b}_3c_5 + b_6c_5 = 2\overline{b}_{15} + b_6 + c_9,$$

$$(c_5\overline{b}_3,\ c_5\overline{b}_3) = (c_5b_3,\ c_5b_3) = 1,$$

so $\overline{b}_3c_5 = \overline{b}_{15}$, hence by 7), 10), 13), and 15) in Lemma 5.2

$$b_6c_5 = \overline{b}_{15} + b_6 + c_9 \tag{10}$$

$$(b_6b_8,\ c_3) = (b_6\overline{c}_3,\ b_8) = 1,\ (b_6b_8,\ b_6) = (b_8,\ \overline{b}_6b_6) = 1,$$

$$(b_6b_8,\ c_9) = (b_8,\ \overline{b}_6c_9) = 1,\ (b_6b_8,\ \overline{b}_{15}) = (b_6b_{15},\ b_8) = 2,$$

so

$$b_6b_8 = 2\overline{b}_{15} + b_6 + c_3 + c_9. \tag{11}$$

By the associative law and 1) in **Lemma 5.1** and (8)

$$c_3(b_3b_6) = (c_3b_6)b_3,\ c_3c_8 + c_3b_{10} = \overline{c}_3b_3 + b_{15}b_3,$$

by (2), 4) in **Lemma 5.2** and 5) in **Lemma 5.1**

$$c_3b_{10} = \overline{b}_{15} + b_6 + c_9. \tag{12}$$

By the associative law and 4), 9) in **Lemma 5.2**:

$$(c_3\overline{c}_3)b_3 = (\overline{c}_3b_3)c_3,\ b_3 + b_8b_3 = c_9c_3,$$

by (3)

$$c_3c_9 = b_{15} + \overline{c}_9 + b_3. \tag{13}$$

By the associative law and 6) in **Lemma 5.2** and (13)

$$(b_3c_9)c_3 = (c_3c_9)b_3,$$

$$b_9c_3 + b_{10}c_3 + b_8c_3 = b_{15}b_3 + \overline{c}_9b_3 + b_3^2,$$

by (12) and 5) in **Lemma 5.1** and 1) in **Lemma 5.2** and Hypothesis 5.1

$$b_9c_3 + b_8c_3 + b_{15} + b_6 + c_9 = 2\overline{b}_{15}b_6 + c_9 + \overline{b}_{15} + c_9 + c_3 + \overline{b}_3 + b_6,$$

$$b_9c_3 + b_8c_3 = 2\overline{b}_{15} + c_9 + c_3 + \overline{b}_3 + b_6,$$

by 5), 7), 9) in **Lemma 5.2**

$(b_8c_3,\ \overline{b}_3) = (c_3b_3,\ b_8) = 0,\ (b_8c_3,\ c_3) = (b_8,\ \overline{c}_3c_3) = 1,\ (b_8c_3,\ b_6) = (b_8,\ \overline{c}_3b_6) = 1,$

so

$$b_8c_3 = c_3 + b_6 + \overline{b}_{15}, \tag{14}$$

hence

$$b_9c_3 = \overline{b}_{15} + \overline{b}_3 + c_9. \tag{15}$$

By the associative law and 2) in **Lemma 5.1**and 7) in **Lemma 5.2**:

$$c_3(b_3\overline{b}_6) = (c_3\overline{b}_6)b_3,\ c_3\overline{b}_3 + c_3\overline{b}_{15} = b_{10}b_3 + b_8b_3,$$

by 4) in **Lemma 5.2** and 4) in **Lemma 5.1** and (3):

$$c_3\overline{b}_{15} = 2b_{15} + \overline{b}_6 + \overline{c}_9. \tag{16}$$

By the associative law and 9) in **Lemma 5.2**:

$$(c_3\overline{b}_{15})\overline{c}_3 = (c_3\overline{c}_3)\overline{b}_{15},\ 2b_{15}\overline{c}_3 + \overline{b}_6\overline{c}_3 + \bar{c}_9\overline{c}_3 = \overline{b}_{15} + b_8\overline{b}_{15},$$

by (16) and (8) , (13)

$$b_8\overline{b}_{15} = 5\overline{b}_{15} + \overline{b}_3 + c_3 + 2b_6 + 3c_9. \tag{17}$$

By the associative law and (13) and 9) in **Lemma 5.2**:

$$(c_3\overline{c}_3)c_9 = (c_3c_9)\overline{c}_3,\ c_9 + b_8c_9 = b_{15}\overline{c}_3 + \overline{c}_9\overline{c}_3 + b_3\overline{c}_3,$$

by (13), (16) and 4) in **Lemma 5.2**:

$$c_9 + b_8c_9 = 2\overline{b}_{15} + b_6 + c_9 + \overline{b}_{15} + c_9 + \overline{b}_3 + c_9,$$

then

$$b_8c_9 = 3\overline{b}_{15} + 2c_9 + b_6 + \overline{b}_3. \tag{18}$$

$\square$

Lemma 5.4. *Let* $(A,\ B)$ *satisfies Hypothesis 5.1. Assume that* $\overline{b}_{10} = b_{10} \in B$ *and* $(\overline{c}_9b_3,\ c_9) = 1$. *Then we get the following equations:*

1) $c_3\overline{c}_9 = b_{10} + b_9 + c_8$*;*
2) $c_3b_{15} = b_5 + c_5 + c_8 + b_8 + b_9 + b_{10}$*;*
3) $c_3^2 = \overline{c}_3 + \overline{b}_6$*;*
4) $\overline{b}_{15}b_{15} = 1 + 3b_5 + 3c_5 + 5c_8 + 5b_8 + 6b_6 + 6b_{10}$*;*
5) $b_{15}^2 = 9\overline{b}_{15} + 4b_6 + 2\overline{b}_3 + 2c_3 + 6c_9$*;*
6) $b_{10}b_{15} = 6b_{15} + 3\overline{b}_6 + b_3 + \overline{c}_3 + 4\overline{c}_9$*;*
7) $c_9b_{15} = 2b_5 + 2c_5 + 3c_8 + 3b_8 + 3b_9 + 4b_{10}$*;*
8) $c_9\overline{b}_{15} = 6b_{15} + 2\overline{b}_6 + b_3 + \overline{c}_3 + 3\overline{c}_9$*;*
9) $c_9^2 = 3b_{15} + b_3 + \overline{c}_3 + 2\overline{b}_6 + 2\overline{c}_9$*;*
10) $c_9\overline{c}_9 = 1 + 2c_8 + 2b_9 + 2b_{10} + c_5 + b_5 + 2b_8$*;*
11) $c_8c_9 = 3\overline{b}_{15} + b_6 + c_3 + 2c_9$*;*
12) $b_9c_9 = \overline{b}_3 + 2c_9 + 3\overline{b}_{15} + c_3 + 2b_6$*;*
13) $c_9b_{10} = \overline{b}_3 + 2c_9 + 3\overline{b}_{15} + c_3 + 2b_6$*;*
14) $b_5c_9 = 2\overline{b}_{15} + b_6 + c_9$*;*
15) $c_5c_9 = 2\overline{b}_{15} + b_6 + c_9$*;*
16) $b_5 = \overline{b}_5,\ c_5 = \overline{c}_5$*;*
17) $c_3b_5 = \overline{b}_{15}$*;*
18) $c_3c_5 = \overline{b}_{15}$*.*

Proof. By 2), 12), 15) in **Lemma 5.3**, $(c_3\overline{c}_9,\ b_{10}) = (c_3b_{10},\ c_9) = 1$, $(c_3\overline{c}_9,\ b_9) = (c_3b_9,\ c_9) = 1$, $(c_3\overline{c}_9,\ c_8) = (c_3c_8,\ c_9) = 1$, then

$$c_3\overline{c}_9 = b_{10} + b_9 + c_8. \tag{1}$$

By the associative law and 3) and 14) in **Lemma 5.3**:

$$(b_3b_8)c_3 = (c_3b_8)b_3,\ b_{15}c_3 + \overline{c}_9c_3 = c_3b_3 + b_6b_3 + \overline{b}_{15}b_3,$$

by 5), 12) in **Lemma 5.2** and (1) and 1) in **Lemma 5.1**

$$c_3b_{15} = b_5 + c_5 + c_8 + b_8 + b_9 + b_{10}. \tag{2}$$

By the associative law and (1) and 1) **Lemma 5.2**:

$$(b_3\overline{c}_9)c_3 = (c_3\overline{c}_9)b_3, \ \ \overline{b}_{15}c_3 + c_9c_3 + c_3^2 = b_{10}b_3 + b_9b_3 + c_8b_3,$$

by 1), 13), 16) in **Lemma 5.3** and 3), 4) in **Lemma 5.1**

$$c_3^2 = \overline{c}_3 + \overline{b}_6. \tag{3}$$

By the associative law and 2) in **Lemma 5.1** and 8) in **Lemma 5.2**:

$$(b_3\overline{b}_6)b_{15} = (\overline{b}_6b_{15})b_3,$$

$$\overline{b}_3b_{15} + \overline{b}_{15}b_{15} = 4\overline{b}_{15}b_3 + b_6b_3 + \overline{b}_3b_3 + c_3b_3 + 2c_9b_3.$$

By 6), 5), 12) in Lemma 5.2 and 1) in Lemma 5.1 and Hypothesis 5.1 we obtain that

$$\overline{b}_{15}b_{15} = 1 + 3b_5 + 3c_5 + 5c_8 + 5b_8 + 6b_6 + 6b_{10}. \tag{4}$$

By the associative law and 2) in **Lemma 5.1** and 13) in **Lemma 5.2**:

$$(b_3\overline{b}_6)\overline{b}_{15} = b_3(\overline{b}_6\overline{b}_{15}),$$

$$\overline{b}_3\overline{b}_{15} + \overline{b}_{15}^2 = 2c_8b_3 + 3b_{10}b_3 + 2b_9b_3 + 2b_8b_3 + b_5b_3 + c_5b_3,$$

by 3), 4) in **Lemma 5.1** and 1) , 3), 4), 5) in **Lemma 5.3**

$$b_{15}^2 = 9\overline{b}_{15} + 4b_6 + 2\overline{b}_3 + 3c_3 + 6c_9. \tag{5}$$

By 4), 12), 13) in **Lemma 5.2** and 12) in **Lemma 5.3** and 5) in **Lemma 5.1**:

$$(b_{10}b_{15}, \ b_3) = (b_{10}, \ \overline{b}_{15}b_{15}) = 6, \ (b_{10}b_{15}, \ \overline{b}_6) = (b_{15}b_6, \ b_{10}) = 3,$$

$$(b_{10}b_{15}, \ b_3) = (\overline{b}_{15}b_3, \ b_{10}) = 1, \ (b_{10}b_{15}, \ \overline{c}_3) = (b_{10}c_3, \ \bar{b}_{15}) = 1,$$

$$(b_{10}b_{15}, \ \overline{b}_3c_3) = (b_{15}b_3, \ b_{10}c_3) = 4,$$

so $(b_{10}b_{15},\ \overline{c}_9) = 4$. hence

$$b_{10}b_{15} = 6b_{15} + 3\overline{b}_6 + b_3 + \overline{c}_3 + 4\overline{c}_9. \tag{6}$$

By the associative law and 4) in **Lemma 5.2** and 16) in **Lemma 5.3**:

$$(b_3\overline{c}_3)b_{15} = b_3(\overline{c}_3b_{15}),\ c_9b_{15} = 2\overline{b}_{15}b_3 + b_3b_6 + b_3c_9,$$

by 6), 12) in **Lemma 5.2** and 1) in **Lemma 5.1**:

$$c_9b_{15} = 2b_5 + 2c_5 + 3c_8 + 3b_8 + 3b_9 + 4b_{10}. \tag{7}$$

By 4) and Lemma 5.2 and (2) we get:

$$(b_3\overline{c}_3)\overline{b}_{15} = (\overline{c}_3\overline{b}_{15})b_3,$$

$$c_9\overline{b}_{15} = b_5b_3 + c_5b_3 + c_8b_3 + b_8b_3 + b_9b_3 + b_{10}b_3,$$

by 1), 3), 4), 5) in **Lemma 5.3** and 3), 4) in **Lemma 5.1**,

$$c_9\overline{b}_{15} = 6b_{15} + 2\overline{b}_6 + b_3 + \overline{c}_3 + 3\overline{c}_9. \tag{8}$$

By the associative law and 4) in **Lemma 5.2** and (1):

$$(b_3\overline{c}_3)c_9 = b_3(\overline{c}_3c_9),\ c_9^2 = b_{10}b_3 + b_9b_3 + c_8b_3,$$

by 3), 4) in **Lemma 5.1** and 1) in **Lemma 5.3**

$$c_9^2 = 3b_{15} + b_3 + \overline{c}_3 + 2\overline{b}_6 + 2\overline{c}_9. \tag{9}$$

By the associative law and 4) in **Lemma 5.2** and 13) in **Lemma 5.3**:

$$(b_3\overline{c}_3)\overline{c}_9 = b_3(\overline{c}_3\overline{c}_9),\ c_9\overline{c}_9 = b_3\overline{b}_{15} + b_3c_9 + b_3\overline{b}_3,$$

by 6), 12) in **Lemma 5.2** and Hypothesis 5.1:

$$c_9\overline{c}_9 = 1 + 2c_8 + 2b_9 + 2b_{10} + c_5 + b_5 + 2b_8. \tag{10}$$

By the associative law and 4) in **Lemma 5.2** and 2) in **Lemma 5.3**:

$$(b_3\overline{c}_3)c_8 = (\overline{c}_3c_8)b_3,\ c_9c_8 = \overline{c}_9b_3 + b_{15}b_3,$$

by 1) in **Lemma 5.2** and 5) in **Lemma 5.1**:

$$c_9c_8 = 3\overline{b}_{15} + b_6 + c_3 + 2c_9. \tag{11}$$

By the associative law and 5) in **Lemma 5.2** and 13) in **Lemma 5.3**:

$$(b_3c_3)c_9 = (c_3c_9)b_3,\ b_9c_9 = b_{15}b_3 + \overline{c}_9b_3 + b_3^2,$$

by 5) in **Lemma 5.1** and Hypothesis 5.1 and 1) in lemma 5.2

$$b_9c_9 = \overline{b}_3 + 2c_9 + 3\overline{b}_{15} + c_3 + 2b_6. \tag{12}$$

By the associative law and 4) in **Lemma 5.2** and 12) in **Lemma 5.3**:

$$(b_3\overline{c}_3)b_{10} = (\overline{c}_3b_{10})b_3,\ c_9b_{10} = b_{15}b_3 + \overline{b}_6b_3 + \overline{c}_9b_3,$$

by 2) and 5) in **Lemma 5.1** and 1) in **Lemma 5.2**

$$c_9b_{10} = \overline{b}_3 + 2c_9 + 4\overline{b}_{15} + c_3 + b_6. \tag{13}$$

By (2),

$$(\overline{c}_3b_5,\ b_{15}) = (b_5,\ c_3b_{15}) = 1,\ (\overline{c}_3c_5,\ b_{15}) = (c_5,\ c_3b_{15}) = 1.$$

So

$$\overline{c}_3b_5 = b_{15}, \tag{14}$$

$$\overline{c}_3c_5 = b_{15}. \tag{15}$$

Hence by 4), 5) in **Lemma 5.2** and the associative law:

$$(\overline{c}_3b_5)b_3 = (b_3\overline{c}_5)b_5,\ (\overline{c}_3c_5)b_3 = (b_3\overline{c}_3)c_5,$$

$$b_{15}b_3 = c_9b_5,\ b_{15}b_3 = c_9c_5.$$

By 5) in Lemma 5.1 we get:

$$b_5c_9 = 2\overline{b}_{15} + b_6 + c_9, \tag{16}$$

$$c_5c_9 = 2\overline{b}_{15} + b_6 + c_9. \tag{17}$$

By the associative law and 12) in **Lemma 5.2** and 5) in **Lemma 5.3**:

$$(b_3\overline{b}_{15})b_5 = (b_3b_5)\overline{b}_{15} = b_{15}\overline{b}_{15},$$

$$b_{10}b_5 + c_8b_5 + b_9b_5 + b_8b_5 + b_5^2 + c_5b_5 = b_{15}\overline{b}_{15},$$

so b_5 is real and so c_5 is real. So by (14), (15) $c_3b_5 = \overline{b}_{15},\ \ c_3b_5 = b_{15}$. □

Lemma 5.5. *Let $(A,\ B)$ satisfies Hypothesis 5.1. Assume that $\overline{b}_{10} = b_{10} \in B$ and $(\overline{c}_9 b_3,\ c_9) = 1$. Then we get the following equations:*

1) $b_5 c_8 = c_5 + c_8 + b_8 + b_9 + b_{10}$;

2) $b_5 b_8 = c_5 + c_8 + b_8 + b_9 + b_{10}$;

3) $b_5 b_9 = b_{10} + c_8 + b_9 + b_8 + b_5 + c_5$;

4) $b_5 b_{10} = c_8 + b_8 + b_9 + b_5 + 2b_{10}$;

5) $b_5^2 = 1 + b_{10} + b_9 + b_5$;

6) $c_5 b_5 = b_8 + c_8 + b_9$;

7) $c_8 b_8 = b_5 + c_5 + c_8 + b_8 + 2b_9 + 2b_{10}$;

8) $c_8 b_9 = 2b_8 + 2b_9 + 2b_{10} + b_5 + c_5 + c_8$;

9) $b_9^2 = 1 + b_5 + c_5 + 2c_8 + 2b_8 + 2b_9 + 2b_{10}$;

10) $b_8^2 = 1 + b_5 + c_5 + c_8 + 2b_8 + b_9 + 2b_{10}$;

11) $b_8 b_9 = b_5 + c_5 + 2c_8 + b_8 + 2b_9 + 2b_{10}$;

12) $b_8 b_{10} = b_5 + c_5 + 2c_8 + 2b_8 + 2b_9 + 2b_{10}$;

13) $c_5 c_8 = b_5 + c_8 + b_8 + b_9 + b_{10}$;

14) $c_5 b_8 = b_5 + c_8 + b_8 + b_9 + b_{10}$;

15) $c_5 b_9 = b_{10} + c_8 + b_9 + b_8 + b_5 + c_5$;

16) $c_5 b_{10} = b_8 + c_8 + b_9 + c_5 + 2b_{10}$;

17) $c_5^2 = 1 + b_9 + b_{10} + c_5$;

18) $b_5 b_{15} = 3b_{15} + \overline{b}_6 + b_3 + \overline{c}_3 + 2\overline{c}_9$;

19) $c_5 b_{15} = 3b_{15} + \overline{b}_6 + b_3 + \overline{c}_3 + 2\overline{c}_9$;

20) $b_9 b_{15} = 6b_{15} + 3\overline{c}_9 + b_3 + 2\overline{b}_6 + \overline{c}_3$;

21) $b_9 b_{10} = b_5 + c_5 + 2c_8 + 2b_8 + 2b_9 + 3b_{10}$.

Proof. By the associative law and Hypothesis 5.1 and 12) in **Lemma 5.2**:

$$b_5(b_3\overline{b}_3) = (\overline{b}_3 b_5) b_3 = \bar{b}_{15} b_3,$$

$$b_5 + b_5 c_8 = \overline{b}_{15} b_3 = b_{10} + c_8 + b_9 + b_8 + b_5 + c_5.$$

Thus

$$c_8 b_5 = c_5 + c_8 + b_8 + b_9 + b_{10}. \tag{1}$$

By the associative law and 9) in **Lemma 5.2** and 18) in **Lemma 5.4**:

$$(c_3\overline{c}_3) b_5 = (\overline{c}_3 b_5) c_3, \quad b_5 + b_5 b_8 = b_{15} c_3,$$

by 2) in lemma 5.4

$$b_5b_8 = c_5 + c_8 + b_8 + b_9 + b_{10}. \tag{2}$$

By the associative law and 5), 12) in **Lemma 5.2** and 18) in **Lemma 5.4**:

$$(b_3c_3)b_5 = (c_3b_5)b_3,$$

$$b_9b_5 = \overline{b}_{15}b_3 = b_{10} + c_8 + b_9 + b_8 + b_5 + c_5. \tag{3}$$

By the associative law and 1) in **Lemma 5.1** and 5) in **Lemma 5.3**:

$$(b_3b_6)b_5 = (b_3b_5)b_6, \quad c_8b_5 + b_{10}b_5 = b_{15}b_6,$$

by (1) and 13) in **Lemma 5.2**:

$$b_5b_{10} = c_8 + b_8 + b_9 + b_5 + 2b_{10}. \tag{4}$$

By the associative law and 12) in **Lemma 5.2** and 5) in **Lemma 5.3**:

$$(b_3\overline{b}_{15})b_5 = (b_3b_5)\overline{b}_{15},$$

$$b_{10}b_5 + c_8b_5 + b_9b_5 + b_8b_5 + b_5^2 + c_5b_5 = b_{15}\overline{b}_{15},$$

so by 4) in **Lemma 5.4** and (1), (2), (3), (4),

$$b_5^2 + c_5b_5 = 1 + b_5 + 2b_9 + b_{10} + b_8 + c_8,$$

by (2), (4), (3), (1),

$$(b_5^2,\ b_{10}) = (b_5,\ b_5b_{10}) = 1, \quad (b_5^2,\ b_9) = (b_5,\ b_5b_9) = 1,$$

so

$$b_5^2 = 1 + b_{10} + b_9 + b_5, \tag{5}$$

$$c_5b_5 = b_8 + c_8 + b_9. \tag{6}$$

By the associative law and Hypothesis 5.1 and 3) in **Lemma 5.3**:

$$(b_3\overline{b}_3)b_8 = (\overline{b}_3b_8)b_3, \quad b_8 + c_8b_8 = \overline{b}_{15}b_3 + c_9b_3,$$

6), 12) in **Lemma 5.2** and

$$c_8b_8 = b_5 + c_5 + c_8 + b_8 + 2b_9 + 2b_{10}. \tag{7}$$

By the associative law and Hypothesis 5.1 and 1) in **Lemma 5.3**:

$$(b_3\overline{b}_3)b_9 = (\overline{b}_3b_9)b_3, \quad b_9 + c_8b_9 = \overline{b}_{15}b_3 + c_9b_3 + c_3b_3.$$

5), 6), 12) in lemma 5.2

$$b_9 + c_8b_9 = b_{10} + c_8 + b_9 + b_8 + b_5 + c_5 + b_9 + b_{10} + b_8 + b_9,$$

By 5) in Lemma 5.2 and 15) in Lemma 5.3 we obtain

$$c_8b_9 = 2b_8 + 2b_9 + 2b_{10} + b_5 + c_5 + c_8. \tag{8}$$

$$(b_3c_3)b_9 = (c_3b_9)b_3, \quad b_9^2 = \overline{b}_{15}b_3 + \overline{b}_3b_3 + c_9b_3,$$

by 12) in **Lemma 5.2** and Hypothesis 5.1 and 6) in **Lemma 5.2**,

$$b_9^2 = 1 + b_5 + c_5 + 2c_8 + 2b_8 + 2b_9 + 2b_{10}. \tag{9}$$

By the associative law and 9) in **Lemma 5.2** and 14) in **Lemma 5.3**:

$$(c_3\overline{c}_3)b_8 = c_3(\overline{c}_3b_8), \quad b_8 + b_8^2 = c_3\overline{c}_3 + c_3\overline{b}_6 + c_3b_{15},$$

by 7) , 9) in **Lemma 5.2** and 2) in **Lemma 5.4**:

$$b_8^2 = 1 + b_5 + c_5 + c_8 + 2b_8 + b_9 + 2b_{10}. \tag{10}$$

By the associative law and 9) in **Lemma 5.2** and 15) in **Lemma 5.3**:

$$(c_3\overline{c}_3)b_9 = (\overline{c}_3b_9)c_3, \quad b_9 + b_8b_9 = b_{15}c_3 + b_3c_3 + \overline{c}_9c_3,$$

by 1), 2) in **Lemma 5.4** and 5) in **Lemma 5.2**:

$$b_9 + b_8b_9 = b_5 + c_5 + c_8 + b_8 + b_9 + b_{10} + b_9 + b_{10} + b_9 + c_8,$$

$$b_8b_9 = b_5 + c_5 + 2c_8 + b_8 + 2b_9 + 2b_{10}. \tag{11}$$

By the associative law and 9) in **Lemma 5.2**, 12) in **Lemma 5.3**:

$$(c_3\overline{c}_3)b_{10} = (\overline{c}_3b_{10})c_3, \quad b_{10} + b_8b_{10} = b_{15}c_3 + \overline{b}_6c_3 + \overline{c}_9c_3,$$

so by 1), 2) in **Lemma 5.4** and 7) in **Lemma 5.2**,

$$b_8b_{10} = b_5 + c_5 + 2c_8 + 2b_8 + 2b_9 + 2b_{10}. \tag{12}$$

By the associative law and Hypothesis 5.1 and 4) in **Lemma 5.3** 12) in **Lemma 5.2**:

$$(b_3\overline{b}_3)c_5 = (\overline{b}_3c_5)b_3,$$

$$c_5 + c_5c_8 = \overline{b}_{15}b_3 = b_{10} + c_8 + b_9 + b_8 + b_5 + c_5,$$

$$c_5c_8 = b_{10} + c_8 + b_9 + b_8 + b_5. \tag{13}$$

By the associative law and 9) in **Lemma 5.2** and 2), 18) in **Lemma 5.4**:

$$(c_3\overline{c}_3)c_5 = (\overline{c}_3c_5)c_3,$$

$$c_5 + c_5b_8 = b_{15}c_3 = b_5 + c_5 + c_8 + b_8 + b_9 + b_{10},$$

$$c_5b_8 = b_5 + c_8 + b_8 + b_9 + b_{10}. \tag{14}$$

By the associative law and 5), 12) in **Lemma 5.2**, 18) in **Lemma 5.4** :

$$(b_3c_3)c_5 = (c_3c_5)b_3,$$

$$b_9c_5 = \overline{b}_{15}b_3 = b_{10} + c_8 + b_9 + b_8 + b_5 + c_5. \tag{15}$$

By the associative law and 1) in **Lemma 5.1** and 10) in **Lemma 5.3**

$$(b_3b_6)c_5 = (b_6c_5)b_3,$$

$$c_8c_5 + b_{10}c_5 = \overline{b}_{15}b_3 + b_3b_6 + b_3c_9.$$

By 6), 12) in Lemma 5.2 and (13) and 1) in Lemma 5.1 we get:

$$b_{10}+c_8+b_9+b_8+b_5+b_{10}c_5 = b_{10}+c_8+b_9+b_8+b_5+c_5+c_8+b_{10}+b_9+b_{10}+b,$$

$$b_{10}c_5 = c_5 + c_8 + 2b_{10} + b_9 + b_8. \tag{16}$$

By the associative law and 10) in **Lemma 5.2** , 10) in **Lemma 5.3**:

$$(b_6\overline{b}_6)c_5 = \overline{b}_6(b_6c_5),$$

$$c_5 + c_5c_8 + b_9c_5 + b_8c_5 + c_5^2 + b_5c_5 = \overline{b}_6\overline{b}_{15} + \overline{b}_6b_6,$$

by (13), (15), (14), (6) and 10) , 13) in **Lemma 5.2**

$$c_5^2 = 1 + b_9 + b_{10} + c_5. \tag{17}$$

By the associative law and 18) in **Lemma 5.4** and (5):

$$c_3 b_5^2 = (c_3 b_5) b_5,$$

$$c_3 + b_{10} c_3 + b_9 c_3 + b_5 c_3 = \overline{b}_{15} b_5,$$

so by 12), 15) in **Lemma 5.3** and 17) in **Lemma 5.4**,

$$b_5 \overline{b}_{15} = 3\overline{b}_{15} + b_6 + \overline{b}_3 + c_3 + 2c_9. \tag{18}$$

By the associative law and 18) in **Lemma 5.4** and (17):

$$(c_5^2) c_3 = (c_5 c_3) c_5, \quad c_3 + b_9 c_3 + b_{10} c_3 + c_5 c_3 = \overline{b}_{15} c_5,$$

so by 12), 15) in **Lemma 5.3** and 18) in **Lemma 5.4**:

$$\overline{b}_{15} c_5 = 3\overline{b}_{15} + b_6 + \overline{b}_3 + c_3 + 2c_9. \tag{19}$$

By the associative law and 4) in **Lemma 5.3**and (15)

$$(b_3 c_5) b_9 = b_3 (c_5 b_9),$$

$$b_{15} b_9 = b_3 b_8 + c_8 b_3 + b_5 b_3 + c_5 b_3 + b_9 b_3 + b_{10} b_3,$$

by 3), 4) in **Lemma 5.1** and 1), 3), 4), 5) in **Lemma 5.3**:

$$b_{15} b_9 = b_{15} + \overline{c}_9 + b_3 + \overline{b}_6 + b_{15} + 2b_{15} + 2b_{15} + 2\overline{c}_9 + \overline{c}_3 + \overline{b}_6,$$

$$b_{15} b_9 = 6b_{15} + 3\overline{c}_9 + b_3 + 2\overline{b}_6 + \overline{c}_3.$$

By the associative law and 5) in **Lemma 5.2** and 4) in **Lemma 5.1**:

$$b_{10}(b_3 c_3) = (b_{10} b_3) c_3,$$

$$b_{10} b_9 = b_{15} c_3 + \overline{b}_6 c_3 + \overline{c}_9 c_3,$$

$$b_{10} b_9 = b_5 + c_5 + c_8 + b_8 + b_9 + b_{10} + b_8 + c_8 + b_9 + b_{10},$$

$$b_{10} b_9 = b_5 + c_5 + 2c_8 + 2b_8 + 2b_9 + 3b_{10},$$

□

So we finished the investigation of 11) in Lemma 5.1 subcase $(\bar{c}_9b_3, c_9) = 1$. Thus we have in the remaining case that $(b_3\bar{c}_9,\ c_9) = 0$. In the rest of this section let us deal with the investigation of 11) Lemma 5.1 subcase $(b_6c_9, \bar{c}_9) \geq 1$.

Lemma 5.6. *Let* $(A,\ B)$ *satisfies Hypothesis 5.1. Assume that* $\overline{b}_{10} = b_{10} \in B$ *and* $(b_6c_9,\ \overline{c}_9) \geq 1$. *Then we get:*

1) $b_3c_9 = b_{10} + \overline{x} + s,\ s \in B,\ \mid \overline{x} + s \mid = 17,\ \mid \overline{s} \mid = \mid s \mid$;

2) $(c_8b_{15},\ \overline{c}_9) = (c_8c_9,\ \overline{b}_{15}) = 2$;

3) $\overline{b}_6\overline{c}_9 = 3c_9 + \overline{b}_{15} + b_6 + t_6,\ t_6 \in N^*B$;

4) $c_8b_{10} = 2c_8 + 2b_{10} + 2x + y + z + w + s$;

5) $b_6b_{15} = 3b_{10} + 2c_8 + x + y + z + w + \overline{x} + s$;

6) $\overline{b}_3c_9 = b_{15} + \varepsilon + \theta,\ \varepsilon,\ \theta \in B,\ \mid \varepsilon + \theta \mid = 12$;

7) $b_6b_{10} = \overline{b}_3 + 3\overline{b}_{15} + \overline{\varepsilon} + \overline{\theta}$;

8) $c_8b_{15} = 5b_{15} + 2\overline{b}_6 + 2\overline{c}_9 + b_3 + \varepsilon + \theta$.

Proof. By the associative law and Hypothesis 5.1 and 10) in **Lemma 5.1**:

$$(b_3^2)\overline{b}_{15} = (b_3\overline{b}_{15})b_3,$$

$$\overline{b}_3\overline{b}_{15} + b_6\overline{b}_{15} = b_{10}b_3 + c_8b_3 + b_3(x + y + z + w).$$

So by 5), 4), 3) in **Lemma 5.1**,

$$b_6\overline{b}_{15} = b_3 + \overline{b}_6 + b_3(x + y + z + w). \tag{1}$$

By the associative law and Hypothesis 5.1 and 4) in **Lemma 5.1**:

$$(b_3^2)b_{10} = (b_3b_{10})b_3,$$

$$\overline{b}_3b_{10} + b_6b_{10} = b_{15}b_3 + \overline{b}_6b_3 + \overline{c}_9b_3,$$

by 4), 5), 2) in **Lemma 5.1**:

$$b_6b_{10} = \overline{b}_3 + 2\overline{b}_{15} + b_3\overline{c}_9. \tag{2}$$

By the associative law and(2) and 4) in **Lemma 5.1**:

$$(b_3b_{10})\overline{b}_6 = (\overline{b}_6b_{10})b_3,$$

$$\overline{b}_6^2 + b_{15}\overline{b}_6 + \overline{b}_6\overline{c}_9 = b_3^2 + 2b_{15}b_3 + (\overline{b}_3 b_3)c_9.$$

so by 5), 6) in **Lemma 5.1** and Hypothesis 5.1:

$$2b_6+c_9+\overline{b}_{15}+\overline{b}_3+b_6+\overline{b}_3(x+y+z+w)+\overline{b}_6\overline{c}_9 = \overline{b}_3+b_6+4\overline{b}_{15}+2b_6+2c_9+c_9+c_8c_9,$$

$$\overline{b}_6\overline{c}_9 + \overline{b}_3(x+y+z+w) = 3\overline{b}_{15} + 2c_9 + c_8c_9. \tag{3}$$

By the associative law and 6), 7) in **Lemma 5.1**:

$$(b_6^2)c_8 = (b_6c_8)b_6,$$

$$2\overline{b}_6c_8 + \overline{c}_9c_8 + b_{15}c_8 = \overline{b_3}b_6 + 2\overline{b}_{15}b_6 + b_6^2 + c_9b_6,$$

by 7), 2), 6) in **Lemma 5.1** and (3), (1)

$$c_8b_{15} = b_3 + 2\overline{b}_6 + \overline{c}_9 + b_{15} + b_3(x+y+z+w). \tag{4}$$

By the associative law and Hypothesis 5.1 :

$$(b_3\overline{b}_3)c_9 = (\overline{b}_3c_9)b_3, \quad c_9 + c_9c_8 = (\overline{b}_3c_9)b_3,$$

but by 5) in **Lemma 5.1**,

$$(\overline{b}_3c_9,\ b_{15}) = (c_9,\ b_3b_{15}) = 1,$$

so

$$c_9 + c_9c_8 = b_{15}b_3 + \alpha_1 b_3,$$

hence by 5) in Lemma 5.1 we obtain that:

$$c_9c_8 = 2\overline{b}_{15} + b_6 + \alpha_1 b_3. \tag{5}$$

Hence

$$(c_8c_9,\ \overline{b}_{15}) \geq 2. \tag{6}$$

By 10) in **Lemma 5.1**,

$$(\overline{b}_3x,\ \overline{b}_{15}) = 1, \quad (\overline{b}_3y,\ \overline{b}_{15}) = 1,\ (\overline{b}_3z,\ \overline{b}_{15}) = 1,\ (\overline{b}_3w,\ \overline{b}_{15}) = 1.$$

So by (3),

$$(\overline{b}_6\overline{c}_9,\ \overline{b}_{15}) \geq 1. \tag{7}$$

By (6), $(c_8b_{15},\ \overline{c}_9) \geq 2$, so by (4),

$$(b_3(x+y+z+w),\ \overline{c}_9) \neq 0,$$

hence one of b_3x, b_3y, b_3z, and b_3w contains $\bar{c}_9$, thus W. L. O. G, we may assume that

$$(b_3x,\ \bar{c}_9) \neq 0. \tag{8}$$

By the associative law and Hypothesis 5.1 and 4) in **Lemma 5.1**:

$$(b_3\overline{b}_3)b_{10} = (b_3b_{10})\overline{b}_3,$$

$$b_{10} + c_8b_{10} = b_{15}\overline{b}_3 + \overline{b}_6\overline{b}_3 + \overline{c}_9\overline{b}_3,$$

by 10), 1) in **Lemma 5.1**

$$c_8b_{10} = 2c_8 + b_{10} + x + y + z + w + \overline{b}_3\overline{c}_9. \tag{9}$$

By (8) and 4) in **Lemma 5.1**, $(b_3c_9,\ b_{10}) = (b_3b_{10},\ \overline{c}_9) = 1$, $(b_3c_9,\ \overline{x}) \neq 0$. So

$$b_3c_9 = b_{10} + \overline{x} + \alpha,\ \alpha \in N^*B. \tag{10}$$

Then $(b_3x,\ \overline{c}_9) = (b_3c_9,\ \overline{x}) \neq 0$. By (9) since $c_8,\ b_{10},\ x+y+z+w$ are reals then b_3c_9 is real. By 10) in **Lemma 5.1**, $(b_3x,\ b_{15}) = 1$, therefore

$$b_3x = \overline{c}_9 + b_{15} + \beta, \tag{11}$$

where $\beta \in N^*B$. So $\mid x \mid \geq 8$. Hence by (10)

$$3 \leq (b_3c_9,\ b_3c_9) \leq 5.$$

Thus

$$3 \leq (b_3\overline{b}_3,\ c_9\overline{c}_9) \leq 5.$$

So by Hypothesis $2 \leq (c_9\overline{c}_9,\ c_8) \leq 4$. Thus

$$2 \leq (c_9,\ c_9c_8) \leq 4. \tag{12}$$

If $(c_8b_{15},\ \overline{c}_9) \geq 4$ then by (4), we have that $(b_3(x+y+z+w),\ \overline{c}_9) \geq 3$. Since $1 + (c_8,\ b_{15}\overline{b}_{15}) = (1 + c_8,\ b_{15}\overline{b}_{15}) = (b_3\overline{b}_3,\ b_{15}\overline{b}_{15}) = (b_3b_{15},\ b_3b_{15}) = 6$

by 10) in **Lemma 5.1**, we have that $(c_8b_{15},\ b_{15}) = 5$. Hence we get without lose of generality by (11) that

$$b_3y = \overline{c}_9 + b_{15} + \beta_1,\ b_3z = \overline{c}_9 + b_{15} + \beta_2.$$

So the degrees of x, y and z are all larger or equal to 8, but $|x+y+z+w| = 27$, hence $|\ x\ |=|\ y\ |= |z| = 8$ by (11) and $(b_3c_9,\ x) = (b_3c_9,\ y) = (b_3c_9,\ z) = 1$, a contradiction to (10). If $(c_8b_{15},\ \bar{c}_9) = 3$. Then by (5) and (12)

$$c_8c_9 = 3\overline{b}_{15} + b_6 + 2c_9 + c_3. \tag{13}$$

where $c_3 \in B$. By (4) , $(b_3(x+y+z+w),\ \overline{c}_9) = 2$, so by (3) $(\overline{b}_6\overline{c}_9,\ c_9) = 2$ and by 10), 6) in **Lemma 5.1**, $(\overline{b}_6\overline{c}_9,\ b_6) = 1,\ (\overline{b}_3(x+y+z+w),\ \overline{b}_{15}) = 4$, so by (3), (13) $(\overline{b}_6\overline{c}_9,\ \overline{b}_{15}) = 2$. Hence

$$b_6c_9 = \overline{b}_6 + 2\overline{c}_9 + 2b_{15}. \tag{14}$$

So by (3),

$$\overline{b}_3(x+y+z+w) = 4\overline{b}_{15} + 2c_9 + c_3.$$

Then we get without lose of generality the only possibility we set

$$x = b_8,\ y = b_9,\ z = b_5,\ w = c_5,$$

when $b_8,\ b_9,\ b_5,\ c_5$ are reals. So

$$\overline{b}_3b_8 = \overline{b}_{15} + c_9, \tag{15}$$

$$\overline{b}_3b_9 = \overline{b}_{15} + c_9 + c_3, \tag{16}$$

$$\overline{b}_3b_5 = \overline{b}_{15}, \tag{17}$$

$$\overline{b}_3c_5 = \overline{b}_{15}, \tag{18}$$

So $(b_3c_9,\ b_8) = 1$, and by 4) in **Lemma 5.1**, $(b_3c_9,\ b_{10}) = 1$. Thus

$$b_3c_9 = b_{10} + b_8 + b_9. \tag{19}$$

So by the associative law and Hypothesis 5.1

$$(b_3^2)c_9 = (b_3c_9)b_3,$$

$$c_9\overline{b}_3 + c_9b_6 = b_{10}b_3 + b_8b_3 + b_9b_3,$$

so by (15), (16), (14) $c_9\overline{b}_3 = b_{15} + \overline{c}_9 + \overline{c}_3$ which contradicts the assumption in the lemma , we conclude that $(c_8b_{15},\ \overline{c}_9) \leq 2$ and by (8) and (4),

$$(c_8b_{15},\ \overline{c}_9) = 2. \tag{20}$$

By (4)

$$(b_3(x + y + z + w),\ c_9) = 1, \tag{21}$$

and by (3), (12) we get $3 \leq (\overline{b}_6\overline{c}_9,\ c_9) \leq 5$, by (20) $(c_8c_9,\ \overline{b}_{15}) = 2$. So by (3) and that $(\overline{b}_3(x + y + z + w),\ \overline{b}_{15}) = 4$ we get $(\overline{b}_6\overline{c}_9,\ \overline{b}_{15}) = 1$. And by 6) in **Lemma 5.1**, $(\overline{b}_6\overline{c}_9,\ b_6) = 1$. So $(\overline{b}_6\overline{c}_9,\ c_9) = 3$. Then by (3), (21), $(c_8c_9,\ c_9) = 2$. So $(c_8,\ \overline{c}_9c_9) = 2$, and by Hypothesis 5.1 $(\overline{c}_9c_9,\ \overline{b}_3b_3) = 3$. Thus $(b_3c_9,\ b_3c_9) = 3$. So by 4) in **Lemma 5.1** and (10) we get that

$$b_3c_9 = b_{10} + \overline{x} + s, \tag{22}$$

$s \in B$. Also

$$\overline{b}_6\overline{c}_9 = 3c_9 + \overline{b}_{15} + b_6 + t_6, \tag{23}$$

where $t_6 \in N^*B,\ t_6 \neq b_6,\ \overline{b}_6$. By (9) and (22),

$$c_8b_{10} = 2c_8 + 2b_{10} + 2x + y + z + w + \overline{S}. \tag{24}$$

By the associative law and 5) in **Lemma 5.1**:

$$(b_3^2)b_{15} = (b_3b_{15})b_3,$$

$$\overline{b}_3b_{15} + b_6b_{15} = 2\overline{b}_{15}b_3 + b_6b_3 + c_9b_3,$$

by (22) and 1), 10) in **Lemma 5.1**

$$b_6b_{15} = 3b_{10} + 2c_8 + x + y + z + w + \overline{x} + S. \tag{25}$$

By the associative law and Hypothesis 5.1 and 5) in **Lemma 5.1**:

Since $b_{15}(b_3\bar{b}_3) = \bar{b}_3(b_{15}b_3)$, then

$$c_8b_{15} = 4b_{15} + 2\overline{b}_6 + 2\overline{c}_9 + b_3 + \overline{b}_3c_9. \tag{26}$$

By (22) and 5) in **Lemma 5.1**

$$\overline{b}_3 c_9 = b_{15} + \varepsilon + \theta, \tag{27}$$

, where $\varepsilon,\ \theta \in B,\ \mid \varepsilon + \theta \mid = 12$, so by (26)

$$c_8 b_{15} = 5b_{15} + 2\overline{b}_6 + 2\overline{c}_9 + b_3 + \varepsilon + \theta.$$

By the associative law and Hypothesis 5.1 and 4) in **Lemma 5.1**:

$$(b_3^2)b_{10} = b_3(b_3 b_{10}),$$

$$b_{10}\overline{b}_3 + b_{10}b_6 = b_{15}b_3 + \overline{b}_6 b_3 + \overline{c}_9 b_3,$$

so by (27) and 5), 2), 4) in **Lemma 5.1**:

$$b_6 b_{10} = \overline{b}_3 + 3\overline{b}_{15} + \overline{\varepsilon} + \overline{\theta}.$$

□

Lemma 5.7. *Let* $(A,\ B)$ *satisfies Hypothesis 5.1. Assume that* $\overline{b}_{10} = b_{10} \in B$ *and* $(b_3\overline{c}_9,\ c_9) = 0$*. Then* $(b_6 c_9,\ \overline{c}_9) \geq 1$ *is impossible.*

Proof. We assume that our assumption is possible. By Hypothesis 5.1 and 10) in **Lemma 5.1** and the associative law:

$$(b_3\overline{b}_3)b_{15} = b_3(\overline{b}_3 b_{15}),$$

$$b_{15} + c_8 b_{15} = b_3 b_{10} + b_3 c_8 + b_3\overline{x} + b_3\overline{y} + b_3\overline{z} + b_3\overline{w},$$

by 3), 4) in **Lemma 5.1**, 8) in **Lemma 5.6**

$$b_{15}+5b_{15}+2\overline{b}_6+2\overline{c}_9+b_3+\varepsilon+\theta = b_{15}+\overline{b}_6+\overline{c}_9+b_3+\overline{b}_6+b_{15}+b_3\overline{x}+b_3\overline{y}+b_3\overline{z}+b_3\overline{w},$$

$$4b_{15} + \overline{c}_9 + \varepsilon + \theta = b_3\overline{x} + b_3\overline{y} + b_3\overline{z} + b_3\overline{w}. \tag{1}$$

by 10) in **Lemma 5.1**, and 1) in **Lemma 5.6**:

$$(b_3\overline{x},\ b_{15}) = (\overline{b}_{15}b_3,\ x) = 1,\quad (b_3\overline{y},\ b_{15}) = (b_3\overline{b}_{15},\ y) = 1,$$

$$(b_3\overline{z},\ b_{15}) = (\overline{b}_{15}b_3,\ z) = 1,\quad (b_3\overline{w},\ b_{15}) = (b_3\overline{b}_{15},\ w) = 1,$$

$(b_3\overline{x},\ \overline{c}_9) = (b_3c_9,\ x) = 1$, so $x = \overline{x}$. If otherwise two of $x,\ y,\ z,\ w$ have degrees ≥ 8, impossible.Then

$$b_3x = \overline{c}_9 + b_{15}, \tag{2}$$

then $x = x_8$. So $\mid \overline{y} + \overline{z} + \overline{w} \mid= 19$, and also we get $5 \leq\mid \overline{y} \mid,\ \mid \overline{z} \mid,\ \mid \overline{w} \mid\leq 9$ and also without lose of generality $\mid \overline{y} \mid= 5$, hence $\overline{y} = \overline{y}_5$, so

$$b_3\overline{y_5} = b_{15}. \tag{3}$$

So

$$\mid \overline{z} + \overline{w} \mid= 14. \tag{4}$$

By 1) in **Lemma 5.6** and that $x = x_8$ we get that

$$b_3c_9 = b_{10} + x_8 + s_9. \tag{5}$$

So by the associative law and Hypothesis 5.1 and (5):

$$(b_3^2)c_9 = b_3(b_3c_9),$$

$$c_9\overline{b}_3 + b_6c_9 = b_3b_{10} + b_3x_8 + s_9b_3,$$

then by (2) and (6) , 3) in **Lemma 5.6**, 4) in **Lemma 5.1**:

$$b_{15} + \varepsilon + \theta + 3\overline{c}_9 + b_{15} + \overline{b}_6 + \overline{t}_6 = b_{15} + \overline{b}_6 + \overline{c}_9 + b_{15} + \overline{c}_9 + s_9b_3,$$

$$s_9b_3 = \varepsilon + \theta + \overline{c}_9 + \overline{t}_6. \tag{6}$$

If $\mid z \mid= 5$, then by (4) $\mid w \mid= 9$, hence $z = \overline{z}_5,\ w = \overline{w_9}$. So

$$b_3z_5 = b_{15},$$

$$b_3w_9 = b_{15} + \varepsilon + \theta. \tag{7}$$

So by (6)

$$(\overline{b}_3\varepsilon,\ s_9) = (\varepsilon,\ b_3s_9) = 1,\ (\overline{b}_3\theta,\ s_9) = (\theta,\ b_3s_9) = 1,$$

$$(\overline{b}_3\varepsilon,\ w_9) = (\varepsilon,\ b_3w_9) = 1,\ (\overline{b}_3\theta,\ w_9) = (\theta,\ b_3w_9) = 1.$$

hence

$$\overline{b}_3\varepsilon = s_9 + w_9, \tag{8}$$

$$\overline{b}_3\theta = s_9 + w_9, \tag{9}$$

hence $\varepsilon = \varepsilon_6,\ \theta = \theta_6$, by 4) in the **Lemma 5.6** $s_9 = \overline{s}_9$. So by the associative law and Hypothesis 5.1:

$$\overline{\varepsilon}_6(b_3^2) = b_3(\overline{\varepsilon}_6 b_3),$$

$$\overline{\varepsilon}_6\overline{b}_3 + \overline{\varepsilon}_6 b_6 = s_9 b_3 + w_9 b_3,$$

so by (6), (7)

$$\overline{\varepsilon}_6\overline{b}_3 + \overline{\varepsilon}_6 b_6 = \varepsilon_6 + \theta_6 + \overline{c}_9 + \overline{t}_6 + b_{15} + \varepsilon_6 + \theta_6,$$

$$\overline{\varepsilon}_6\overline{b}_3 + \overline{\varepsilon}_6 b_6 = 2\varepsilon_6 + 2\theta_6 + \overline{c}_9 + \overline{t}_6 + b_{15},$$

by 6) in **Lemma 5.6** $(\overline{\varepsilon}_6\overline{b}_3,\ \overline{c}_9) = (\varepsilon_6,\ \overline{b}_3 c_9) = 1$ and $(\overline{\varepsilon}_6\overline{b}_3,\ \delta) = 1$, where $\delta = \varepsilon_6$ or θ_6, so $\overline{\varepsilon}_6\overline{b}_3 = \delta + \overline{c}_9 + m_3$, so $\overline{t}_6 = m_3 + k_3$, and $(b_3 m_3,\ \overline{\varepsilon}_6) = (\overline{b}_3\overline{\varepsilon}_6,\ m_3) = 1$. Therefor

$$(b_3 m_3,\ b_3 m_3) = (b_3\overline{b}_3,\ m_3\overline{m}_3) > 1.$$

In the (6) we get

$$(\overline{b}_3 m_3,\ s_9) = (m_3,\ b_3 s_9) = 1,$$

then

$$(\overline{b}_3 m_3,\ \overline{b}_3 m_3) = (\overline{b}_3 b_3,\ \overline{m}_3 m_3) = 1,$$

a contradiction.

If $\mid \overline{z} \mid= 6$ then by (4) $\mid \overline{w} \mid= 8$, hence $z = \overline{z},\ w = \overline{w}$. So

$$b_3 z_6 = b_{15} + \varepsilon_3,\ b_3 w_8 = b_{15} + \theta_9.$$

So $(\varepsilon_3\overline{b}_3,\ z_6) = (\varepsilon_3,\ b_3 z_6) = 1$, hence $(\varepsilon_3\overline{b}_3,\ \varepsilon_3\overline{b}_3) > 1$. By (6) , $(s_9 b_3,\ \varepsilon_3) = (s_9,\ \overline{b}_3 z_6) = 1$, hence $\overline{b}_3\varepsilon_3 = s_9$, so $(\varepsilon_3\overline{b}_3,\ \varepsilon_3\overline{b}_3) = 1$ a contradiction. If $\mid \overline{z} \mid= 7$ then by (4) $\mid \overline{w} \mid= 7$, so

$$z = \overline{z},\ w = \overline{w} \textit{ or } \overline{z} = w,$$

$$b_3\overline{z}_7 = b_{15} + \varepsilon_6, \tag{10}$$

$$b_3\overline{w}_7 = b_{15} + \theta_6. \tag{11}$$

So $(\overline{b}_3\varepsilon_6,\ \overline{z}_7) = (\varepsilon_6,\ b_3\overline{z}_7) = 1$. By (6) $(\overline{b}_3\varepsilon_6,\ s_9) = (\varepsilon_6,\ b_3 s_9) = 1$, hence

$$\overline{b}_3\varepsilon_6 = \overline{z}_7 + s_9 + m_2.$$

a contradiction. $\square$

Consequently 11) in Lemma 5.1 subcase $(b_6c_9, \bar{c}_9) \geq 1$ is impossible and we have only the case $(b_3\bar{c}_9, c_9) = 1$. We can state now Theorem 5.1.

Theorem 5.1. *Let* $(A,\ B)$ *be a* $NITA$ *generated by an non-real element* $b_3 \in B$ *satisfies* $b_3\overline{b}_3 = 1 + c_8$ *and* $b_3^2 = \overline{b}_3 + b_6$*, where* $b_6 \in B$ *is non-real and satisfying Hypothesis 5.1. Then* $b_3b_6 = c_8 + b_{10}$ *and if* $b_{10} = \overline{b}_{10}$ *then* $(A,\ B) \cong (CH(3A_6),\ Irr(3A_6))$*.* $(A,\ B)$ *is table algebra of dimension 17:* $B = \{1,\ b_3,\ \bar{b}_3,\ c_3,\ \bar{c}_3,\ b_6,\ \bar{b}_6,\ c_9,\ \bar{c}_9,\ b_{15},\ \bar{b}_{15},\ b_5,\ c_5,\ b_8,\ c_8,\ b_9,\ b_{10}\}$ *and* B *has an increasing series of table subsets* $\{b_1\} \subseteq \{b_1,\ b_5,\ c_5,\ b_8,\ c_8,\ b_9,\ b_{10}\} \subseteq B$ *defined by*

1) $b_3\bar{b}_3 = 1 + c_8$*;*
2) $b_3^2 = \overline{b_3} + b_6$*;*
3) $b_3c_3 = b_9$*;*
4) $b_3\bar{c}_3 = c_9$*;*
5) $b_3b_6 = c_8 + b_{10}$*;*
6) $b_3\overline{b}_6 = \bar{b}_3 + \bar{b}_{15}$*;*
7) $b_3c_9 = b_9 + b_{10} + b_8$*;*
8) $b_3\bar{c}_9 = \bar{b}_{15} + c_9 + c_3$*;*
9) $b_3b_{15} = 2\bar{b}_{15} + b_6 + c_9$*;*
10) $b_3\bar{b}_{15} = b_{10} + c_8 + b_9 + b_8 + b_5 + c_5$*;*
11) $b_3b_5 = b_{15}$*;*
12) $b_3c_5 = b_{15}$*;*
13) $b_3b_8 = b_{15} + \bar{c}_9$*;*
14) $b_3c_8 = b_3 + \bar{b}_6 + b_{15}$*;*
15) $b_3b_9 = b_{15} + \bar{c}_9 + \bar{c}_3$*;*
16) $b_3b_{10} = b_{15} + \bar{b}_6 + c_9$*;*
18) $c_3^2 = \bar{c}_3 + \bar{b}_6$*;*
19) $c_3b_6 = \bar{c}_3 + b_{15}$*;*
20) $c_3\bar{b}_6 = b_{10} + b_8$*;*
21) $c_3c_9 = b_3 + b_{15} + \bar{c}_9$*;*
22) $c_3\bar{c}_9 = c_8 + b_9 + b_{10}$*;*
23) $c_3b_{15} = b_5 + c_5 + c_8 + b_8 + b_9 + b_{10}$*;*
24) $c_3\bar{b}_{15} = 2b_{15} + \bar{b}_6 + \bar{c}_9$*;*
25) $c_3b_5 = \bar{b}_{15}$*;*

26) $c_3c_5 = \bar{b}_{15}$;

27) $c_3b_8 = c_3 + b_6 + \bar{b}_{15}$;

28) $c_3c_8 = c_9 + \bar{b}_{15}$;

29) $c_3b_9 = b_{15} + \bar{b_3} + c_9$;

30) $c_3b_{10} = \bar{b}_{15} + b_6 + c_9$;

31) $b_6\bar{b}_6 = 1 + c_8 + b_9 + b_8 + c_5 + b_5$;

32) $b_6c_9 = 2b_{15} + 2\bar{c}_9 + \bar{b}_6$;

33) $b_6\bar{c}_9 = b_{10} + c_8 + 2b_9 + b_8 + b_5 + c_5$;

34) $b_6b_{15} = 2c_8 + 3b_{10} + 2b_9 + 2b_8 + b_5 + c_5$;

35) $b_6\bar{b}_{15} = 4b_{15} + \bar{b}_6 + b_3 + \bar{c_3} + 2\bar{c}_9$;

36) $b_6b_5 = \bar{b}_{15} + b_6 + c_9$;

37) $b_6c_5 = \bar{b}_{15} + b_6 + c_9$;

38) $b_6b_8 = 2\bar{b}_{15} + b_6 + c_3 + c_9$;

39) $b_6c_8 = \bar{b_3} + 2\bar{b}_{15} + b_6 + c_9$;

40) $b_6b_9 = b_6 + 2c_9 + 2\bar{b}_{15}$;

41) $b_6b_{10} = 3\bar{b}_{15} + \bar{b_3} + c_3 + c_9$;

42) $b_6^2 = 2\bar{b}_6 + \bar{c}_9 + b_{15}$;

43) $c_9\bar{c}_9 = 1 + 2c_8 + 2b_9 + 2b_{10} + c_5 + b_5 + 2b_8$;

44) $c_9b_{15} = 2b_5 + 2c_5 + 3c_8 + 3b_8 + 3b_9 + 4b_{10}$;

45) $c_9\bar{b}_{15} = 6b_{15} + 2\bar{b}_6 + b_3 + \bar{c_3} + 3\bar{c}_9$;

46) $c_9b_5 = 2\bar{b}_{15} + b_6 + c_9$;

47) $c_9c_5 = 2\bar{b}_{15} + b_6 + c_9$;

48) $c_9b_8 = 3\bar{b}_{15} + \overline{b_3} + b_6 + 2c_9$;

49) $c_9c_8 = 3\bar{b}_{15} + c_3 + b_6 + 2c_9$;

50) $c_9b_9 = \bar{b}_3 + 2c_9 + 3\bar{b}_{15} + c_3 + 2b_6$;

51) $c_9b_{10} = \bar{b}_3 + 2c_9 + 4\bar{b}_{15} + c_3 + b_6$;

52) $c_9^2 = 3b_{15} + b_3 + \bar{c_3} + 2\bar{b}_6 + 2\bar{c}_9$;

53) $b_{15}\bar{b}_{15} = 1 + 3b_5 + 3c_5 + 5c_8 + 5b_8 + 6b_9 + 6b_{10}$;

54) $b_{15}^2 = 9\bar{b}_{15} + 4b_6 + 2\bar{b}_3 + 2c_3 + 6c_9$;

55) $b_{15}b_5 = 3b_{15} + \bar{b}_6 + b_3 + \bar{c_3} + 2\bar{c}_9$;

56) $b_{15}c_5 = 3b_{15} + \bar{b}_6 + b_3 + \bar{c_3} + 2\bar{c}_9$;

57) $b_{15}b_8 = 5b_{15} + b_3 + \bar{c_3} + 2\bar{b}_6 + 3\bar{c}_9$;

58) $b_{15}c_8 = 5b_{15} + b_3 + \bar{c_3} + 2\bar{b}_6 + 3\bar{c}_9$;

59) $b_{15}b_9 = 6b_{15} + 3\bar{c}_9 + b_3 + 2\bar{b}_6 + \bar{c_3}$;

60) $b_{15}b_{10} = 6b_{15} + 3\bar{b}_6 + +b_3 + \bar{c}_3 + 4\bar{c}_9$;
61) $b_5^2 = 1 + b_{10} + b_9 + b_5$;
62) $b_5c_5 = b_8 + c_8 + b_9$;
63) $b_5b_8 = c_5 + c_8 + b_8 + b_9 + b_{10}$;
64) $b_5c_8 = c_5 + b_8 + b_9 + b_{10} + c_8$;
65) $b_5b_9 = c_8 + c_5 + b_8 + b_5 + b_9 + b_{10}$;
66) $b_5b_{10} = c_8 + b_8 + b_9 + b_5 + 2b_{10}$;
67) $c_5^2 = 1 + b_9 + b_{10} + c_5$;
68) $c_5b_8 = b_5 + c_8 + b_8 + b_9 + b_{10}$;
69) $c_5c_8 = b_5 + c_8 + b_8 + b_9 + b_{10}$;
70) $c_5b_9 = b_8 + c_8 + b_5 + c_5 + b_9 + b_{10}$;
71) $c_5b_{10} = b_8 + c_8 + b_9 + c_5 + 2b_{10}$;
72) $b_8^2 = 1 + b_5 + c_5 + c_8 + 2b_8 + b_9 + 2b_{10}$;
73) $b_8c_8 = b_5 + c_5 + c_8 + b_8 + 2b_9 + 2b_{10}$;
74) $b_8b_9 = b_5 + c_5 + 2c_8 + b_8 + 2b_9 + 2b_{10}$;
75) $b_8b_{10} = b_5 + c_5 + 2c_8 + 2b_8 + 2b_9 + 2b_{10}$;
76) $c_8^2 = 1 + 2c_8 + 2b_{10} + b_9 + b_8 + b_5 + c_5$;
77) $c_8b_9 = b_5 + c_5 + c_8 + 2b_8 + 2b_9 + 2b_{10}$;
78) $c_8b_{10} = 2c_8 + 2b_{10} + 2b_9 + 2b_8 + b_5 + c_5$;
79) $b_9b_{10} = b_5 + c_5 + 2c_8 + 2b_8 + 2b_9 + 3b_{10}$;
80) $b_9^2 = 1 + b_5 + c_5 + 2c_8 + 2b_8 + 2b_9 + 2b_{10}$;
81) $b_{10}^2 = 1 + 2c_8 + 2b_{10} + 3b_9 + 2b_8 + 2b_5 + 2c_5$.

Proof. The Theorem follows by Lemmas 5.1—5.7. □

In this section, we don't have information about NITA satisfying and b_{10} is non-real. But we conjecture:

Conjecture 5.1 *There exists no NITA satisfying* ***Hypothesis 5.1*** *and* $b_3b_6 = c_8 + b_{10}$*, where* b_{10} *is non-real.*

6 NITA Generated by b_3 Satisfying $b_3^2 = c_3+b_6$, $c_3 \neq b_3,\ \bar{b}_3$, b_6 non-real, $(b_3b_8,\ b_3b_8) = 4$ and $c_3^2 = r_3 + s_6$

Now we discuss NITA satisfying the following hypothesis.

Hypothesis 6.1. *Let* $(A,\ B)$ *be a* $NITA$ *generated by an non-real element* $b_3 \in B$ *satisfies* $b_3^2 = c_3 + b_6$, $c_3 \neq b_3,\ \bar{b}_3,\ b_6$ *non-real,* $(b_3b_8,\ b_3b_8) = 4$ *and* $c_3^2 = r_3 + s_6$. *Here we still assume that* $L(B) = 1$ *and* $L_2(B) = \emptyset$.

In this section, we cannot classify NITAs satisfying **Hypothesis 6.1**, but we have following theorem.

Theorem 6.1. *There exists no* $NITA$ *satisfying **Hypothesis 6.1** and* c_3 *generates a sub-NITA isomorphic to one of four known NITAs in **Main Theorem**.*

Proof. By assumptions we have that (1) $b_3\bar{b}_3 = 1 + b_8 = c_3\bar{c}_3$, (2) $b_3^2 = c_3 + b_6$, (3) $(b_3b_8,\ b_3b_8) = 4$ and (4) $c_3^2 = r_3 + s_6$.

Step 1 There is no NITA satisfying hypothesis (1) to (4) and containing NITA strictly isomorphic to $(Ch(PSL(2,\ 7)), Irr(PSL(2,\ 7))$.

By [13], $(Ch(PSL(2,\ 7)), Irr(PSL(2,\ 7))$ the sub-NITA generated by c_3 is of dimension 6 and has base elements: $1,\ c_3,\ \bar{c}_3,\ s_6,\ b_7,\ b_8$. Moreover, we have following equations:

(a1) $c_3b_8 = c_3 + s_6 + b_7 + b_8$,

(a2) $s_6^2 = 1 + 2s_6 + b_7 + b_8$,

(a3) $c_3s_6 = \bar{c}_3 + b_7 + b_8$.

It follows by (1) that $(b_3\bar{c}_3,\ b_3\bar{c}_3) = (b_3\bar{b}_3,\ c_3\bar{c}_3) = 2$, hence we get equation (a4): $b_3\bar{c}_3 = \bar{b}_3 + t_6$, where $t_6 \in B$. By associative law and equations (a1) and (a4), we have

$(b_3\bar{b}_3)\bar{c}_3 = \bar{c}_3 + \bar{c}_3b_8 = \bar{c}_3 + \bar{c}_3 + s_6 + b_7 + b_8$,

$(b_3\bar{c}_3)\bar{b}_3 = \bar{b}_3^2 + \bar{b}_3t_6 = \bar{c}_3 + \bar{b}_6 + \bar{b}_3t_6$.

Then we get $\bar{b}_6 = s_6$, so b_6 is real. Moreover we have equation (a5): $\bar{b}_3t_6 = \bar{c}_3 + s_6 + b_7 + b_8$. By $(b_3\bar{b}_3)b_3 = b_3^2\bar{b}_3$, we arrive at $b_3b_8 = \bar{t}_6 + \bar{b}_3s_6$. Now by (3) we obtain equation (a6): $\bar{b}_3s_6 = b_3 + x + y$, where distinct b_3, x and y such that $x + y$ is of degree 15. Hence we have equation (a7): $b_3b_8 = b_3 + \bar{t}_6 + x + y$. Therefore by (a2), (a3), (a5) and (a6)

$b_3^2s_6 = (c_3 + s_6)s_6 = c_3s_6 + s_6s_6 = \bar{c}_3 + b_7 + b_8 + 1 + 2s_6 + b_7 + b_8$,

$b_3(b_3s_6) = b_3(\bar{b}_3 + \bar{x} + \bar{y}) = 1 + b_8 + b_3\bar{x} + b_3\bar{y}$.

So $b_3\bar{x} + b_3\bar{y} = \bar{c}_3 + 2s_6 + 2b_7 + b_8$, but by (a7), the left side of this equation contains two b_8, right side only one, , a contradiction.

Step 2. There is no NITA satisfying hypothesis (1) to (4) and containing a sub-NITA generated by c_3 is a NITA of dimension 17, 32 or 22.

By [13], we see that for the NITAs of dimensions 17, 32 and 22 one can find new base elements: $b_5,\ c_5,\ s_6,\ x_8,\ b_9$ and b_{10} such that following equations hold:
(a1) $c_3b_8 = c_3 + \bar{s}_6 + b_{15}$,
(a2) $s_6\bar{s}_6 = 1 + b_5 + c_5 + b_8 + x_8 + b_9$,
(a3) $c_3s_6 = b_8 + b_{10}$.

Suppose $b_3\bar{c}_3 = \bar{b}_3 + t_6$, where $t_6 \in B$. Then by hypothesis and equation (a1) it follows that $(b_3\bar{b}_3)\bar{c}_3 = \bar{c}_3 + \bar{c}_3b_8 = \bar{c}_3 + \bar{c}_3 + s_6 + \bar{b}_{15}$, $(b_3\bar{c}_3)\bar{b}_3 = \bar{b}_3^2 + \bar{b}_3t_6 = \bar{c}_3 + \bar{b}_6 + \bar{b}_3t_6$. we get $s_6 = \bar{b}_6$ and equation (a4): $\bar{b}_3t_6 = \bar{c}_3 + \bar{b}_{15}$. Hence $b_3 + b_3b_8 = (b_3\bar{b}_3)b_3 = b_3^2\bar{b}_3 = \bar{b}_3c_3 + \bar{b}_3\bar{s}_6$, we get equation: $b_3b_8 = \bar{t}_6 + \bar{b}_3\bar{s}_6$. Now by (3) we obtain equation (a6): $\bar{b}_3\bar{s}_6 = b_3 + x + y$, where distinct b_3, x and y such that $x + y$ is of degree 15. Hence we have equation (a7): $b_3b_8 = b_3 + \bar{t}_6 + x + y$. Therefore

$$b_3^2s_6 = (c_3 + \bar{s}_6)s_6 = c_3s_6 + s_6\bar{s}_6 = b_8 + b_{10} + 1 + b_5 + c_5 + b_8 + x_8 + b_9,$$
$$b_3(b_3s_6) = b_3(\bar{b}_3 + \bar{x} + \bar{y}) = 1 + b_8 + b_3\bar{x} + b_3\bar{y}.$$

So $b_3\bar{x} + b_3\bar{y} = 1 + b_5 + c_5 + b_8 + x_8 + b_9$, which implies $x_8 = b_8$ by (a7), a contradiction. This concludes the theorem.

7 Structure of NITA generated by b_3 and satisfying $b_3^2 = c_3 + b_6$, $c_3 \neq b_3,\ \bar{b}_3$, $(b_3b_8,\ b_3b_8) = 3$ and c_3 non-real

In this section we classify NITA generated by b_3 and satisfying $b_3^2 = c_3 + b_6$, $c_3 \neq b_3,\ \bar{b}_3$ and c_3 non-real and $(b_3b_8,\ b_3b_8) = 3$. At first, we state Hypothesis 7.1.

Hypothesis 7.1. *Let (A, B) be a NITA generated by a non-real element*

$b_3 \in B$ such that $b_3\bar{b}_3 = 1 + b_8$ and $b_3^2 = c_3 + b_6$, c_3, $b_6 \in B$, $c_3 \neq \bar{b}_3$, $c_3 \neq \bar{c}_3$ and $(b_3b_8, b_3b_8) = 3$.

Lemma 7.1. *Let (A, B) be a NITA satisfies Hypothesis 7.1.Then $c_3\bar{c}_3 = b_3\bar{b}_3 = 1 + b_8$ and $b_3b_8 = b_3 + x_6 + y_{15}$ and $c_3b_8 = c_3 + y_6 + z_{15}$, where b_8, x_6, $y_{15} \in B$, and there exist r_3, s_6, u_3, v_6, w_3, $z_6 \in B$ such that*

$$\begin{array}{rrr} b_3^2 = r_3 + s_6, & \bar{b}_3r_3 = b_3 + x_6, & \bar{b}_3s_6 = b_3 + y_{15}, \\ b_3c_3 = u_3 + v_6, & \bar{b}_3u_3 = c_3 + y_6, & \bar{b}_3v_6 = c_3 + z_{15}, \\ \bar{b}_3c_3 = w_3 + z_6, & b_3w_3 = c_3 + y_6, & b_3z_6 = c_3 + z_{15}. \end{array}$$

Proof. It is obvious that $(b_3^2,\ b_3^2) = 2$. So $b_3^2 = r_3 + s_6$ or $r_4 + s_5$. Hence

$$\begin{aligned} b_3^2\bar{b}_3 &= \bar{b}_3r_3 + \bar{b}_3s_6 \text{ or } \bar{b}_3r_4 + \bar{b}_3s_6, \\ (b_3\bar{b}_3)b_3 &= b_3 + b_3b_8 \\ &= 2b_3 + x_6 + y_{15}. \end{aligned}$$

Since $b_3 \in Supp\{\bar{b}_3r_3\}$ and $Supp\{\bar{b}_3s_6\}$ or $b_3 \in Supp\{\bar{b}_3r_4\}$ and $Supp\{\bar{b}_3s_5\}$, the first part of the lemma follows.

Since $b_3\bar{b}_3 = c_3\bar{c}_3 = 1 + b_8$, it follow that $b_3c_3 = u_3 + v_6$ or $u_4 + v_5$ and $\bar{b}_3c_3 = w_3 + z_6$ or $w_4 + z_5$. The second part and the third part of the lemma follows from $(b_3\bar{b}_3)c_3 = (b_3c_3)\bar{b}_3 = (\bar{b}_3c_3)b_3$.

Lemma 7.2. *Let (A, B) satisfies Hypothesis 7.1. Then there are non-real base elements x_6, y_{15}, x_{15} and real basis elements r_3, s_6, d_9, x_{10}, t_{15} such* *that the following equations hold:*

$$\begin{aligned}
&b_3\bar{b}_3 = 1 + b_8, && b_3^2 = c_3 + b_6,\\
&b_3\bar{c}_3 = \bar{b}_3 + \bar{x}_6, && b_3x_6 = c_3 + y_{15},\\
&b_3b_8 = b_3 + x_6 + x_{15}, && b_3\bar{x}_6 = b_8 + x_{10},\\
&b_3\bar{b}_6 = \bar{b}_3 + \bar{x}_{15}, && b_3c_6 = \bar{c}_3 + \bar{y}_{15},\\
&b_3c_3 = r_3 + s_6, && b_3r_3 = \bar{c}_3 + \bar{b}_6,\\
&b_3s_6 = \bar{c}_3 + \bar{y}_{15}, && b_3x_{10} = x_6 + x_{15} + b_9,\\
&b_3\bar{y}_{15} = \bar{x}_6 + 2\bar{x}_{15} + \bar{b}_9, && b_3y_{15} = s_6 + 2t_{15} + d_9,\\
&b_3b_6 = r_3 + t_{15}, && b_3x_{15} = b_6 + 2y_{15} + c_9,\\
&b_3t_{15} = \bar{b}_6 + \bar{c}_9 + 2\bar{y}_{15}, &&
\end{aligned}$$

$$\begin{aligned}
&c_3\bar{c}_3 = 1 + b_8, && c_3r_3 = \bar{b}_3 + \bar{x}_6,\\
&c_3s_6 = \bar{b}_3 + \bar{x}_{15}, && c_3^2 = \bar{c}_3 + \bar{b}_6,\\
&c_3b_8 = c_3 + b_6 + y_{15}, && c_3\bar{x}_6 = b_3 + x_{15},\\
&c_3x_6 = r_3 + t_{15}, && c_3x_{10} = b_6 + y_{15} + c_9,\\
&c_3y_{15} = \bar{b}_6 + \bar{c}_9 + 2\bar{y}_{15}, && c_3b_6 = \bar{c}_3 + \bar{y}_{15},\\
&c_3t_{15} = \bar{x}_6 + \bar{b}_9 + 2\bar{x}_{15}, && c_3x_{15} = 2t_{15} + s_6 + d_9,\\
&c_3\bar{x}_{15} = 2x_{15} + x_6 + b_9, && c_3\bar{b}_6 = b_8 + x_{10},
\end{aligned}$$

$$\begin{aligned}
&r_3\bar{c}_3 = c_3 + x_6, && r_3\bar{b}_3 = c_3 + b_6,\\
&r_3\bar{x}_6 = c_3 + y_{15}, && r_3y_{15} = \bar{x}_6 + 2\bar{x}_{15} + \bar{b}_9,\\
&r_3b_6 = \bar{x}_{15} + \bar{b}_3, && r_3b_8 = s_6 + r_3 + t_{15},\\
&r_3\bar{x}_{15} = b_6 + c_9 + 2y_{15}, &&\\
&r_3x_{10} = s_6 + t_{15} + d_9, &&
\end{aligned}$$

$$\begin{aligned}
&x_6^2 = 2b_6 + y_{15} + c_9, && x_6b_8 = b_3 + x_6 + 2x_{15} + b_9,
\end{aligned}$$

$$\begin{aligned}
&b_6^2 = 2\bar{b}_6 + \bar{y}_{15} + \bar{c}_9, && b_6\bar{x}_6 = 2x_6 + b_9 + x_{15},\\
&b_6x_6 = 2s_6 + t_{15} + d_9, && b_6b_8 = c_3 + b_6 + c_9 + 2y_{15},
\end{aligned}$$

$$\begin{aligned}
&s_6\bar{b}_6 = 2x_6 + x_{15} + b_9, && s_6b_8 = r_3 + s_6 + 2t_{15} + d_9,\\
&s_6\bar{c}_3 = b_3 + x_{15} &&
\end{aligned}$$

$$b_8y_{15} = c_3 + 2b_6 + 2c_9 + 4y_{15} + \bar{b}_3d_9.$$

Proof. By Hypothesis 7.1 $(b_3b_8,\ b_3b_8) = 3$. Then the following equations hold by **Lemma 4.1**:

$$\begin{array}{ll} b_3\bar{b}_3 = 1 + b_8, & c_3\bar{c}_3 = 1 + b_8, \\ b_3^2 = c_3 + b_6, & \bar{b}_3c_3 = b_3 + x_6. \end{array}$$

Let $b_3x_6 = c_3 + y_{15}$, then

$$\begin{array}{rcl} (b_3\bar{b}_3)c_3 & = & c_3 + c_3b_8, \\ (\bar{b}_3c_3)b_3 & = & b_3^2 + b_3x_6 \\ & = & c_3 + b_6 + c_3 + y_{15}. \end{array}$$

Hence

$$c_3b_8 = c_3 + b_6 + y_{15}.$$

Therefore $y_{15} \in B$ by **Lemma 4.1**.

Let $c_3\bar{x}_6 = b_3 + x_{15}$, $x_{15} \in N^*B$. Since $(c_3\bar{c}_3)b_3 = (b_3\bar{c}_3)c_3$, it follows that $x_{15} \in B$ and

$$b_3b_8 = b_3 + x_6 + x_{15}$$

by $b_3^2\bar{b}_3 = (b_3\bar{b}_3)b_3$. Because $y_{15} \in B$, so $(\bar{b}_3x_6,\ \bar{b}_3x_6) = (b_3x_6,\ b_3x_6) = 2$. Thus

$$\bar{b}_3x_6 = b_8 + x_{10},\ x_{10} \in B.$$

Since $b_3^2\bar{c}_3 = (b_3\bar{c}_3)b_3$ and $b_3^2\bar{b}_3 = (b_3\bar{b}_3)b_3$, one has that

$$c_3\bar{b}_6 = b_8 + x_{10}, \quad \bar{b}_3b_6 = b_3 + x_{15}.$$

By **Lemma 7.1**, there exist w_3, z_6, r_3, $s_6 \in B$ such that

$$\begin{array}{lll} c_3^2 = w_3 + z_6, & w_3\bar{c}_3 = c_3 + b_6, & z_6\bar{c}_3 = c_3 + y_{15}, \\ b_3c_3 = r_3 + s_6, & b_3r_3 = w_3 + z_6, & b_3s_6 = w_3 + z_{15}. \end{array}$$

By **Lemma 7.1** again, it follow that

$$\begin{array}{ll} r_3\bar{c}_3 = b_3 + x_6, & \bar{c}_3s_6 = b_3 + x_{15}, \\ r_3\bar{b}_3 = c_3 + b_6, & \bar{b}_3s_6 = c_3 + y_{15}. \end{array}$$

Thus $(\bar{c}_3r_3,\ \bar{c}_3r_3) = 2$, which implies that $r_3\bar{r}_3 = 1 + b_8$.

Since

$$\begin{array}{rcl} (b_3r_3)\bar{c}_3 & = & w_3\bar{c}_3 + z_6\bar{c}_3 \\ & = & 2c_3 + b_6 + y_{15}, \\ (b_3\bar{c}_3)r_3 & = & r_3\bar{b}_3 + r_3\bar{x}_6 \\ & = & c_3 + b_6 + r_3\bar{x}_6, \end{array}$$

which implies that $r_3\bar{x}_6 = c_3 + y_{15}$.

We assert that x_{10} is real. In fact

$$\begin{aligned}
\bar{b}_3(r_3\bar{c}_3) &= b_3\bar{b}_3 + x_6\bar{b}_3 \\
&= 1 + b_8 + b_8 + x_{10}, \\
(\bar{b}_3r_3)\bar{c}_3 &= c_3\bar{c}_3 + b_6\bar{c}_3 \\
&= 1 + b_8 + b_8 + \bar{x}_{10},
\end{aligned}$$

so it follows that x_{10} is real.

Since

$$\begin{aligned}
\bar{b}_3(w_3\bar{c}_3) &= c_3\bar{b}_3 + b_6\bar{b}_3 \\
&= b_3 + x_6 + b_3 + x_{15}, \\
(\bar{b}_3\bar{c}_3)w_3 &= \bar{r}_3w_3 + \bar{s}_6w_3,
\end{aligned}$$

we have that

$$\bar{r}_3w_3 = b_3 + x_6, \quad w_3\bar{s}_6 = b_3 + x_{15}.$$

Consequently $\bar{b}_3w_3 = r_3 + s_6$.

Now we have that $(b_3\bar{b}_3)w_3 = (\bar{b}_3w_3)b_3$ and

$$w_3b_8 = w_3 + z_6 + z_{15}.$$

Then $w_3\bar{w}_3 = 1 + b_8$.

Since

$$\begin{aligned}
(b_3\bar{b}_3)^2 &= 1 + 2b_8 + b_8^2 \\
b_3^2\bar{b}_3^2 &= (c_3 + b_6)(\bar{c}_3 + \bar{b}_6) \\
&= 1 + b_8 + c_3\bar{b}_6 + \bar{c}_3b_6 + b_6\bar{b}_6 \\
&= 1 + 3b_8 + 2x_{10} + b_6\bar{b}_6,
\end{aligned}$$

so

$$b_8^2 = 2x_{10} + b_8 + b_6\bar{b}_6.$$

By $b_3^2\bar{b}_6 = (b_3\bar{b}_6)b_3$, we have that $x_{10}+b_6\bar{b}_6 = 1+b_3\bar{x}_{15}$. Then $(b_3x_{10},\ x_{15}) = 1$. But $(b_3x_{10},\ x_6) = 1$. There exits $b_9 \in B$ such that

$$b_3x_{10} = x_6 + x_{15} + b_9,\ b_9 \in N^*B.$$

It is easy to see that b_3x_{10} cannot have constituents of degree 3 and 4 by $L_1(B) = \{1\}$ and $L_2(B) = \emptyset$. Thus $b_9 \in B$.

Since

$$\begin{aligned}
(\bar{b}_3x_6)b_3 &= b_3b_8 + b_3x_{10} \\
&= b_3 + x_6 + x_{15} + x_6 + x_{15} + b_9, \\
(b_3\bar{b}_3)x_6 &= x_6 + x_6b_8,
\end{aligned}$$

we have

$$x_6 b_8 = b_3 + x_6 + 2x_{15} + b_9.$$

Multiplying both sides of the equation $x_{10} + b_6\bar{b}_6 = 1 + b_3\bar{x}_{15}$ by b_3, we have that

$$b_3 x_{10} + (b_3\bar{b}_6)b_6 = b_3 + b_3^2\bar{x}_{15}.$$

so

$$x_6 + x_{15} + b_9 + b_6\bar{b}_3 + b_6\bar{x}_{15} = c_3\bar{x}_{15} + b_6\bar{x}_{15}.$$

Hence

$$c_3\bar{x}_{15} = 2x_{15} + x_6 + b_9.$$

Now checking associative law of $(b_3\bar{c}_3)b_6 = (\bar{c}_3 b_6)b_3$, $(r_3\bar{r}_3)x_6 = (\bar{r}_3 x_6)r_3$ and $(r_3\bar{b}_3)\bar{x}_6 = (r_3\bar{x}_6)\bar{b}_3$, we come to

$$\begin{array}{rcl} b_6\bar{x}_6 & = & 2x_6 + b_9 + x_{15}, \\ r_3\bar{y}_{15} & = & x_6 + 2x_{15} + b_9, \\ \bar{b}_3 y_{15} & = & x_6 + 2x_{15} + b_9. \end{array}$$

Hence

$$c_3\bar{y}_{15} + b_6\bar{y}_{15} = b_3^2\bar{y}_{15} = b_3(b_3\bar{y}_{15}) = b_3\bar{x}_6 + 2b_3\bar{x}_{15} + b_3\bar{b}_9.$$

Since $(b_3\bar{x}_6,\ b_8) = (b_3\bar{x}_6,\ x_{10}) = (b_3\bar{x}_{15},\ b_8) = (b_3\bar{x}_{15},\ x_{10}) = (b_3\bar{b}_9,\ x_{10}) = 1$ and $(b_3\bar{b}_9,\ b_8) = 0$, we have that

$$(c_3\bar{y}_{15} + b_6\bar{y}_{15},\ b_8) = 3 \text{ and } (c_3\bar{y}_{15} + b_6\bar{y}_{15},\ x_{10}) = 4.$$

Observe the degrees, we know that $(c_3\bar{y}_{15},\ x_{10}) \leq 1$. If $(c_3\bar{y}_{15},\ x_{10}) = 0$, then $(b_6\bar{y}_{15},\ x_{10}) = 4$, so $b_6 x_{10} = 4y_{15}$. But $(b_6 x_{10},\ c_3) = 1$, a contradiction. Hence $(c_3\bar{y}_{15},\ x_{10}) = 1$ and $(b_6 x_{10},\ y_{15}) = (b_6\bar{y}_{15},\ x_{10}) = 3$.

Since $(c_3 x_{10},\ c_3 x_{10}) = (b_3 x_{10},\ b_3 x_{10}) = 3$ and $(c_3 x_{10}, b_6) = 1$, there exists $c_9 \in B$ such that

$$c_3 x_{10} = b_6 + y_{15} + c_9.$$

Then

$$\begin{aligned}(\bar{b}_3c_3)x_6 &= b_3x_6 + x_6^2\\ &= c_3 + y_{15} + x_6^2,\\ (\bar{b}_3x_6)c_3 &= c_3b_8 + c_3x_{10}\\ &= c_3 + b_6 + y_{15} + b_6 + y_{15} + c_9,\\ (c_3\bar{c}_3)b_6 &= b_6 + b_6b_8,\\ (\bar{c}_3b_6)c_3 &= b_8c_3 + x_{10}c_3\\ &= c_3 + b_6 + y_{15} + y_{15} + b_6 + c_9,\\ (c_3b_6)\bar{c}_3 &= c_3 + b_6 + \bar{c}_3z_{15},\end{aligned}$$

which implies that

$$\begin{aligned}x_6^2 &= 2b_6 + y_{15} + c_9,\\ b_6b_8 &= c_3 + b_6 + c_9 + 2y_{15},\\ c_3\bar{z}_{15} &= \bar{b}_6 + \bar{c}_9 + 2\bar{y}_{15}.\end{aligned}$$

Since

$$\begin{aligned}(b_3\bar{c}_3)^2 &= (\bar{b}_3 + \bar{x}_6)^2\\ &= \bar{b}_3^2 + 2\bar{b}_3\bar{x}_6 + \bar{x}_6^2\\ &= 2\bar{c}_3 + 3\bar{b}_6 + 3\bar{y}_{15} + \bar{c}_9,\\ b_3^2\bar{c}_3^2 &= c_3\bar{w}_3 + c_3\bar{z}_6 + \bar{w}_3b_6 + b_6\bar{z}_6\\ &= \bar{c}_3 + \bar{b}_6 + \bar{c}_3 + \bar{y}_{15} + b_6\bar{w}_3 + b_6\bar{z}_6,\end{aligned}$$

but $(\bar{w}_3b_6,\ \bar{c}_3) = 1$, we have that

$$\begin{aligned}w_3\bar{b}_6 &= c_3 + y_{15},\\ b_6\bar{z}_6 &= 2\bar{b}_6 + \bar{y}_{15} + \bar{c}_9.\end{aligned}$$

Since

$$\begin{aligned}(b_3\bar{r}_3)\bar{b}_6 &= \bar{c}_3\bar{b}_6 + \bar{b}_6^2\\ &= \bar{w}_3 + \bar{z}_{15} + \bar{b}_6^2,\\ (b_3\bar{b}_6)\bar{r}_3 &= \bar{b}_3\bar{r}_3 + \bar{x}_{15}\bar{r}_3\\ &= \bar{w}_3 + \bar{z}_6 + \bar{r}_3\bar{x}_{15},\end{aligned}$$

and $(\bar{b}_6^2,\ \bar{z}_6) = 2$, we have that $(\bar{r}_3\bar{x}_{15},\ \bar{z}_6) = 1$. Hence $(r_3\bar{z}_6,\ \bar{x}_{15}) = 1$. But $(r_3\bar{z}_6,\ \bar{b}_3) = 1$ by $b_3r_3 = w_3 + z_6$. Thus

$$\bar{r}_3z_6 = b_3 + x_{15}.$$

From the following equations

$$\begin{aligned}\bar{b}_3(w_3\bar{b}_6) &= \bar{b}_3(c_3 + y_{15})\\ &= b_3 + x_6 + x_6 + 2x_{15} + b_9,\\ (\bar{b}_3w_3)\bar{b}_6 &= r_3\bar{b}_6 + s_6\bar{b}_6,\end{aligned}$$

and $(r_3\bar{b}_6, r_3\bar{b}_6) = (b_3\bar{b}_6,\ b_3\bar{b}_6) = 2$, $(r_3\bar{b}_6,\ b_3) = 1$, we come to that

$$r_3\bar{b}_6 = b_3 + x_{15},\ \ s_6\bar{b}_6 = 2x_6 + x_{15} + b_9.$$

By $(b_3c_3)\bar{r}_3 = (c_3\bar{r}_3)b_3$ and $\bar{c}_3(w_3b_8) = (\bar{c}_3b_8)w_3$, we have that

$$\bar{r}_3s_6 = b_8 + x_{10},\quad w_3\bar{y}_{15} = b_6 + c_9 + 2y_{15}.$$

Since $(\bar{r}_3b_8,\ \bar{r}_3b_8) = (r_3\bar{r}_3,\ b_8^2) = (b_3\bar{b}_3,\ b_8^2) = (b_3b_8,\ b_3b_8) = 3$ by **Lemma 7.1** and $(\bar{r}_3b_8,\ \bar{s}_6) = (\bar{r}_3b_8,\ \bar{r}_3) = 1$, there exists $t_{15} \in B$ such that

$$\bar{r}_3b_8 = \bar{s}_6 + \bar{r}_3 + t_{15}.$$

Since

$$\begin{aligned}
(w_3b_8)\bar{r}_3 &= w_3\bar{r}_3 + z_6\bar{r}_3 + z_{15}\bar{r}_3 \\
&= b_3 + x_6 + b_3 + x_{15} + \bar{r}_3z_{15}, \\
(\bar{r}_3w_3)b_8 &= b_3b_8 + x_6b_8 \\
&= b_3 + x_6 + x_{15} + b_3 + x_6 + 2x_{15} + b_9, \\
(\bar{r}_3b_8)w_3 &= \bar{s}_6w_3 + \bar{r}_3w_3 + t_{15}w_3 \\
&= b_3 + x_{15} + b_3 + x_6 + w_3t_{15},
\end{aligned}$$

we have that

$$\begin{aligned}
r_3\bar{z}_{15} &= \bar{x}_6 + 2\bar{x}_{15} + \bar{b}_9, \\
w_3t_{15} &= x_6 + b_9 + 2x_{15}.
\end{aligned}$$

Since

$$\begin{aligned}
(\bar{b}_3r_3)b_8 &= c_3b_8 + b_8b_6 \\
&= c_3 + b_6 + y_{15} + 2y_{15} + b_6 + c_3 + c_9, \\
(\bar{b}_3b_8)r_3 &= r_3\bar{b}_3 + r_3\bar{x}_6 + r_3\bar{x}_{15} \\
&= c_3 + b_6 + c_3 + y_{15} + r_3\bar{x}_{15}, \\
(r_3b_8)\bar{b}_3 &= r_3\bar{b}_3 + s_6\bar{b}_3 + \bar{t}_{15}\bar{b}_3 \\
&= c_3 + b_6 + c_3 + y_{15} + \bar{b}_3\bar{t}_{15},
\end{aligned}$$

we have that $w_3 = \bar{c}_3,\ z_6 = \bar{b}_6,\ z_{15} = \bar{y}_{15}$ and

$$\begin{aligned}
r_3\bar{x}_{15} &= b_6 + c_9 + 2y_{15}, \\
b_3t_{15} &= \bar{b}_6 + \bar{c}_9 + 2\bar{y}_{15}.
\end{aligned}$$

Further $b_3r_3 = \bar{c}_3 + \bar{b}_6$, we have that $(b_3c_3,\ \bar{r}_3) = 1$. But $(b_3c_3,\ r_3) = 1$. Hence $r_3 = \bar{r}_3$. Moreover $\bar{r}_3 + \bar{s}_6 = b_3\bar{w}_3 = b_3c_3 = r_3 + s_6$, which implies that $s_6 = \bar{s}_6$. Therefore t_{15} is real by the expression of r_3b_8, and

$$c_3t_{15} = \bar{x}_6 + \bar{c}_9 + 2\bar{x}_{15}.$$

Now we have that $t_{15} \in Supp\{c_3x_6\}$. Thus

$$c_3x_6 = r_3 + t_{15}.$$

Since

$$\begin{array}{rcl} (c_3r_3)\bar{b}_6 & = & \bar{b}_3\bar{b}_6 + \bar{x}_6\bar{b}_6, \\ (r_3\bar{b}_6)c_3 & = & b_3c_3 + c_3x_{15} \\ & = & r_3 + s_6 + c_3x_{15}, \\ (c_3\bar{b}_6)r_3 & = & r_3b_8 + r_3x_{10} \\ & = & r_3 + s_6 + t_{15} + r_3x_{10} \end{array}$$

and $(r_3x_{10},\ s_6) = 1$, we have $s_6 \in Supp\{c_3x_{15}\}$. But $(c_3x_{15},\ t_{15}) = (c_3t_{15},\ \bar{x}_{15}) = 2$. Let

$$c_3x_{15} = 2t_{15} + s_6 + d_9,\ d_9 \in N^*B.$$

Then $r_3x_{10} = s_6 + t_{15} + d_9$ and by $(c_3r_3)\bar{b}_6 = (c_3\bar{b}_6)r_3$ we obtain

$$\bar{b}_3\bar{b}_6 + \bar{x}_6\bar{b}_6 = r_3 + s_6 + t_{15} + s_6 + t_{15} + d_9.$$

Further d_9 is real for r_3 and x_{10} are real, and

$$\begin{array}{rcl} b_3b_6 & = & r_3 + t_{15}, \\ x_6b_6 & = & 2s_6 + t_{15} + d_9. \end{array}$$

Since

$$\begin{array}{rcl} (b_3\bar{b}_3)b_6 & = & b_6 + b_6b_8 \\ & = & b_6 + c_3 + b_6 + c_9 + 2y_{15}, \\ b_3(\bar{b}_3b_6) & = & b_3^2 + b_3x_{15} \\ & = & c_3 + b_6 + b_3x_{15}, \\ (b_3b_6)\bar{b}_3 & = & r_3\bar{b}_3 + t_{15}\bar{b}_3 \\ & = & c_3 + b_6 + \bar{b}_3t_{15}, \end{array}$$

we have that

$$\begin{array}{rcl} b_3x_{15} & = & b_6 + 2y_{15} + c_9, \\ b_3t_{15} & = & \bar{b}_6 + \bar{c}_9 + 2\bar{y}_{15}. \end{array}$$

Since

$$\begin{array}{rcl} b_3^2x_6 & = & c_3x_6 + b_6x_6 \\ & = & r_3 + t_{15} + 2s_6 + t_{15} + d_9, \\ (b_3x_6)b_3 & = & b_3c_3 + b_3y_{15} \\ & = & r_3 + s_6 + b_3y_{15}, \end{array}$$

we have that

$$b_3y_{15} = 2t_{15} + s_6 + d_9.$$

Because $(b_3y_{15},\ b_3y_{15}) = (b_3\bar{y}_{15},\ b_3\bar{y}_{15}) = 6$, we have that $d_9 \in B$.

Checking the associative law of $(b_3\bar{b}_3)s_6 = (b_3s_6)\bar{b}_3$, we have

$$s_6b_8 = r_3 + s_6 + 2t_{15} + d_9.$$

Since

$$\begin{aligned}(b_3\bar{b}_3)y_{15} &= y_{15} + b_8y_{15},\\ (b_3y_{15})\bar{b}_3 &= \bar{b}_3s_6 + 2\bar{b}_3t_{15} + \bar{b}_3d_9\\ &= c_3 + y_{15} + 2b_6 + 2c_9 + 4y_{15} + \bar{b}_3d_9,\end{aligned}$$

it follows that $b_8y_{15} = c_3 + 2b_6 + 2c_9 + 4y_{15} + \bar{b}_3d_9$.

This is the end of the proof of the lemma.

Remark. It always follows that $(c_3c_9,\ \bar{y}_{15}) = 1$ by **Lemma 7.2**. So $(c_3c_9,\ c_3c_9) \geq 2$. At the following, we shall investigate the expression of c_3c_9.

Lemma 7.3. *There exist no x_4, $y_8 \in B$ such that $c_3c_9 = x_4 + y_8 + \bar{y}_{15}$.*

Proof. If there exist no x_4, $y_8 \in B$ such that

$$c_3c_9 = x_4 + y_8 + \bar{y}_{15}.$$

Then there exist $z_3 \in B$ such that $c_3\bar{x}_4 = \bar{c}_9 + z_3$. Further there is $y_5 \in B$ such that $c_3\bar{z}_3 = x_4 + y_5$. Thus $z_3\bar{z}_3 = 1 + b_8$. By **Lemma 7.1** we have that

$$\begin{aligned}c_3(z_3\bar{z}_3) &= c_3 + c_3b_8\\ &= 2c_3 + b_6 + y_{15},\\ z_3(c_3\bar{z}_3) &= z_3x_4 + z_3y_5.\end{aligned}$$

It must follow that $z_3x_4 = 2c_3 + b_6$, which implies that $(z_3\bar{c}_3,\ x_4) = 2$, a contradiction.

Lemma 7.4. *There exist no x_5, $y_7 \in B$ such that $c_3c_9 = x_5 + y_7 + \bar{y}_{15}$.*

Proof. If some $x_5,\ y_7 \in B$ such that $c_3c_9 = x_5 + y_7 + \bar{y}_{15}$. Then $(c_3\bar{x}_5,\ \bar{c}_9) = 1$. There are three possiblities:

$$\begin{array}{rl} (I) & c_3\bar{x}_5 = \bar{c}_9 + 2x_3, \\ (II) & c_3\bar{x}_5 = \bar{c}_9 + x_3 + y_3, \\ (III) & c_3\bar{x}_5 = \bar{c}_9 + y_6. \end{array}$$

It is easy to see that (I) will leads to a contradiction.

If (II) follows, then $c_3\bar{x}_5 = \bar{c}_9 + x_3 + y_3$. Set $c_3\bar{x}_3 = x_5 + z_4$, $c_3\bar{y}_3 = x_5 + t_4$, where $z_4,\ t_4 \in B$. Hence

$$\begin{array}{rcl} \bar{c}_3(c_3\bar{x}_3) & = & \bar{c}_3x_5 + \bar{c}_3z_4 \\ & = & c_9 + \bar{x}_3 + \bar{y}_3 + \bar{c}_3z_4, \\ (c_3\bar{c}_3)\bar{x}_3 & = & \bar{x}_3 + \bar{x}_3b_8. \end{array}$$

Therefore $(x_3\bar{y}_3,\ b_8) = 1$, which implies that $\bar{y}_3x_3 = 1 + b_8$. So $y_3 = x_3$, a contradiction.

If (III) follows, then

$$\begin{array}{rcl} \bar{c}_3(c_3\bar{x}_5) & = & \bar{c}_3\bar{c}_9 + \bar{c}_3y_6 \\ & = & y_{15} + \bar{x}_5 + \bar{y}_7 + \bar{c}_3y_6 \\ (c_3\bar{c}_3)\bar{x}_5 & = & \bar{x}_5 + \bar{x}_5b_8. \end{array}$$

Hence $\bar{x}_5b_8 = y_{15} + \bar{y}_7 + \bar{c}_3y_6$. Therefore $(b_8y_{15},\ \bar{x}_5) = 1$. By **Lemma 7.2**, we have that $(\bar{x}_5,\ \bar{b}_3d_9) = 1$. Since $(\bar{b}_3d_9,\ y_{15}) = 1$, we may set that

$$\bar{b}_3d_9 = \bar{x}_5 + y_{15} + e_7,\ e_7 \in N^*B.$$

If $e_7 = m_3 + n_4$, then $b_3n_4 = d_9 + p_3$, some $p_3 \in B$. Let $\bar{b}_3p_3 = n_4 + z_5$, some $z_5 \in B$. Then $p_3\bar{p}_3 = 1 + b_8$. Further

$$\begin{array}{rcl} b_3(p_3\bar{p}_3) & = & b_3 + b_3b_8 \\ & = & 2b_3 + x_6 + x_{15}, \\ (b_3\bar{p}_3)p_3 & = & \bar{n}_4p_3 + \bar{z}_5p_3. \end{array}$$

Notice that $b_3 \in Supp\{\bar{n}_4p_3\}$ and $b_3 \in Supp\{\bar{z}_5p_3\}$, we come to a contradiction.

If $e_7 \in B$, then $\bar{b}_3d_9 = \bar{x}_5 + y_{15} + e_7$. Let $b_3\bar{x}_5 = d_9 + u_6$.

We assert that $u_6 \in B$. Otherwise, let $u_6 = r_3 + s_3$, where $r_3,\ s_3 \in B$, then

$$b_3\bar{r}_3 = x_5 + u_4.$$

Hence $r_3\bar{r}_3 = 1 + b_8$. Moreover

$$\begin{aligned} b_3(r_3\bar{r}_3) &= b_3 + b_3b_8 \\ &= 2b_3 + x_6 + x_{15}, \\ r_3(b_3\bar{r}_3) &= r_3x_5 + r_3u_4. \end{aligned}$$

It is impossible for $b_3 \in Supp\{r_3x_5\}$ and $b_3 \in Supp\{r_3u_4\}$.

Now we have that

$$\begin{aligned} \bar{b}_3(c_3\bar{x}_5) &= \bar{b}_3\bar{c}_9 + \bar{b}_3y_6, \\ (\bar{b}_3c_3)\bar{x}_5 &= b_3\bar{x}_5 + x_6\bar{x}_5 \\ &= d_9 + u_6 + x_6\bar{x}_5. \end{aligned}$$

If $d_9,\ u_6 \in Supp\{\bar{b}_3y_6\}$, then $\bar{b}_3y_6 = d_9 + u_6 + t_3$. Let $b_3t_3 = y_6 + p_3$. Hence $t_3\bar{t}_3 = 1 + b_8$. Moreover

$$\begin{aligned} b_3(t_3\bar{t}_3) &= 2b_3 + x_6 + x_{15}, \\ \bar{t}_3(b_3t_3) &= \bar{t}_3y_6 + \bar{t}_3p_3. \end{aligned}$$

So $\bar{t}_3y_6 = b_3 + x_{15}$. But $3 = (\bar{b}_3y_6,\ \bar{b}_3y_6) = (\bar{t}_3y_6,\ \bar{t}_3y_6) = 2$ by **Lemma 2.1**, a contradiction.

If $u_6 \in Supp\{\bar{b}_3y_6\}$, $d_9 \in Supp\{\bar{b}_3\bar{c}_9\}$ or $u_6 \in Supp\{\bar{b}_3\bar{c}_9\}$, $d_9 \in Supp\{\bar{b}_3y_6\}$.

If the former one follows, then there exists a q_3 such that

$$b_3c_9 = t_{15} + d_9 + q_3.$$

Hence $c_9 \in Supp\{\bar{b}_3d_9\}$, a contradiction.

If $u_6 \in Supp\{\bar{b}_3\bar{c}_9\}$, $d_9 \in Supp\{\bar{b}_3y_6\}$, then

$$b_3d_9 = \bar{y}_{15} + y_6 + r_6,$$

where $r_6 \in N^*B$. But d_9 is real, $\bar{b}_3d_9 = \bar{x}_5 + y_{15} + e_7$, a contradiction. This is the end of the proof.

Lemma 7.5. *There exist no m_6 and n_6 such that $c_3c_9 = \bar{y}_{15} + m_6 + n_6$.*

Proof. If there exist m_6 and n_6 such that $c_3c_9 = \bar{y}_{15} + m_6 + n_6$. Then $m_6 \neq b_6,\ \bar{b}_6$, $n_6 \neq b_6,\ \bar{b}_6$ by **Lemma 7.2** and $c_3\bar{m}_6$ has three possibilities

$$\begin{array}{rl} (I) & c_3\bar{m}_6 = \bar{c}_9 + x_3 + y_3 + z_3,,\ x_3,\ y_3,\ z_3 \text{ distinct} \\ (II) & c_3\bar{m}_6 = \bar{c}_9 + x_3 + y_6,\ x_3 \text{ and } y_6 \in B, \\ (III) & c_3\bar{m}_6 = \bar{c}_9 + x_4 + y_5,\ x_4 \text{ and } y_5 \in B,. \end{array}$$

Suppose (I) follows. We may assume that $c_3\bar{x}_3 = m_6 + r_3$, where $r_3 \in B$. Then

$$\bar{x}_3 + \bar{x}_3 b_8 = \bar{x}_3(c_3\bar{c}_3) = (\bar{x}_3 c_3)\bar{c}_3 = m_6\bar{c}_3 + r_3\bar{c}_3 = c_9 + \bar{x}_3 + \bar{y}_3 + \bar{z}_3 + r_3\bar{c}_3.$$

Hence $\bar{y}_3 \in Supp\{\bar{x}_3 b_8\}$, which implies that $x_3 = y_3$, a contradiction.

If (II) follows, then $(c_3\bar{x}_3,\ c_3\bar{x}_3) = 2$, from which $x_3\bar{x}_3 = 1 + b_8$ follows. Also we may set that $c_3\bar{m}_3 = x_3 + t_6$, where $t_6 \in B$. Hence

$$\begin{aligned} (c_3\bar{c}_3)\bar{x}_3 &= \bar{x}_3 + \bar{x}_3 b_8, \\ \bar{c}_3(c_3\bar{x}_3) &= \bar{c}_3 m_6 + \bar{c}_3 m_3 \\ &= \bar{x}_4 + \bar{y}_5 + c_9 + \bar{x}_3 + \bar{t}_6. \end{aligned}$$

Therefore $x_3 b_8 = x_4 + y_5 + \bar{c}_9 + t_6$. We have that $(x_3 b_8,\ x_3 b_8) = 4$. But by Lemma 4.2, $(x_3 b_8,\ x_3 b_8) = (b_3 b_8,\ b_3 b_8) = 3$, a contradiction.

If (III) follows, set $c_3\bar{x}_4 = m_6 + p_6$, where $p_6 \in B$. By $\bar{c}_3(c_3\bar{m}_6) = (c_3\bar{c}_3)\bar{m}_6$, one has that

$$\bar{m}_6 b_8 = y_{15} + \bar{m}_6 + \bar{n}_6 + \bar{p}_6 + \bar{c}_3 y_5.$$

Hence $(b_8 y_{15},\ \bar{m}_6) = 1$. By the expression of $b_8 y_{15}$ in **Lemma 7.2**, $(\bar{m}_6,\ \bar{b}_3 d_9) = 1$. But $(y_{15},\ \bar{b}_3 d_9) = 1$. There exists $q_6 \in N^*B$ such that

$$\bar{b}_3 d_9 = y_{15} + \bar{m}_6 + q_6. \tag{64}$$

If $q_6 \notin B$, then $q = 2z_3$ or $q_6 = w_3 + u_3$. If the first one holds, then $(\bar{b}_3 d_9,\ z_3) = 2$ and $(b_3 z_3,\ d_9) = 2$, which is impossible. So the second one follows. Consequently $b_3 w_3 = d_9$. Hence

$$w_3 + w_3 b_8 = w_3(b_3\bar{b}_3) = \bar{b}_3(b_3 w_3) = \bar{b}_3 d_9 = y_{15} + \bar{m}_6 + w_3 + u_3.$$

We can see that $w_3\bar{u}_3 = 1 + b_8$. Then $w_3 = u_3$, a contradiction. Hence $p_6 \in B$. It follows by **Lemma 7.2** and (64) that

$$b_8 y_{15} = 5y_{15} + 2c_9 + 2b_6 + c_3 + \bar{m}_6 + q_6.$$

Since

$$\begin{aligned} c_3(\bar{b}_3 d_9) &= c_3 y_{15} + c_3\bar{m}_6 + c_3 q_6 \\ &= \bar{b}_6 + \bar{c}_9 + 2\bar{y}_{15} + x_4 + y_5 + \bar{c}_9 + c_3 q_6, \\ (c_3\bar{b}_3)d_9 &= b_3 d_9 + x_6 d_9 \\ &= \bar{y}_{15} + m_6 + \bar{q}_6 + x_6 d_9, \end{aligned}$$

we have that $(c_3q_6,\ m_6) \geq 1$. Hence $(c_3\bar{m}_6,\ \bar{q}_6) \geq 1$, a contradiction to our assumption. The is the end of the proof.

Lemma 7.6. *No NITA such that* $(c_3c_9,\ c_3c_9) \geq 4$.

Proof. The proof is given in three steps.

Step 1. The following equations hold:

$$\begin{array}{rl} (i) & c_3c_9 = \bar{y}_{15} + y_3 + z_3 + w_3 + u_3, \\ (ii) & c_3c_9 = \bar{y}_{15} + y_3 + y_3 + y_6, \\ (iii) & c_3c_9 = \bar{y}_{15} + y_3 + y_4 + y_5, \\ (iv) & c_3c_9 = \bar{y}_{15} + y_4 + z_4 + w_4. \end{array}$$

For any $z \in Supp\{c_3c_9\} \setminus \{\bar{y}_{15}\}$, it is enough to prove that $(c_3c_9,\ z) = 1$. Otherwise $(c_3c_9,\ z) \geq 2$. Since $c_3c_9 - \bar{y}_{15}$ is of degree 12, one has that $(c_3c_9,\ z) = 2$ and z is of degree 6. So $c_3c_9 = \bar{y}_{15} + 2z_6,\ c_3\bar{z}_6 = 2\bar{c}_9$. Hence

$$\bar{z}_6 + \bar{z}_6b_8 = (c_3\bar{c}_3)\bar{z}_6 = \bar{c}_3(c_3\bar{z}_6) = 2\bar{c}_3\bar{c}_9 = 2y_{15} + 4\bar{z}_6.$$

Thus $\bar{z}_6b_8 = 2y_{15} + 3\bar{z}_6$. Consequently $(b_8y_{15},\ \bar{z}_6) = 2$. By the expression of b_6b_8 in **Lemma 7.2**, $z_6 \neq b_6,\ \bar{b}_6$. the expression of b_8y_{15} in **Lemma 7.2**, we have that

$$\begin{array}{rcl} \bar{b}_3d_9 & = & y_{15} + 2\bar{z}_6, \\ b_8y_{15} & = & 5y_{15} + 2c_9 + 2b_6 + c_3 + 2\bar{z}_6, \end{array}$$

Therefore $b_3\bar{z}_6 = 2d_9$.

Since

$$\begin{array}{rcl} (b_3\bar{b}_3)d_9 & = & d_9 + b_8d_9, \\ b_3(\bar{b}_3d_9) & = & b_3y_{15} + 2b_3\bar{z}_6 \\ & = & s_6 + 2t_{15} + 5d_9, \end{array}$$

it follows that $b_8d_9 = s_6 + 2t_{15} + 4d_9$. Consequently

$$\begin{array}{rcl} b_8(b_3\bar{z}_6) & = & 2b_8b_9 \\ & = & 2s_6 + 4t_{15} + 8d_9, \\ (b_3b_8)\bar{z}_6 & = & b_3\bar{z}_6 + x_6\bar{z}_6 + x_{15}\bar{z}_6 \\ & = & 2d_9 + x_6\bar{z}_6 + x_{15}\bar{z}_6. \end{array}$$

Then $x_6\bar{z}_6 + x_{15}\bar{z}_6 = 2s_6 + 4t_{15} + 6d_9$. We have exactly three possibilities:

$$\begin{array}{rl} \text{(I)} & x_6\bar{z}_6 = 4d_9,\ x_{15}\bar{z}_6 = 2s_6 + 4t_{15} + 2d_9, \\ \text{(II)} & x_6\bar{z}_6 = s_6 + 2t_{15},\ x_{15}\bar{z}_6 = s_6 + 2t_{15} + 6d_9, \\ \text{(III)} & x_6\bar{z}_6 = 2s_6 + t_{15} + d_9,\ x_{15}\bar{z}_6 = 3t_{15} + 5d_9. \end{array}$$

The first case implies that

$$\begin{aligned}\bar{b}_3(x_6\bar{z}_6) &= 4\bar{b}_3d_9\\ &= 4y_{15}+8\bar{z}_6,\\ (\bar{b}_3x_6)\bar{z}_6 &= b_8\bar{z}_6+x_{10}\bar{z}_6\\ &= 2y_{15}+3\bar{z}_6+x_{10}\bar{z}_6.\end{aligned}$$

So $x_{10}\bar{z}_6 = 2y_{15}+5\bar{z}_6$. Thus $(z_6\bar{z}_6,\ x_{10}) = 5$, a contradiction.

The second and the third cases mean $(z_6d_9,\ x_{15}) = 6$ and $(z_6d_9,\ x_{15}) = 5$ respectively. It is impossible.

Step 2. No NITA such that (i), (ii) and (iii).

It is enough to show that $y_3 \in Supp\{c_3c_9\}$. If $y_3 \in Supp\{c_3c_9\}$, then $\bar{c}_3y_3 = c_9$. Hence $(\bar{b}_3y_3,\ \bar{b}_3y_3) = (\bar{c}_3y_3,\ \bar{c}_3y_3) = 1$ by **Lemma 2.1**. Let $\bar{b}_3y_3 = g_9$, $g_9 \in B$. Then

$$b_3c_9 = b_3(\bar{c}_3y_3) = (b_3\bar{c}_3)y_3 = \bar{b}_3y_3 + \bar{x}_6y_3 = g_9 + \bar{x}_6y_3.$$

Since $(t_{15},\ b_3c_9) = 1$, we have that $b_3c_9 = g_9 + t_{15} + \alpha_3$, some $\alpha_3 \in B$. Therefore $(b_3c_9,\ b_3c_9) = 3$. But $(b_3c_9,\ b_3c_9) = (c_3c_9,\ c_3c_9)$ by **Lemma 2.1**. It is impossible for $(c_3c_9,\ c_3c_9) \geq 4$.

Step 3. No NITA satisfies (iv).

If (iv) holds, then there exist m_3 such that $\bar{c}_3y_4 = c_9 + m_3$. Thus $c_3m_3 = y_4 + k_5$, some $k_5 \in B$. So $(c_3m_3,\ c_3m_3) = 2$, which implies that $m_3\bar{m}_3 = 1 + b_8$. Hence

$$\bar{m}_3y_4 + \bar{m}_3k_5 = c_3(m_3\bar{m}_3) = c_3 + c_3b_8 = (c_3\bar{c}_3)\bar{m}_3 = 2c_3 + b_6 + y_{15}.$$

It is impossible for $c_3 \in Supp\{\bar{m}_3y_4\}$ and $Supp\{\bar{m}_3k_5\}$. The lemma follows.

Lemma 7.7. *No NITA such that* $(c_3c_9,\ c_3c_9) = 2$.

Proof. If $(c_3c_9,\ c_3c_9) = 2$, then $c_3c_9 = \bar{y}_{15} + b_{12}$, $b_{12} \in B$ and $c_3\bar{c}_9 = x_{10} + x_{17}$, $x_{17} \in B$.

Since $\bar{c}_3(c_3c_9) = \bar{c}_3\bar{y}_{15} + \bar{c}_3b_{12} = b_6 + c_9 + 2y_{15} + \bar{c}_3b_{12}$, we have that $b_8c_9 = b_6 + 2y_{15} + \bar{c}_3b_{12}$. On the other hand, since

$$c_9 + b_8c_9 = (c_3\bar{c}_3)c_9 = c_3(\bar{c}_3c_9) = c_3(\bar{x}_{10} + \bar{x}_{17}) = b_6 + y_{15} + c_9 + c_3\bar{x}_{17},$$

we have that $b_8c_9 = b_6 + y_{15} + c_3\bar{x}_{17}$. By the expression of b_8y_{15} in **Lemma 7.2**, $(b_8c_9,\ y_{15}) = 2$. Hence $y_{15} \in Supp\{c_3\bar{x}_{17}\}$, which implies that $x_{17} \in Supp\{c_3\bar{y}_{15}\}$. By the expressions of c_3b_8 and c_3x_{10} in **Lemma 7.2**, $(c_3\bar{y}_{15},\ b_8) = (c_3\bar{y}_{15},\ x_{10}) = 1$. There exists $t_{10} \in N^*B$ such that $c_3\bar{y}_{15} = x_{17} + b_8 + x_{10} + t_{10}$, some $t_{10} \in N^*B$. The expression of c_3y_{15} in **Lemma 7.2** means that $(c_3y_{15},\ c_3y_{15}) = 6$. Hence $(c_3\bar{y}_{15},\ c_3\bar{y}_{15}) = 6$. So $t_{10} = x_3 + y_3 + z_4$. It leads to $y_{15} \in Supp\{c_3\bar{y}_3\}$, a contradiction. The lemma follows.

Lemma 7.8. $c_3c_9 = d_3 + \bar{c}_9 + \bar{y}_{15}$.

Proof. At first by previous lemma in this section, we know that $(c_3c_9,\ c_3c_9) = 3$ and c_3c_9 is a sum of irreducible base elements of degree 3, 9 and 15. So we may assume that $c_3c_9 = d_3 + y_9 + \bar{y}_{15}$, where $d_3,\ y_9 \in B$. Then $c_3\bar{d}_3 = \bar{c}_9$. Checking associative law for $\bar{c}_3(c_3\bar{d}_3) = (c_3\bar{c}_3)\bar{d}_3$, it follows that

$$\bar{d}_3b_8 = \bar{y}_9 + y_{15}.$$

Since

$$\begin{aligned} b_6(b_3\bar{x}_6) &= b_6b_8 + b_6x_{10} \\ &= c_3 + b_6 + c_9 + 2y_{15} + b_6x_{10}, \\ (b_6\bar{x}_6)b_3 &= 2b_3x_6 + b_3b_9 + b_3x_{15} \\ &= 2c_3 + 2y_{15} + b_3b_9 + b_6 + 2y_{15} + c_9, \end{aligned}$$

we have that

$$b_6x_{10} = b_3b_9 + c_3 + 2y_{15}.$$

Since $(c_3^2)\bar{d}_3 = \bar{c}_3\bar{d}_3 + \bar{b}_6\bar{d}_3$, $c_3(c_3\bar{d}_3) = c_3\bar{c}_9$ and $x_{10} \in Supp\{c_3\bar{c}_9\}$ by **Lemma 7.2**, we come to $x_{10} \in Supp\{\bar{b}_6\bar{d}_3\}$. So $(b_6x_{10},\ \bar{d}_3) = 1$. Further $(b_3b_9, \bar{d}_3) = 1$. Thus

$$b_3d_3 = \bar{b}_9.$$

Therefore

$$\bar{b}_3\bar{b}_9 = \bar{b}_3(b_3d_3) = (\bar{b}_3b_3)d_3 = d_3 + d_3b_8 = d_3 + y_9 + \bar{y}_{15},$$

which implies that

$$\begin{aligned} b_3 b_9 &= \bar{d}_3 + \bar{y}_9 + y_{15}, \\ b_6 x_{10} &= \bar{d}_3 + c_3 + \bar{y}_9 + 3y_{15}. \end{aligned}$$

Since $(r_3 b_3)d_3 = c_9 + \bar{b}_6 d_3$ and $(b_3 d_3)r_3 = r_3 \bar{b}_9$, we have that $c_9 \in Supp\{r_3 \bar{b}_9\}$. But $y_{15} \in Supp\{r_3 \bar{b}_9\}$ by **Lemma 7.2**. Thus there exits $m_3 \in B$ such that

$$r_3 \bar{b}_9 = m_3 + c_9 + y_{15}.$$

Hence $b_9 \in Supp\{r_3 \bar{c}_9\}$. But $(r_3 \bar{c}_9,\ x_{15}) = 1$ by **Lemma 7.2**. Therefore

$$r_3 \bar{c}_9 = n_3 + b_9 + x_{15},\ n_3 \in B.$$

By r_3 real, it follows that

$$r_3 n_3 = \bar{c}_9.$$

Further

$$\begin{aligned} r_3(r_3 \bar{c}_9) &= r_3 x_{15} + r_3 b_9 + r_3 n_3 \\ &= \bar{b}_6 + \bar{c}_9 + 2\bar{y}_{15} + \bar{c}_9 + \bar{y}_{15} + \bar{m}_3 + \bar{c}_9, \\ r_3^2 \bar{c}_9 &= \bar{c}_9 + b_8 \bar{c}_9, \end{aligned}$$

so that

$$b_8 \bar{c}_9 = \bar{b}_6 + 2\bar{c}_9 + 3\bar{y}_{15} + \bar{m}_3.$$

Hence $(b_8 y_{15},\ c_9) = 3$.

By the expression of $b_8 y_{15}$ in **Lemma 7.2**, we have $(\bar{b}_3 d_9,\ c_9) = 1$. From the expression of $b_3 t_{15}$ in **Lemma 7.2**, one has that $(t_{15},\ b_3 c_9) = 1$. Hence there exists $u_3 \in B$ such that

$$b_3 c_9 = u_3 + d_9 + t_{15}.$$

Thus $\bar{b}_3 u_3 = c_9$. Moreover

$$c_3 b_9 = (\bar{b}_3 \bar{d}_3)c_3 = \bar{b}_3(c_3 \bar{d}_3) = \bar{b}_3 \bar{c}_9 = \bar{u}_3 + d_9 + t_{15}.$$

Thus $u_3 c_3 = \bar{b}_9$.

Since

$$\begin{aligned} \bar{c}_3(b_3 \bar{u}_3) &= \bar{c}_3 \bar{c}_9 \\ &= \bar{d}_3 + \bar{y}_9 + y_{15}, \\ (b_3 \bar{c}_3)\bar{u}_3 &= \bar{b}_3 \bar{u}_3 + \bar{x}_6 \bar{u}_3, \end{aligned}$$

we have that

$$b_3u_3 = y_9 \text{ and } u_3x_6 = \bar{y}_{15} + \bar{d}_3.$$

Hence

$$c_3y_9 = c_3(b_3u_3) = b_3(u_3c_3) = b_3\bar{b}_9.$$

Since $(x_{10},\ b_3\bar{b}_9) = 1$ by **Lemma 7.2**, one has that $(x_{10},\ c_3y_9) = 1$, so $(\bar{y}_9,\ c_3x_{10}) = 1$. Therefore $\bar{y}_9 = c_9$ by the expression of c_3x_{10} (see **Lemma 7.2**. The lemma follows.

Lemma 7.9. *NITA generated by c_3 is isomorphic to the algebra of characters of $3 \cdot A_6$: $(Ch(3 \cdot A_6),\ Irr(3 \cdot A_6))$. Further we have all equations of products of base elements in table subset D listed in* ***Section 2****.*

Proof. By **Lemma 7.2** and **Lemma 7.8** the sub-algebra generated by c_3 satisfies the following equations:

$$\begin{array}{rll} c_3\bar{c}_3 = 1 + b_8, & c_3^2 = \bar{c}_3 + \bar{b}_6, & c_3b_6 = \bar{c}_3 + \bar{y}_{15}, \\ c_3\bar{b}_6 = b_8 + x_{10},\ x_{10} \text{ real}, & c_3x_{10} = b_6 + c_9 + y_{15}, & c_3y_{15} = \bar{b}_6 + \bar{c}_9 + 2\bar{y}_{15}. \end{array}$$

Changing c_3 into b_3, b_6 into $\bar{b}_6$, y_{15} into b_{15}, x_{10} into b_{10}, we can see above equations are the same as those in **Hypothesis 5.1** and **Lemma 5.1**. Hence NITA generated by c_3 is exactly the table algebra of characters of $3 \cdot A_6$ by **Theorem 5.1**. Of course we have equations of products of base elements in table subset D listed in **Section 2**.

Now let's continue our calculation, we shall come to a new NITA which is not derived from groups.

Theorem 7.1. *If c_3 is non-real, $(b_3b_8,\ b_3b_8) = 3$. Then NITA generated by b_3 with $b_3^2 = c_3 + b_6$ is isomorphic to the NITA in $(A(3 \cdot A_6 \cdot 2),\ B_{32})$, the NITA of dimension 32 in* ***Section 2****.*

Proof. By **Lemma 7.9**, we may say that we have found a table subset: $D = \{1,\ b_8,\ x_{10},\ b_5,\ c_5,\ c_8,\ x_9,\ c_3,\ \bar{c}_3,\ d_3,\ \bar{d}_3,\ c_9,\ \bar{c}_9,\ b_6,\ \bar{b}_6,\ y_5,\ \bar{y}_{15}\}$. To prove NITA is isomorphic to NITA of dimension 32 in **Section 2**, it is enough to find out all basis elements outside D and remaining expressions of all products of basis elements. Of course at this moment we have found a lot of them in **Lemma 7.1, 7.2 and 7.8**. So what we do is to find out others. In order to make the proof easily read, we divide the proof into several steps:

Step 1. $b_3b_9 = y_{15} + c_9 + \bar{d}_3$, $b_3d_3 = \bar{b}_9$, $b_3\bar{b}_9 = x_9 + c_8 + x_{10}$, $b_3d_9 = \bar{c}_9 + d_3 + \bar{y}_{15}$, $b_3\bar{d}_3 = d_9$, $b_3\bar{c}_9 = \bar{b}_9 + \bar{x}_{15} + z_3$, $b_3\bar{z}_3 = c_9$, $b_3\bar{x}_{15} = b_5 + c_5 + b_8 + c_8 + x_9 + x_{10}$, $b_3z_3 = x_9$, $b_3y_3 = \bar{c}_9$.

Since by Lemma 7.2

$$\begin{aligned}
b_3^2x_{10} &= c_3x_{10} + b_6x_{10} \\
&= b_6 + c_9 + y_{15} + 3y_{15} + c_3 + \bar{d}_3 + c_9, \\
(b_3x_{10})b_3 &= x_6b_3 + x_{15}b_3 + b_9b_3 \\
&= c_3 + y_{15} + b_6 + 2y_{15} + c_9 + b_3b_9,
\end{aligned}$$

we have that $b_3b_9 = y_{15} + c_9 + \bar{d}_3$. Further $b_3d_3 = \bar{b}_9$. So

$$b_3\bar{b}_9 = (b_3d_3)b_3 = b_3^2d_3 = c_3d_3 + b_6d_3 = x_9 + c_8 + x_{10}.$$

Set $b_3\bar{d}_3 = y_9$. Since $b_3d_3 = \bar{b}_9$, then $y_9 \in B$. And

$$b_3y_9 = (b_3\bar{d}_3)b_3 = b_3^2\bar{d}_3 = c_3\bar{d}_3 + b_6\bar{d}_3 = \bar{c}_9 + d_3 + \bar{y}_{15}.$$

We have that $(b_3y_{15},\ \bar{y}_9) = 1$. But $b_3y_{15} = s_6 + 2t_{15} + d_9$, thus $d_9 = \bar{y}_9$ and $\bar{b}_3d_3 = d_9$.

Since $(b_3x_{15},\ c_9) = (b_3b_9,\ c_9) = 1$, there exists $z_3 \in B$ such that

$$b_3\bar{c}_9 = \bar{b}_9 + \bar{x}_{15} + z_3.$$

Hence $b_3\bar{z}_3 = c_9$.

Since

$$\begin{aligned}
b_3^2\bar{b}_6 &= c_3\bar{b}_6 + b_6\bar{b}_6 \\
&= b_8 + x_{10} + 1 + b_8 + b_5 + c_5 + c_8 + x_9, \\
(b_3\bar{b}_6)b_3 &= b_3\bar{b}_3 + b_3\bar{x}_{15} \\
&= 1 + b_8 + b_3\bar{x}_{15},
\end{aligned}$$

we have that

$$b_3\bar{x}_{15} = b_5 + c_5 + b_8 + c_8 + x_9 + x_{10}.$$

Now we have

$$\begin{aligned} b_3^2\bar{c}_9 &= c_3\bar{c}_9 + b_6\bar{c}_9 \\ &= c_8 + x_9 + x_{10} + 2x_9 + b_8 + x_{10} + c_8 + b_5 + c_5, \\ (b_3\bar{c}_9)b_3 &= b_3\bar{b}_9 + b_3\bar{x}_{15} + b_3z_3 \\ &= c_8 + x_9 + x_{10} + b_5 + c_5 + b_8 + c_8 + x_9 + x_{10} + b_3z_3, \end{aligned}$$

which imply $b_3z_3 = x_9$.

Step 2. $b_3c_9 = t_{15} + d_9 + y_3$, y_3 real, $d_3\bar{x}_6 = t_{15} + \bar{y}_3$, $c_3b_9 = t_{15} + d_9 + y_3$, $c_3y_3 = \bar{b}_9$,$b_3y_3 = \bar{c}_9$ and $b_8t_{15} = r_3 + \bar{y}_3 + 5t_{15} + 2s_6 + 3d_9$.

We have that

$$b_3c_9 = b_3(d_3\bar{c}_3) = (b_3\bar{c}_3)d_3 = \bar{b}_3d_3 + \bar{x}_3d_3 = d_9 + \bar{x}_6d_3.$$

Hence $(b_3c_9,\ d_9) = 1$. But by Lemma 7.2 $(b_3t_{15},\ \bar{c}_9) = 1$. Then there exists $y_3 \in B$ such that

$$b_3c_9 = t_{15} + d_9 + y_3,\ d_3\bar{x}_6 = t_{15} + \bar{y}_3.$$

Consequently $b_3\bar{y}_3 = \bar{c}_9$. Because $b_3c_9 = (d_3\bar{c}_3)b_3 = (b_3d_3)\bar{c}_3 = \bar{c}_3\bar{b}_9$, we have that

$$c_3b_9 = t_{15} + d_9 + y_3.$$

Consequently $c_3\bar{y}_3 = \bar{b}_9$. Since

$$\begin{aligned} b_3^2c_9 &= c_3c_9 + b_6c_9 \\ &= d_3 + \bar{c}_9 + \bar{y}_{15} + \bar{b}_6 + 2\bar{c}_9 + 2\bar{y}_{15}, \\ (b_3c_9)b_3 &= b_3t_{15} + b_3d_9 + b_3y_3 \\ &= \bar{b}_6 + \bar{c}_9 + 2\bar{y}_{15} + d_3 + \bar{c}_9 + \bar{y}_{15} + b_3y_3, \end{aligned}$$

then $b_3y_3 = \bar{c}_9$.

Because we have that

$$\begin{aligned} (b_3\bar{b}_3)t_{15} &= t_{15} + b_8t_{15} \\ (b_3t_{15})\bar{b}_3 &= \bar{b}_3\bar{b}_6 + \bar{b}_3\bar{c}_9 + 2\bar{b}_3\bar{y}_{15} \\ &= r_3 + t_{15} + d_9 + \bar{y}_3 + t_{15} + 2s_6 + 4t_{15} + 2d_9, \end{aligned}$$

so $b_8t_{15} = r_3 + \bar{y}_3 + 5t_{15} + 2s_6 + 3d_9$, which implies that y_3 is real.

Step 3. $b_3d_9 = \bar{c}_9 + \bar{y}_{15} + d_3$, $r_3t_{15} = b_5 + c_5 + b_8 + c_8 + x_9 + x_{10}, r_3d_9 = c_8 + x_9 + x_{10}$.

Since

$$\begin{array}{rcl} b_3^2y_{15} & = & c_3y_{15} + b_6y_{15} \\ & = & \bar{b}_6 + \bar{c}_9 + 2\bar{y}_{15} + \bar{c}_3 + d_3 + \bar{b}_6 + 2\bar{c}_9 + 4\bar{y}_{15}, \\ (b_3y_{15})b_3 & = & b_3s_6 + 2b_3t_{15} + b_3d_9 \\ & = & \bar{c}_3 + \bar{y}_{15} + b_3d_9 + 2\bar{b}_6 + 2\bar{c}_9 + 4\bar{y}_{15}, \end{array}$$

then $b_3d_9 = \bar{c}_9 + \bar{y}_{15} + d_3$.

Since $r_3^2b_8 = (r_3b_8)r_3$ and $r_3^2x_{10} = (r_3x_{10})r_3$, we have that

$$\begin{array}{rcl} r_3t_{15} & = & b_5 + c_5 + b_8 + c_8 + x_9 + x_{10}, \\ r_3d_9 & = & c_8 + x_9 + x_{10}. \end{array}$$

Step 4. $r_3d_3 = b_9$ and $r_3b_9 = d_3 + \bar{c}_9 + \bar{y}_{15}$.

There are three possibilities: $r_3d_3 = t_9,\ m_3 + n_6,\ m_4 + n_5$. Thus

$$\begin{array}{rcl} r_3^2d_3 & = & d_3 + d_3b_8 \\ & = & d_3 + \bar{c}_9 + \bar{y}_{15}, \\ (r_3d_3)r_3 & = & r_3t_9 \\ & \text{or} & m_3r_3 + n_6r_3 \\ & \text{or} & m_4r_3 + n_5r_3, \end{array}$$

If $r_3d_3 = m_3 + n_6$, then $m_3r_3 = \bar{c}_9$ and $r_3n_6 = d_3 + \bar{y}_{15}$. But $r_3\bar{y}_{15} = x_6 + 2x_{15} + b_9$. Hence $n_6 = x_6$, so that $(r_3x_6,\ d_3) = 1$, a contradiction.

If $r_3d_3 = m_4 + n_5$, then $m_4r_3 = d_3 + \bar{c}_9$ and $r_3n_5 = \bar{y}_{15}$. But $(r_3\bar{y}_{15},\ n_5) = 0$, a contradiction. Hence $r_3d_3 = t_9$ and $r_3t_9 = d_3 + \bar{c}_9 + \bar{y}_{15}$, which implies that $(r_3\bar{y}_{15},\ t_9) = 1$. Then $t_9 = b_9$.

Step 5. $x_6y_{15} = r_3 + 4t_{15} + s_6 + 2d_9 + y_3$, $b_8x_{15} = b_3 + \bar{z}_3 + 2x_6 + 5x_{15} + 3b_9$, $b_8b_9 = \bar{z}_3 + x_6 + 2b_9 + 3x_{15}$, $b_8d_9 = y_3 + s_6 + 2d_9 + 3t_{15}$, $y_3b_8 = d_9 + t_{15}$ and $b_6b_9 = s_6 + 2d_9 + 2t_{15}$ and $b_6x_{15} = r_3 + s_6 + y_3 + 2d_9 + 4t_{15}$.

The above equations follow from $b_3x_6^2 = (b_3x_6)x_6$, $(b_3\bar{b}_3)x_{15} = (b_3x_{15})\bar{b}_3$, $(b_3\bar{b}_3)b_9 = b_3b_9)\bar{b}_3$, $(b_3\bar{b}_3)d_9 = (b_3d_9)\bar{b}_3$, $(b_3\bar{b}_3)y_3 = (b_3y_3)\bar{b}_3$, $b_3^2b_9 = (b_3b_9)b_3$ and $b_3^2x_{15} = (b_3x_{15})b_3$.

Step 6. $c_3d_9 = \bar{b}_9 + z_3 + \bar{x}_{15}$, $b_6d_9 = \bar{x}_6 + 3\bar{b}_9 + 2\bar{x}_{15}$, $z_3\bar{c}_3 = d_9$.

Since

$$\begin{aligned} b_3^2 d_9 &= c_3 d_9 + b_6 d_9, \\ (b_3 d_9) b_3 &= b_3 d_3 + b_3 \bar{c}_9 + b_3 \bar{y}_{15} \\ &= 2\bar{b}_9 + 3\bar{x}_{15} + z_3 + \bar{x}_6, \end{aligned}$$

and $(c_3 x_{15},\ d_9) = 1$, which the **Step 6** follows from.

Step 7. $b_8 x_{15} = b_3 + \bar{z}_3 + 2x_6 + 5x_{15} + 3b_9$, $b_3 x_9 = \bar{z}_3 + b_9 + x_{15}$, $b_3 c_8 = x_{15} + b_9$, $b_3 b_5 = x_{15}$ and $b_3 c_5 = x_{15}$.

By **Lemma 7.2** and **Step 1**, we have

$$(b_3 x_{15})\bar{b}_3 = b_6 \bar{b}_3 + 2y_{15}\bar{b}_3 + c_9 \bar{b}_3 = b_3 + x_{15} + x_6 + 2x_{15} + b_9 + b_9 + x_{15} + \bar{z}_3$$
$$(b_3 \bar{b}_3) x_{15} = x_{15} + b_8 x_{15},$$

hence

$$b_8 x_{15} = b_3 + \bar{z}_3 + 2x_6 + 5x_{15} + 3b_9$$

Consequently we have the following equations:

$$\begin{aligned} b_8^2 b_3 &= b_3 + 2b_3 b_8 + 2b_3 x_{10} + b_3 b_5 + b_3 c_5 + b_3 c_8 + b_3 x_9 \\ &= 3b_3 + 2x_6 + 2x_{15} + 2x_6 + 2x_{15} + 2b_9 + b_3 b_5 + b_3 c_5 + b_3 c_8 + b_3 x_9, \\ (b_3 b_8) b_8 &= b_3 b_8 + x_6 b_8 + x_{15} b_8 \\ &= b_3 + x_6 + x_{15} + b_3 + x_6 + b_9 + 2x_{15} + b_3 + \bar{z}_3 + 2x_6 + 5x_{15} + 3b_9, \end{aligned}$$

which imply that

$$b_3 b_5 + b_3 c_5 + b_3 c_8 + b_3 x_9 = 4x_{15} + 2b_9 + \bar{z}_3.$$

By the expression of $b_3 \bar{x}_{15}$ in **Step 3**, it can be easily show that **Step 7** follows.

Step 8. $r_3 b_5 = t_{15}$, $r_3 c_5 = t_{15}$, $r_3 c_8 = t_{15} + d_9$, $r_3 x_9 = t_{15} + d_9 + y_3$ and $r_3 y_3 = x_9$.

Since

$$\begin{aligned} b_8^2 r_3 &= r_3 + 2r_3 b_8 + 2r_3 x_{10} + r_3 b_5 + r_3 c_5 + r_3 c_8 + r_3 x_9 \\ &= r_3 + 2r_3 + 2s_6 + 2t_{15} + 2s_6 + 2t_{15} + 2d_9 + r_3 b_5 + r_3 c_5 + r_3 c_8 + r_3 x_9, \\ (r_3 b_8) b_8 &= r_3 b_8 + b_8 s_6 + b_8 t_{15} \\ &= r_3 + s_6 + t_{15} + r_3 + s_6 + 2t_{15} + d_9 + r_3 + y_3 + 5t_{15} + 2s_6 + 3d_9, \end{aligned}$$

it holds that

$$r_3b_5 + r_3c_5 = r_3c_8 + r_3x_9 = 4t_{15} + 2d_9 + y_3.$$

But $(r_3t_{15},\ x_9) = 1$. The first four equations follow from above equation. Consequently, $r_3y_3 = x_9$.

Step 9. $r_3c_9 = \bar{b}_9 + \bar{x}_{15} + z_3$, $r_3z_3 = c_9$, $x_6\bar{y}_{15} = \bar{b}_3 + z_3 + \bar{x}_6 + 4\bar{x}_{15} + 2\bar{b}_9$, $x_6c_9 = 2t_{15} + 2d_9 + s_6$, $x_6x_{10} = b_9 + b_3 + \bar{z}_3 + 3x_{15}$, $x_6\bar{x}_6 = 1 + b_8 + b_5 + c_5 + c_8 + x_9$, $x_6s_6 = 2\bar{b}_6 + \bar{c}_9 + \bar{y}_{15}$ and $x_6\bar{c}_9 = 2\bar{x}_{15} + \bar{x}_6 + 2\bar{b}_9$.

Since $r_3^2b_9 = (r_3b_9)r_3$, we have the first equation, which the second equation follows from. The rest of equations follow from associativity of $(c_3b_8)\bar{x}_6 = b_8(c_3\bar{x}_6)$, $(d_3b_8)\bar{x}_6 = b_8(d_3\bar{x}_6)$, $(b_3\bar{x}_6)x_6 = (b_3x_6)\bar{x}_6$, $(b_3\bar{c}_3)x_6 = (b_3x_6)\bar{c}_3$, $(b_3c_3)x_6 = b_3(c_3x_6)$ and $(r_3c_3)c_9 = r_3(c_3c_9)$ respectively.

Step 10. $x_6y_3 = d_3 + \bar{y}_{15}$.

By known equations, we have that $(x_6y_3,\ \bar{y}_{15}) = (x_6y_{15},\ y_3) = 1$ and $(x_6y_3,\ d_3) = (x_6\bar{d}_3,\ y_3) = 1$, which **Step 10** follows from.

Step 11. $x_6b_5 = x_6 + b_9 + x_{15}$, $x_6c_5 = x_6 + b_9 + x_{15}$, $x_6c_8 = x_6 + b_9 + 2x_{15} + z_3$ and $z_3x_6 = x_{10} + c_8$.

Since

$$\begin{aligned}
b_8^2x_6 &= x_6 + 2x_6b_8 + 2x_6x_{10} + x_6b_5 + x_6c_5 + x_6c_8 + x_6x_9\\
&= x_6 + 2b_3 + 2x_6 + 2b_9 + 4x_{15} + 2b_9 + 2b_3 + 2\bar{z}_3 + 6x_{15} +\\
&\quad x_6b_5 + x_6c_5 + x_6c_8 + x_6 + 2b_9 + 2x_{15},\\
(b_8x_6)b_8 &= b_3b_8 + x_6b_8 + b_9b_8 + 2b_8x_{15}\\
&= b_3 + x_6 + x_{15} + b_3 + x_6 + b_9 + 2x_{15} + \bar{z}_3 + x_6 + 2b_9 +\\
&\quad +3x_{15} + 2b_3 + 2\bar{z}_3 + 4x_6 + 10x_{15} + 6b_9,
\end{aligned}$$

we have that

$$x_6b_5 + x_6c_5 + x_6c_8 = 3x_6 + 3b_9 + \bar{z}_3 + 4x_{15}.$$

By the expression of $x_6\bar{x}_6$ in **Step 9**, we have that $(x_6b_5,\ x_6) = (x_6c_5,\ x_6) = (x_6c_8,\ x_6) = 1$. The first three equations of **Step 11** follows by comparing the degrees. Hence $(x_6z_3,\ c_8) = 1$. In addition to $(z_3x_6,\ x_{10}) = (x_6x_{10},\ \bar{z}_3) = 1$, which the last equation follows from.

Step 11. $x_6x_9 = x_6 + 2b_9 + 2x_{15}$, $x_6d_9 = \bar{b}_6 + 2\bar{c}_9 + 2\bar{y}_{15}$, $x_6d_3 = z_3 + \bar{x}_{15}$ and $x_6b_9 = 2\bar{c}_9 + \bar{b}_6 + 2\bar{y}_{15}$.

It follows from $(b_3z_3)x_6 = b_3(z_3x_6)$, $(z_3\bar{c}_3)x_6 = \bar{c}_3(z_3x_6)$, $(r_3c_3)\bar{d}_3 = r_3(c_3\bar{d}_3)$ and $(r_3c_3)\bar{b}_9 = (r_3\bar{b}_9)c_3$ respectively.

Step 12. Based on the equations known by us, we can check the inner products of some products of basis elements and come to the following table:

values of inner products	new equations
$(z_3b_9,\ b_8) = (b_8b_9,\ \bar{z}_3) = 1$ $(z_3x_{15},\ b_8) = (b_8x_{15},\ \bar{z}_3) = 1$	$z_3b_8 = \bar{b}_9 + \bar{x}_{15}$
$(x_6x_{10},\ b_9) = (x_6c_5,\ b_9) = (x_6b_5,\ b_9) = 1$ $(x_6b_8,\ b_9) = (x_6c_8,\ b_9) = 1,\ (x_6x_9,\ b_9) = 2$	$x_6\bar{b}_9 = b_5 + c_5 + x_{10} + b_8 + c_8 + 2x_9$
$(x_6b_8,\ x_{15}) = 2,\ (x_6x_{10},\ x_{15}) = 3,$ $(x_6b_5,\ x_{15}) = (x_6c_5,\ x_{15}) = 1$ $(x_6c_8,\ x_{15}) = (x_6x_9,\ x_{15}) = 2$	$x_6\bar{x}_{15} = b_5 + c_5 + 2b_8 + 3x_{10} + 2c_8 + 2x_9$
$(x_6c_3,\ t_{15}) = (x_6\bar{d}_3,\ t_{15}) = (x_6b_6,\ t_{15}) = 1$ $(x_6c_9,\ t_{15}) = 2,\ (x_6y_{15},\ t_{15}) = 4$ $(x_6\bar{z}_3,\ \bar{d}_3) = (x_6\bar{y}_{15},\ z_3) = 1$ $(x_6d_3,\ \bar{x}_{15}) = (x_6\bar{b}_6,\ \bar{x}_{15}) = (x_6\bar{c}_3,\ \bar{x}_{15}) = 1$ $(x_6\bar{c}_9,\ \bar{x}_{15}) = 2,\ (x_6\bar{y}_{15},\ \bar{x}_{15}) = 4$	$x_6t_{15} = \bar{c}_3 + d_3 + 2\bar{c}_9 + 4\bar{y}_{15} + \bar{b}_6$ $x_6\bar{z}_3 = \bar{d}_3 + y_{15}$ $x_6x_{15} = 4y_{15} + b_6 + 2c_9 + d_3 + c_3$

Step 13. Repeatedly considering the associativity of basis elements, we can come to new equations. Since the process is trivial and repeated, the concrete process are omitted and corresponce between associativity of basis elements and new equations are listed in following table. Occasionally we need check the inner products based on the old and new equations to obtain more new equation, at this moment, an explanation is given:

associativity checked or inner products	new equations
$(b_3c_3)\bar{d}_3 = b_3(c_3\bar{d}_3)$	$d_3s_6 = \bar{z}_3 + x_{15}$
$(b_3c_3)y_3 = b_3(c_3y_3)$	$y_3s_6 = c_8 + x_{10}$
$(b_3c_3)z_3 = (b_3z_3)c_3$	$z_3s_6 = \bar{d}_3 + y_{15}$
$(b_3c_3)\bar{z}_3 = b_3(c_3\bar{z}_3)$	$\bar{z}_3s_6 = d_3 + \bar{y}_{15}$
$(b_3c_3)s_6 = b_3(c_3s_6)$	$s_6^2 = 1 + b_5 + c_5 + b_8 + c_8 + x_9$
$(b_3c_3)b_9 = b_3(c_3b_9)$	$b_9s_6 = \bar{b}_6 + 2\bar{c}_9 + 2\bar{y}_{15}$
$(b_3c_3)x_{15} = b_3(c_3x_{15})$	$s_6x_{15} = \bar{c}_3 + d_3 + \bar{b}_6 + 2\bar{c}_9 + 4\bar{y}_{15}$
$(b_3c_3)t_{15} = b_3(c_3t_{15})$	$s_6t_{15} = b_5 + c_5 + 2b_8 + 2c_8 + 2x_9 + 3x_{10}$
$(b_3c_3)d_9 = b_3(c_3d_9)$	$s_6d_9 = b_5 + c_5 + 2x_9 + b_8 + c_8 + x_{10}$
$(b_3c_3)x_{10} = b_3(c_3x_{10})$	$s_6x_{10} = r_3 + y_3 + d_9 + 3t_{15}$
$(b_3c_3)b_5 = b_3(c_3b_5)$	$s_6b_5 = s_6 + d_9 + t_{15}$
$(b_3c_3)c_5 = b_3(c_3c_5)$	$s_6c_5 = s_6 + t_{15} + d_9$
$(b_3c_3)c_8 = b_3(c_3c_8)$	$s_6c_8 = y_3 + s_6 + d_9 + 2t_{15}$
$(b_3c_3)x_9 = b_3(c_3x_9)$	$s_6x_9 = s_6 + 2d_9 + 2t_{15}$
$(b_3c_3)c_9 = b_3(c_3c_9)$	$s_6c_9 = \bar{x}_6 + 2\bar{b}_9 + 2\bar{x}_{15}$
$(s_6b_3,\ \bar{y}_{15}) = 1$	
$(s_6b_9,\ \bar{y}_{15}) = 2,\ (s_6x_{15},\ \bar{y}_{15}) = 4$	
$(s_6\bar{z}_3,\ \bar{y}_{15}) = (s_6x_6,\ \bar{y}_{15}) = 1$	$s_6y_{15} = 2\bar{b}_9 + 4\bar{x}_{15} + z_3 + \bar{x}_6 + \bar{b}_3$

associativity checked or inner products	new equations
$(b_3d_3)b_9 = d_3(b_3b_9)$	$b_9\bar{b}_9 = 1 + b_5 + c_5 + 2b_8 + 2c_8 + 2x_9 + 2x_{10}$
$(b_3d_3)\bar{b}_9 = d_3(b_3\bar{b}_9)$	$b_9^2 = \bar{d}_3 + c_3 + 2b_6 + 2c_9 + 3y_{15}$
$(b_3d_3)\bar{x}_{15} = d_3(b_3\bar{x}_{15})$	$b_9x_{15} = 6y_{15} + 3c_9 + \bar{d}_3 + 2b_6 + c_3$
$(b_3d_3)x_{15} = d_3(b_3x_{15})$	$b_9\bar{x}_{15} = 2b_5 + 2c_5 + 3c_8 + 3b_8 + 4x_{10} + 3x_9$
$(b_3d_3)t_{15} = d_3(b_3t_{15})$	$b_9t_{15} = d_3 + \bar{c}_3 + 6\bar{y}_{15} + 3\bar{c}_9 + 2\bar{b}_6$
$(b_3d_3)d_9 = d_3(b_3d_9)$	$b_9d_9 = \bar{c}_3 + d_3 + 2\bar{b}_6 + 2\bar{c}_9 + 3\bar{y}_{15}$
$(b_3d_3)y_3 = d_3(b_3y_3)$	$b_9y_3 = \bar{c}_3 + \bar{y}_{15} + \bar{c}_9$
$(b_3d_3)z_3 = d_3(b_3z_3)$	$b_9\bar{z}_3 = c_9 + c_3 + y_{15}$
$(b_3d_3)\bar{z}_3 = d_3(b_3\bar{z}_3)$	$b_9z_3 = b_8 + x_9 + x_{10}$
$(b_3d_3)x_{10} = b_3(d_3x_{10})$	$b_9x_{10} = \bar{z}_3 + b_3 + 2b_9 + x_6 + 4x_{15}$
$(b_3d_3)b_5 = b_3(d_3b_5)$	$\bar{b}_9c_9 = b_3 + \bar{z}_3 + 2x_6 + 3x_{15} + 2b_9$
$(b_3d_3)c_5 = b_3(d_3c_5)$	$b_9c_9 = r_3 + y_3 + 2s_6 + 2d_9 + 3t_{15}$
$(b_3d_3)b_6 = b_3(d_3b_6)$	$\bar{b}_9b_6 = 2b_9 + 2x_{15} + x_6$
$(b_3d_3)c_8 = b_3(d_3c_8)$	$\bar{b}_9y_{15} = 6x_{15} + b_3 + \bar{z}_3 + 2x_6 + 3b_9$
$(b_3d_3)x_9 = b_3(d_3x_9)$	$\bar{b}_9x_9 = 2\bar{b}_9 + 3\bar{x}_{15} + z_3 + \bar{b}_3 + 2\bar{x}_6$
$(b_3d_3)\bar{y}_{15} = b_3(d_3\bar{y}_{15})$	$\bar{b}_9\bar{y}_{15} = r_3 + y_3 + 2s_6 + 6t_{15} + 3d_9$
$(b_3d_3)d_3 = b_3(d_3^2)$	$\bar{b}_9d_3 = r_3 + t_{15} + d_9$
$(b_3d_3)c_3 = b_3(d_3c_3)$	$\bar{b}_9c_3 = \bar{z}_3 + b_9 + x_{15}$
$(b_3d_3)\bar{d}_3 = b_3(d_3\bar{d}_3)$	$b_9d_3 = \bar{b}_3 + \bar{b}_9 + \bar{x}_{15}$
$(b_3d_3)c_3 = b_3(d_3c_3)$	$b_9\bar{c}_3 = z_3 + \bar{b}_9 + \bar{x}_{15}$

associativity checked or inner products	new equations
$(b_3b_5)x_{15} = (b_3x_{15})b_5$	$x_{15}^2 = 2c_3 + 2\bar{d}_3 + 4b_6 + 6c_9 + 9y_{15}$
$(b_3b_5)\bar{x}_{15} = (b_3\bar{x}_{15})b_5$	$x_{15}\bar{x}_{15} = 1 + 6x_9 + 3b_5 + 3c_5 + 5b_8 +$ $+ 5c_8 + 6x_{10}$
$(b_3b_5)t_{15} = (b_3t_{15})b_5$	$x_{15}t_{15} = 4\bar{b}_6 + 6\bar{c}_9 + 9\bar{y}_{15} +$ $+ 2\bar{c}_3 + 2d_3$
$(b_3b_5)d_9 = (b_3d_9)b_5$	$x_{15}d_9 = \bar{c}_3 + d_3 + 2\bar{b}_6 + 3\bar{c}_9 + 6\bar{y}_{15}$
$(b_3b_5)z_3 = (b_3z_3)b_5$	$x_{15}z_3 = b_5 + c_5 + b_8 + c_8 + x_9 + x_{10}$
$(b_3b_5)b_5 = b_3b_5^2$	$x_{15}b_5 = \bar{z}_3 + b_3 + x_6 + 2b_9 + 3x_{15}$
$(b_3b_5)x_{10} = (b_3x_{10})b_5$	$x_{15}x_{10} = b_3 + \bar{z}_3 + 3x_6 + 4b_9 + 6x_{15}$
$(b_3b_5)c_5 = (b_5c_5)b_3$	$x_{15}c_5 = b_3 + \bar{z}_3 + x_6 + 2b_9 + 3x_{15}$
$(b_3b_5)c_8 = (b_5c_8)b_3$	$x_{15}c_8 = b_3 + \bar{z}_3 + 2x_6 + 3b_9 + 5x_{15}$
$(b_3b_5)x_9 = (b_5x_9)b_3$	$x_{15}x_9 = b_3 + \bar{z}_3 + 2x_6 + 3b_9 + 6x_{15}$
$(b_3b_5)d_3 = (b_5d_3)b_3$	$x_{15}d_3 = \bar{x}_6 + 2\bar{x}_{15} + \bar{b}_9$
$(b_3b_5)\bar{d}_3 = (b_5\bar{d}_3)b_3$	$x_{15}d_3 = s_6 + d_9 + 2t_{15}$
$(b_3b_5)c_9 = (b_5c_9)b_3$	$x_{15}c_9 = r_3 + y_3 + 2s_6 + 6t_{15} + 3d_9$
$(b_3b_5)\bar{c}_9 = (b_5\bar{c}_9)b_3$	$x_{15}\bar{b}_9 = \bar{b}_3 + z_3 + 2\bar{x}_6 + 3\bar{b}_9 + 6\bar{x}_{15}$
$(b_3b_5)\bar{b}_6 = (b_5\bar{b}_6)b_3$	$x_{15}\bar{b}_6 = \bar{b}_3 + z_3 + 2\bar{b}_9 + 4\bar{x}_{15} + \bar{x}_6$
$(b_3b_5)y_{15} = (b_5y_{15})b_3$	$x_{15}y_{15} = 2y_3 + 2r_3 + 4s_6 + 6d_9 + 9t_{15}$

associativity checked or inner products	new equations
$(b_3b_6)t_{15} = (b_3t_{15})b_6$	$t_{15}^2 = 1 + 5b_8 + 5c_8 + 3b_5 + 3c_5 + 6x_{10} + 6x_9$
$(b_3b_6)d_9 = (b_3d_9)b_6$	$d_9t_{15} = 2b_5 + 2c_5 + 3b_8 + 3c_8 + 3x_9 + 4x_{10}$
$(b_3b_6)y_3 = (b_3y_3)b_6$	$y_3t_{15} = b_5 + c_5 + b_8 + c_8 + x_9 + x_{10}$
$(b_3b_6)z_3 = (b_3z_3)b_6$	$z_3t_{15} = b_6 + c_9 + 2y_{15}$
$(b_3b_6)x_{10} = (b_6x_{10})b_3$	$t_{15}x_{10} = r_3 + y_3 + 4d_9 + 3s_6 + 6t_{15}$
$(b_3b_6)b_5 = (b_6b_5)b_3$	$t_{15}b_5 = r_3 + y_3 + s_6 + 2d_9 + 3t_{15}$
$(b_3b_6)c_5 = (b_6c_5)b_3$	$t_{15}c_5 = r_3 + y_3 + s_6 + 2d_9 + 3t_{15}$
$(b_3b_6)c_8 = (b_6c_8)b_3$	$t_{15}c_8 = r_3 + y_3 + 2s_6 + 3d_9 + 5t_{15}$
$(b_3b_6)x_9 = (b_6x_9)b_3$	$t_{15}x_9 = r_3 + y_3 + 3d_9 + 2s_6 + 6t_{15}$
$(b_3b_6)d_3 = (b_6d_3)b_3$	$t_{15}d_3 = x_6 + b_9 + 2x_{15}$
$(b_3b_6)c_9 = (b_6c_9)b_3$	$t_{15}c_9 = \bar{b}_3 + z_3 + 3\bar{b}_9 + 2\bar{x}_6 + 6\bar{x}_{15}$
$(b_3b_6)b_6 = b_3b_6^2$	$t_{15}b_6 = \bar{b}_3 + z_3 + \bar{x}_6 + 2\bar{b}_9 + 4\bar{x}_{15}$
$(b_3b_6)y_{15} = (b_6y_{15})b_3$	$t_{15}y_{15} = 2\bar{b}_3 + 2z_3 + 4\bar{x}_6 + 6\bar{b}_9 + 9\bar{x}_{15}$

associativity checked or inner products	new equations
$(b_3\bar{d}_3)d_9 = (b_3d_9)\bar{d}_3$	$d_9^2 = 1 + b_5 + c_5 + 2b_8 + 2c_8 + 2x_9 + 2x_{10}$
$(b_3\bar{d}_3)x_{10} = (b_3x_{10})\bar{d}_3$	$d_9x_{10} = y_3 + r_3 + s_6 + 2d_9 + 4t_{15}$
$(b_3\bar{d}_3)b_5 = (b_3b_5)\bar{d}_3$	$d_9b_5 = s_6 + d_9 + 2t_{15}$
$(b_3\bar{d}_3)c_5 = (b_3c_5)\bar{d}_3$	$d_9c_5 = s_6 + d_9 + 2t_{15}$
$(b_3\bar{d}_3)c_8 = (b_3c_8)\bar{d}_3$	$d_9c_8 = r_3 + s_6 + 2d_9 + 3t_{15}$
$(b_3\bar{d}_3)d_3 = (b_3d_3)\bar{d}_3$	$d_9d_3 = b_3 + b_9 + x_{15}$
$(b_3\bar{d}_3)c_9 = (b_3c_9)\bar{d}_3$	$d_9c_9 = b_3 + z_3 + 2\bar{x}_6 + 2\bar{b}_9 + 3\bar{x}_{15}$
$(b_3\bar{d}_3)y_{15} = (b_3y_{15})\bar{d}_3$	$d_9y_{15} = \bar{b}_3 + z_3 + 2\bar{x}_6 + 3\bar{b}_9 + 6\bar{x}_{15}$
$(b_3\bar{d}_3)x_9 = (\bar{d}_3x_9)b_3$	$d_9x_9 = r_3 + y_3 + 2s_6 + 2d_9 + 3t_{15}$

associativity checked or inner products	new equations
$(x_6d_3)z_3 = (z_3x_6)d_3$	$z_3^2 = d_3 + \bar{b}_6$
$(x_6d_3)\bar{z}_3 = (\bar{z}_3x_6)d_3$	$z_3\bar{z}_3 = 1 + b_8$
$(x_6\bar{d}_3)z_3 = (y_3x_6)\bar{d}_3$	$y_3^2 = 1 + c_8$
$(x_6d_3)y_3 = (y_3x_6)d_3$	$y_3z_3 = \bar{d}_3 + b_6$
$(x_6d_3)\bar{d}_3 = (d_3\bar{d}_3)x_6$	$z_3\bar{d}_3 = \bar{z}_3 + x_6$
$(x_6d_3)\bar{c}_9 = (d_3\bar{c}_9)x_6$	$z_3\bar{c}_9 = r_3 + d_9 + t_{15}$
$(x_6d_3)\bar{b}_6 = (d_3\bar{b}_6)x_6$	$z_3\bar{b}_6 = y_3 + t_{15}$
$(x_6d_3)b_6 = (d_3b_6)x_6$	$z_3b_6 = \bar{z}_3 + x_{15}$

associativity checked or inner products	new equations
$(r_3x_{10},\ s_6)=(s_6b_8,\ r_3)=1$	$r_3s_6=x_{10}+b_8$
$(d_9y_{15},\ \bar{x}_6)=2,\ (d_9b_6,\ \bar{x}_6)=1,\ (d_9c_9,\bar{x}_6)=2$	$x_6d_9=\bar{b}_6+2\bar{y}_{15}+2\bar{c}_9$
$(x_6y_3,\ d_3)=(x_6t_{15},\ d_3)=1$	$x_6\bar{d}_3=y_3+t_{15}$
$(r_3c_3)\bar{d}_3=r_3(c_3\bar{d}_3)$	$x_6d_3=z_3+\bar{x}_{15}$
$(\bar{x}_6b_6,\ b_9)=1,\ (\bar{b}_9y_{15},\ x_6)=(\bar{b}_9c_9,\ x_6)=2$	$x_6b_9=b_6+2y_{15}+2c_9$
$(x_6\bar{b}_9,\ x_9)=(x_6\bar{x}_{15},\ x_9)=2,\ (x_6\bar{x}_6,\ x_9)=1$	$x_6x_9=2b_9+x_6+2x_{15}$
$(b_9\bar{b}_9,\ c_8)=2,\ (b_9\bar{x}_{15},\ c_8)=1,\ (x_6c_8,\ b_9)=1$	$b_9c_8=2b_9+3x_{15}+x_6+b_3$
$(b_9\bar{b}_9,\ b_8)=2,\ (b_9\bar{x}_{15},\ b_8)=3,$	
$(b_9z_3,\ b_8)=(x_6b_8,\ b_9)=1$	$b_9b_8=2b_9+3x_{15}+\bar{z}_3+x_6$
$(b_9\bar{b}_9,\ c_5)=(x_6c_5,\ b_9)=1,\ (b_9\bar{x}_{15},c_5)=2$	$c_5b_9=b_9+2x_{15}+x_6$
$(x_{15}c_9,\ y_3)=(x_{15}b_6,\ y_3)=1,\ (x_{15}y_{15},\ y_3)=2$	$x_{15}y_3=\bar{b}_6+\bar{c}_9+2\bar{y}_{15}$
$(b_3b_5)\bar{z}_3=(b_3\bar{z}_3)b_5$	$x_{15}\bar{z}_3=b_6+c_9+2y_{15}$
$(b_3b_5)\bar{d}_3=(b_5\bar{d}_3)b_3$	$x_{15}\bar{d}_3=s_6+2t_{15}+d_9$
$(b_3b_5)\bar{c}_9=(b_5\bar{c}_9)b_3$	$x_{15}\bar{c}_9=\bar{b}_3+z_3+3\bar{b}_9+2\bar{x}_6+6\bar{x}_{15}$
$(b_3b_5)y_{15}=(b_5y_{15})b_3$	$x_{15}\bar{y}_{15}=9\bar{x}_{15}+2z_3+2\bar{b}_3+4\bar{x}_6+6\bar{b}_9$
$(x_6t_{15},\ c_3)=(b_9t_{15},\bar{c}_3)=1,\ (x_{15}t_{15},\ \bar{c}_3)=2$	$t_{15}c_3=\bar{x}_6+\bar{b}_9+2\bar{x}_{15}$
$(d_9b_8,\ y_3)=(d_9x_{10},\ y_3)=(d_9x_9,\ y_3)=1$	$d_9y_3=x_9+b_8+x_{10}$
$(d_9y_{15},\ z_3)=(d_9c_3,\ z_3)=(d_9c_9,\ z_3)=1$	$d_9z_3=c_3+c_9+y_{15}$

associativity checked or inner products	new equations
$(b_3\bar{b}_3)d_9 = (b_3d_9)\bar{b}_3$	$d_9b_8 = y_3 + s_6 + 2d_9 + 3t_{15}$
$(b_9d_9,\ \bar{c}_3) = (d_9z_3,\ c_3) = (x_{15}d_9,\ \bar{c}_3) = 1$	$d_9c_3 = \bar{b}_9 + z_3 + \bar{x}_{15}$
$(d_9b_8,\ y_3) = (t_{15}b_8,\ y_3) = 1$	$y_3b_8 = d_9 + t_{15}$
$(s_6x_{10},\ y_3) = (t_{15}x_{10},\ y_3) = (d_9x_{10},\ y_3) = 1$	$y_3x_{10} = s_6 + t_{15} + d_9$
$(t_{15}y_3,\ b_5) = 1$	$y_3b_5 = t_{15}$
$(t_{15}y_3,\ c_5) = 1$	$y_3c_5 = t_{15}$
$(t_{15}y_3,\ c_8) = (s_6y_3,\ c_8) = (y_3c_8,\ y_3) = 1$	$y_3c_8 = s_6 + t_{15} + y_3$
$(t_{15}y_3,\ x_9) = (d_9y_3,\ x_9) = (r_3y_3,\ x_9) = 1$	$y_3x_9 = t_{15} + d_9 + r_3$
$(b_9y_3,\ \bar{c}_3) = 1$	$y_3c_3 = \bar{b}_9$
$(b_9y_3,\ \bar{d}_3) = 1$	$y_3d_3 = \bar{b}_9$
$(b_3y_3,\ c_9) = (b_9c_9,\ y_3) = (x_{15}c_9,\ y_3) = 1$	$y_3c_9 = \bar{b}_3 + \bar{b}_9 + \bar{x}_{15}$
$(x_{15}y_3,\ b_6) = (y_3z_3,\ b_6) = 1$	$y_3b_6 = \bar{x}_{15} + z_3$
$(x_6y_3,\ \bar{y}_{15}) = (b_9y_3,\ \bar{y}_{15}) = 1,\ (x_{15}y_3,\ \bar{y}_{15}) = 2$	$y_3y_{15} = \bar{x}_6 + \bar{b}_9 + 2\bar{x}_{15}$
$(x_6x_{10},\ z_3) = (b_9x_{10},\ z_3) = (x_{15}x_{10},\ z_3) = 1$	$z_3x_{10} = \bar{x}_6 + \bar{b}_9 + \bar{x}_{15}$
$(x_{15}b_5,\ z_3) = 1$	$z_3b_5 = \bar{x}_{15}$
$(x_{15}c_5,\ z_3) = 1$	$z_3c_5 = \bar{x}_{15}$
$(x_6c_8,\ z_3) = (x_{15}c_8,\ z_3) = (z_3\bar{z}_3,\ c_8) = 1$	$z_3c_8 = \bar{x}_6 + \bar{x}_{15} + z_3$
$(b_3x_9,\ z_3) = (b_9x_9,\ z_3) = (x_{15}x_9,\ z_3) = 1$	$z_3x_9 = \bar{b}_3 + \bar{b}_9 + \bar{x}_{15}$
$(b_9c_3,\ z_3) = 1$	$z_3c_3 = b_9$
$(s_6\bar{d}_3,\ z_3) = (d_3y_3,\ \bar{z}_3) = 1$	$z_3d_3 = s_6 + y_3$
$(\bar{b}_3c_9,\ \bar{z}_3) = (\bar{b}_9c_9,\ \bar{z}_3) = (x_{15}\bar{c}_9,\ z_3) = 1$	$z_3y_{15} = b_3 + b_9 + x_{15}$
$(x_6\bar{y}_{15},\ z_3) = (b_9\bar{y}_{15},\ z_3) = 1,\ (x_{15}\bar{y}_{15},\ z_3) = 2$	$z_3y_{15} = x_6 + b_9 + 2x_{15}$
$(s_6y_{15},\ z_3) = (d_9y_{15},\ z_3) = 1,\ (t_{15}y_{15},\ z_3) = 2$	$z_3\bar{y}_{15} = s_6 + 2t_{15} + d_9$

8 Structure of NITA generated by b_3 and satisfying $b_3^2 = c_3 + b_6$, $c_3 \neq b_3,\ \overline{b}_3$, $(b_3b_8,\ b_3b_8) = 3$ and c_3 real

In this section we discuss NITA satisfying the following hypothesis.

Hypothesis 8.1. *Let $(A,\ B)$ be NITA generated by a non-real element $b_3 \in B$ of degree 3 and without non-identity basis element of degree 1 or 2, such that :*

$$\overline{b}_3b_3 = 1 + b_8$$

and

$$b_3^2 = c_3 + b_6,\ c_3 = \overline{c}_3$$

where $b_i,\ c_i,\ d_i \in B$ are of degree i.

Lemma 8.1. *Let $(A,\ B)$ satisfy Hypothesis 8.1, then*

1) $c_3^2 = 1 + b_8$,
2) $\overline{b}_3c_3 = b_3 + x_6,\ x_6 \neq \overline{x}_6 \in B$,
3) $b_8b_3 = x_6 + b_6\overline{b}_3$,
4) $b_8 + b_8^2 = c_3\overline{b}_6 + b_6c_3 + b_6\overline{b}_6$,
5) $\overline{b}_6c_3 = x_6\overline{b}_3$,
6) $c_3b_8 = b_6 + x_6b_3$,
7) $(b_8b_3,\ b_8b_3) = 3,\ 4$.

Proof. : By **Hypothesis 8.1**, we have $(\overline{b}_3\overline{c}_3,\ b_3) = (c_3,\ b_3^2) = 1$. So $(\overline{b}_3\overline{b}_3,\ c_3^2) = (\overline{b}_3c_3,\ \overline{b}_3c_3) \geq 2$, hence

$$c_3^2 = 1 + b_8. \tag{1}$$

Further we have

$$\overline{b}_3c_3 = b_3 + x_6. \tag{2}$$

If $x_6 = \bar{x}_6$, then $1 = (\overline{b}_3c_3,\ b_3c_3) = (c_3^2,\ b_3^2)$, a contradiction to **Hypothesis 8.1**. By the associative law $(\overline{b}_3b_3)b_3 = \overline{b}_3b_3^2$ and **Hypothesis 8.1**, one concludes that $b_3 + b_8b_3 = c_3\overline{b}_3 + b_6\overline{b}_3$. So $b_8b_3 = x_6 + b_6\overline{b}_3$ holds by (2). By the associative law $(\overline{b}_3 b_3)^2 = \overline{b}_3^2 b_3^2$ and **Hypothesis 8.1** and (1), we see that

$$\begin{aligned}
1 + 2b_8 + b_8^2 &= (c_3 + \overline{b}_6)(c_3 + b_6), \\
1 + 2b_8 + b_8^2 &= c_3^2 + c_3 b_6 + \overline{b}_6 c_3 + \overline{b}_6 b_6, \\
b_8^2 + b_8 &= c_3 b_6 + \overline{b}_6 c_3 + \overline{b}_6 b_6.
\end{aligned}$$

By the association law $(\overline{b}_6 b_3) b_3 = \overline{b}_3 b_3^2$ and **Hypothesis 8.1** and (2), it holds that $b_3 + b_8 b_3 = c_3 \overline{b}_3 + b_6 \overline{b}_3$, hence

$$b_8 b_3 = x_6 + b_6 \overline{b}_3. \tag{3}$$

By **Hypothesis 8.1** , $(b_6 \overline{b}_3,\ b_3) = (b_6,\ b_3^2) = 1$, so by (3)

$$(b_8 b_3,\ b_8 b_3) \geq 3,$$

we shall show that $(b_8 b_3,\ b_8 b_3) = 3,\ 4$. By the associative law and **Hypothesis 8.1** and equations (1) and (2), we have that $(\overline{b}_3^2) c_3 = \overline{b}_3(\overline{b}_3 c_3)$, $c_3^2 + \overline{b}_6 c_3 = b_3 \overline{b}_3 + x_6 \overline{b}_3$, thus

$$\overline{b}_6 c_3 = x_6 \overline{b}_3. \tag{4}$$

By (3), $(x_6 \overline{b}_3,\ b_8) = (x_6,\ b_3 b_8) = 1$ holds. So $(x_6 \overline{b}_3,\ x_6 \overline{b}_3) \geq 2$. We shall show that $(x_6 \overline{b}_3,\ x_6 \overline{b}_3) = 2,\ 3$. If $(x_6 \overline{b}_3,\ x_6 \overline{b}_3) = 4$, then $x_6 \overline{b}_3 = b_8 + g_3 + w_3 + v_4$, hence

$$b_3 g_3 = x_6 + w_3,\ b_3 w_3 = x_6 + k_3,\ b_3 v_4 = x_6 + z_6.$$

Therefore $1 \leq (b_3 g_3,\ b_3 w_3) = (b_3 \overline{b}_3,\ \bar{g}_3 w_3)$. We come to $w_3 = g_3$ by **Hypothesis 8.1**, hence $2 = (x_6 \overline{b}_3,\ w_3) = (x_6,\ b_3 w_3)$, so that $b_3 w_3 = 2x_6$, a contradiction by (4). Now we can announce that $(\overline{b}_6 c_3,\ \overline{b}_6 c_3) = (\overline{b}_6 b_6,\ c_3^2) = 2,\ 3$. By (1), it follows that $(\overline{b}_6 b_6,\ b_3 \overline{b}_3) = (b_6 \overline{b}_3,\ b_6 \overline{b}_3) = 2$ or 3. Therefore $(b_8 b_3,\ b_8 b_3) = 3,\ 4$ by (3).

By the associative law $(\bar{b}_3 c_3) b_3 = c_3(\overline{b}_3 b_3)$ and **Hypothesis 8.1**, we get $b_3^2 + x_6 b_3 = c_3 + c_3 b_8$ and $c_3 b_8 = b_6 + x_6 b_3$. □

Lemma 8.2. *Let* $(A,\ B)$ *satisfy* **Hypothesis 8.1** *and* $(b_8 b_3,\ b_8 b_3) = 3$, *then we get:*

1) $b_6 \overline{b}_3 = b_3 + x_{15}$, *2)* $b_8b_3 = x_6 + b_3 + x_{15},\ x_6 \neq \overline{x}_6,$

3) $\overline{x}_6b_3 = b_8 + x_{10} = b_6c_3,\ x_6 \neq b_6,\ x_{10} = \overline{x}_{10},$

4) $x_6c_3 = \overline{b}_3 + \overline{x}_{15},$

5) $b_3x_6 = c_3 + y_{15},$

6) $b_8c_3 = b_6 + c_3 + y_{15},\ b_6 = \overline{b}_6,\ y_{15} = \overline{y}_{15}.$

Proof. By our assumption in this lemma and part 3) in **Lemma 8.1**, and **Hypothesis 8.1**:

$$b_6\overline{b}_3 = b_3 + x_{15}, \tag{1}$$

then

$$b_8b_3 = x_6 + b_3 + x_{15}$$

by (1),

$$(b_6\overline{b}_6,\ b_3\overline{b}_3) = (b_6\overline{b}_3,\ b_6\overline{b}_3) = 2,$$

then by 1) in **Lemma 8.1**,

$$2 = (b_6\overline{b}_6,\ c_3^2) = (\overline{b}_6c_3,\ \overline{b}_6c_3). \tag{2}$$

By 6) in **Lemma 8.1**,

$$(\overline{b}_6c_3,\ b_8) = (c_3b_8,\ b_6) = 1,$$

so by (2)

$$\overline{b}_6c_3 = b_8 + x_{10}. \tag{3}$$

so by 5) in **Lemma 8.1**

$$x_6\overline{b}_3 = b_8 + x_{10}, \tag{4}$$

so by (1) we get that $x_6 \neq b_6$. By the associative law $(c_3^2)\overline{b}_3 = (c_3\overline{b}_3)c_3$ and 1), 2) in **Lemma 8.1** and (2) , it follows that

$$\begin{aligned} \overline{b}_3 + \overline{b}_3b_8 &= b_3c_3 + x_6c_3, \\ \overline{b}_3 + \overline{x}_6 + \overline{b}_3 + \overline{x}_{15} &= \overline{b}_3 + \overline{x}_6 + x_6c_3, \end{aligned}$$

so

$$x_6c_3 = \overline{b}_3 + \overline{x}_{15}, \tag{5}$$

By (4) and 2) in **Lemma 8.1**

$$2=(\overline{x}_6b_3,\ x_6b_3)=(x_6b_3,\ x_6b_3),\ (b_3x_6,\ c_3)=(x_6,\ \overline{b}_3c_3)=1.$$

Therefore

$$b_3x_6=c_3+y_{15}. \tag{6}$$

By the associative law $(b_3\overline{b}_3)c_3=(\overline{b}_3c_3)b_3$ and 2) in **Lemma 8.1** and **Hypothesis 8.1**, one has

$$\begin{aligned} c_3+b_8c_3 &= b_3^2+x_6b_3,\\ c_3+b_8c_3 &= c_3+b_6+c_3+y_{15},\\ b_8c_3 &= b_6+c_3+y_{15}. \end{aligned}$$

$b_8,\ c_3$ are reals , then

$$b_6=\overline{b}_6,\ y_{15}=\overline{y}_{15}.$$

By (3), we have $x_{10}=\overline{x}_{10}$. □

Lemma 8.3. *Let* $(A,\ B)$ *satisfy* **Hypothesis 8.1** *and* $(b_8b_3,\ b_8b_3)=3$, *then* **Lemma 8.2** *hold and we get :*

1) $x_{10}b_3=x_{15}+x_6+x_9,\ x_{10}=\overline{x}_{10}$,
2) $x_6b_8=2x_{15}+b_3+x_6+x_9$,
3) $\overline{x}_{15}c_3=2x_{15}+x_6+x_9$,
4) $y_{15}\overline{b}_3=2x_{15}+x_6+x_9$,
5) $x_6b_6=2\overline{x}_6+\overline{x}_{15}+\overline{x}_9$,
6) $c_3x_{10}=b_6+y_{15}+y_9$,
7) $x_6^2=2b_6+y_{15}+y_9$,
8) $x_{15}b_3=2y_{15}+b_6+y_9$,
9) $b_8b_6=2y_{15}+b_6+c_3+y_9,\ y_9=\overline{y}_9$,
10) $b_8x_{15}=4x_{15}+2x_6+2x_9+b_3+y_9\overline{b}_3$.

Proof. By the associative law $(b_3^2)b_6=(b_3b_6)b_3$ and **Hypothesis 8.1** and 1), 3) in **Lemma 8.2**, we get

$$\begin{aligned} c_3b_6+b_6^2 &= \overline{b}_3b_3+\overline{x}_{15}b_3,\\ b_8+x_{10}+b_6^2 &= 1+b_8+\overline{x}_{15}b_3, \end{aligned}$$

Hence

$$x_{10} + b_6^2 = 1 + \overline{x}_{15} b_3. \tag{1}$$

By 3) in **Lemma 8.2** ,

$$(b_3 x_{10},\ x_6) = (x_{10},\ \overline{b}_3 x_6) = 1,$$

hence by (1),

$$(x_{10} b_3,\ x_{15}) = (b_3 \overline{x}_{15},\ x_{10}) = 1,$$

So

$$x_{10} b_3 = x_{15} + x_6 + x_9,$$

where x_9 is linear combination of B. we shall show that $x_9 \in B$. If $x_{10} b_3$ have element of degree 3 , then

$$1 = (x_{10} b_3,\ y_3) = (x_{10},\ \overline{b}_3 y_3),$$

hence $\overline{b}_3 y_3 = x_{10}$, a contradiction. So

$$x_{10} b_3 = x_{15} + x_6 + x_9, \tag{2}$$

where $x_9 \in B$. By the associative law and **Hypothesis 8.1** and 2), 3) in **Lemma 8.2**, we get

$$\begin{array}{rcl} (b_3 \overline{x}_6)\overline{b}_3 & = & \overline{x}_6 (b_3 \overline{b}_3), \\ b_8 \overline{b}_3 + x_{10} \overline{b}_3 & = & \overline{x}_6 + \overline{x}_6 b_8, \\ \overline{x}_6 + \overline{x}_6 b_8 & = & \overline{x}_6 + \overline{b}_3 + \overline{x}_{15} + \overline{x}_{15} + \overline{x}_6 + \overline{x}_9, \end{array}$$

Hence

$$\overline{x}_6 b_8 = 2\overline{x}_{15} + \overline{b}_3 + \overline{x}_6 + \overline{x}_9. \tag{3}$$

By the associative law $(\bar{b}_3 c_3) b_8 = \bar{b}_3 (b_8 c_3)$ and 1), 2), 6) in **Lemma 8.2** and 2) in **Lemma 8.1**, we come to

$$\begin{array}{rcl} b_3 b_8 + x_6 b_8 & = & b_6 \bar{b}_3 + c_3 \bar{b}_3 + y_{15} \bar{b}_3, \\ x_6 + b_3 + x_{15} + 2x_{15} + b_3 + x_6 + x_9 & = & b_3 + x_{15} + b_3 + x_6 + y_{15} \bar{b}_3, \end{array}$$

So

$$y_{15}\bar{b}_3 = 2x_{15} + x_6 + x_9. \tag{4}$$

By the associative $(\bar{b}_3 c_3)b_8 = (\bar{b}_3 b_8)c_3$ and 1), 2), 6) in **Lemma 8.2** and in **Lemma 8.1** and (3), the following equations hold:

$$\begin{aligned} b_3 b_8 + x_6 b_8 &= \overline{x}_6 c_3 + \bar{b}_3 c_3 + \overline{x}_{15} c_3, \\ x_6 + b_3 + x_{15} + 2x_{15} + b_3 + x_6 + x_9 &= b_3 + x_{15} + b_3 + x_6 + \overline{x}_{15} c_3, \end{aligned}$$

So

$$\overline{x}_{15} c_3 = 2x_{15} + x_6 + x_9. \tag{5}$$

By the associative law $(\bar{b}_3 c_3)b_6 = c_3(\bar{b}_3 b_6)$ and 2) in **Lemma 8.1** and 1) in **Lemma 8.2** and (5), one should have

$$\begin{aligned} b_3 b_6 + x_6 b_6 &= b_3 c_3 + x_{15} c_3, \\ \bar{b}_3 + \overline{x}_{15} + x_6 b_6 &= \bar{b}_3 + \overline{x}_6 + 2\overline{x}_{15} + \overline{x}_6 + \overline{x}_9, \\ x_6 b_6 &= 2\overline{x}_6 + \overline{x}_{15} + \overline{x}_9. \end{aligned}$$

By the associative law and 5), 4) in **Lemma 8.2** and 1) in **Lemma 8.1**, we get $(b_3 x_6)c_3 = b_3(x_6 c_3)$, $c_3^2 + y_{15} c_3 = b_3 \bar{b}_3 + b_3 \overline{x}_{15}$ and $y_{15} c_3 = b_3 \overline{x}_{15}$. Now by (2) it follows that $(\overline{x}_{15} b_5,\ x_{10}) = (b_3 x_{10},\ x_{15}) = 1$. So

$$1 = (y_{15} c_3,\ x_{10}) = (y_{15},\ c_3 x_{10}). \tag{7}$$

By 3) in **Lemma 8.2**,

$$(c_3 x_{10},\ b_6) = (c_3 b_6,\ x_{10}) = 1. \tag{8}$$

By (2) and 1) in **Lemma 8.1**, we have $(c_3 x_{10},\ c_3 x_{10}) = (c_3^2,\ x_{10}^2) = (b_3 \bar{b}_3,\ x_{10}^2) = (b_3 x_{10},\ b_3 x_{10}) = 3$. Therefore by (7) and (8), the following equation holds

$$c_3 x_{10} = b_6 + y_{15} + y_9, \tag{9}$$

where $y_9 \in B$. By the associative law and 3), 5), 6) in **Lemma 8.2** and 2) in **Lemma 8.1** and (9), we have that $(\overline{x}_6 b_3)c_3 = \overline{x}_6(b_3 c_3)$ and

$$\begin{aligned} b_8 c_3 + x_{10} c_3 &= \overline{x}_6 \bar{b}_3 + \overline{x}_6^2, \\ b_6 + c_3 + y_{15} + b_6 + y_{15} + y_9 &= c_3 + y_{15} + \overline{x}_6^2, \end{aligned}$$

so

$$x_6^2 = 2b_6 + y_{15} + y_9. \tag{10}$$

By the associative law and 3), 4) , 6) in **Lemma 8.2** and Hypothesis 8.1 and (9), we have $(\overline{x}_6 b_3)c_3 = (\overline{x}_6 c_3)b_3$, hence

$$\begin{aligned} b_8c_3 + x_{10}c_3 &= b_3^2 + x_{15}b_3, \\ b_6 + c_3 + y_{15} + b_6 + y_{15} + y_9 &= c_3 + b_6 + x_{15}b_3, \end{aligned}$$

so

$$x_{15}b_3 = 2y_{15} + b_6 + y_9. \tag{11}$$

By the associative law and 2), 5) , 6) in **Lemma 8.2** and (11) and the **Hypothesis 8.1**, $b_3(b_8b_3) = b_8(b_3^2)$ holds, which concludes

$$\begin{aligned} x_6b_3 + b_3^2 + x_{15}b_3 &= b_8c_3 + b_8b_6, \\ c_3 + y_{15} + c_3 + b_6 + 2y_{15} + b_6 + y_9 &= b_6 + c_3 + y_{15} + b_8b_6, \end{aligned}$$

so

$$b_8b_6 = 2y_{12} + b_6 + c_3 + y_9. \tag{12}$$

By the associative law and 1), 2) in **Lemma 8.2** and (4) and 2) in **Lemma 8.1** :

$$(b_6\overline{b}_3)b_8 = \overline{b}_3(b_6b_8), \;\; b_3b_8 + x_{15}b_8 = 2y_{12}\overline{b}_3 + b_6\overline{b}_3 + c_3\overline{b}_3 + y_9\overline{b}_3.$$

□

Lemma 8.4. *Let* $(A,\ B)$ *satisfy* **Hypothesis 8.1** *and* $(b_8b_3,\ b_3b_8) = 3$, *then* **Lemma 8.3** *holds and* $x_9c_3 = \bar{x}_{15} + d_3 + d_9$, $d_3 \neq c_3,\ b_3,\ \bar{b}_3$.

Proof. By 3) in **Lemma 8.3** ,

$$(c_3x_9,\ \overline{x}_{15}) = (x_9,\ c_3\overline{x}_{15}) = 1,$$

so

$$c_3x_9 = \overline{x}_{15} + \alpha, \tag{1}$$

where α is linear combination at B. We shall show that α does not have degree 4 and also two elements of degree 3. If $x_4 \in \alpha$, then $1 \leq (c_3x_9,\ x_4) = (x_9,\ c_3x_4)$, hence $1 = (x_9,\ c_3x_4)$. So

$$c_3x_4 = x_9 + m_3. \tag{2}$$

So

$$(c_3m_3,\ x_4) = (m_3,\ c_3x_4) = 1,$$

hence

$$c_3m_3 = y_4 + k_5. \tag{3}$$

Hence

$$2 = (c_3m_3,\ c_3m_3) = (c_3^2,\ \overline{m}_3m_3),$$

therefore $\overline{m}_3m_3 = 1+b_8$. So by the associative law and (3) and 6) in **Lemma 8.2**, we get $(\overline{m}_3m_3)c_3 = \overline{m}_3(m_3c_3),\ \ c_3 + c_3b_8 = y_4\overline{m}_3 + k_5\overline{m}_3$. Hence

$$2c_3 + b_6 + y_{15} = y_4\overline{m}_3 + k_5\overline{m}_3 \tag{4}$$

By (3)

$$(y_4\overline{m}_3,\ c_3) = (y_4,\ m_3c_3) = 1,\ (k_5\overline{m}_3,\ c_3) = (k_5,\ m_3c_3) = 1,$$

hence by (4) we get a contradiction. If $x_3,\ y_3 \in \alpha$, then by (1) ,

$$1 = (c_3x_9,\ x_3) = (x_9,\ c_3x_3),$$

$$1 = (c_3x_9,\ y_3) = (x_9,\ c_3y_3).$$

So

$$c_3x_3 = x_9,\ c_3y_3 = x_9,$$

hence

$$1 = (c_3x_3,\ c_3y_3) = (c_3^2,\ \overline{x}_3y_3),$$

therefore by 1) in **Lemma 8.1**, $\bar{x_3}y_3 = b_8 + 1$, so $x_3 = y_3$, then by (1) $2 = (c_3x_9,\ x_3) = (x_9,\ c_3x_3)$ a contradiction. Therefore by (1) one of following holds:

a) $\alpha = d_3 + d_9$ or b) $\alpha = d_5 + d_7$ or c) $\alpha = d_6 + k_6$ or d) $\alpha = 2d_6$ or e) $\alpha = d_{12}$.

We shall show that a) is the only possibility. Assume b) holds, then by (1) we get $c_3x_9 = \overline{x}_{15} + d_5 + d_7$. So $(c_3d_5,\ x_9) = (d_5,\ c_3x_9) = 1$, therefore $c_3d_5 = x_9 + \beta$, where $\beta = 2x_3$ or $\beta = x_3 + y_3$ or $\beta = m_6$. We shall show that this possibilities are impossible if $\beta = 2x_3$, then $c_3d_5 = x_9 + 2x_3$, therefore $(c_3x_3,\ d_5) = (x_3,\ c_3d_5) = 2$, so $c_3x_3 = 2d_5$ a contradiction. If $\beta = x_3 + y_3$, then $c_3d_5 = x_9 + x_3 + y_3$, hence $(c_3x_3,\ d_5) = (x_3,\ c_3d_5) = 1$, $(c_3y_3,\ d_5) = (y_3,\ c_3d_5) = 1$, so $1 \le (c_3x_3,\ c_3y_3) = (c_3^2,\ \overline{x}_3y_3)$, then by 1) in **Lemma 8.1** $x_3 = y_3$ a contradiction. If $\beta = m_6$, then $c_3d_5 = x_9 + m_6$, so by (1) and (6), we have $(c_3^2)d_5 = c_3(c_3d_5)$, $d_5 + b_8d_5 = x_9c_3 + m_6c_3$ and $b_8d_5 = \overline{x}_{15} + d_7 + m_6c_3$. So $(b_8x_{15},\ \overline{d}_5) = (b_8d_5,\ \overline{x}_{15}) = 1$, hence by 10) in **Lemma 8.3**: $(y_9\overline{b}_3,\ \overline{d}_5) = 1$ and by 8) in **Lemma 8.3**: $(y_9\overline{b}_3,\ x_{15}) = (y_9,\ b_3x_{15}) = 1$, so $y_9\overline{b}_3 = x_{15} + \overline{d}_5 + k_7$, where k_7 is linear combination. When $k_7 = e_3 + m_4$, then $y_9\overline{b}_3 = x_{15} + \overline{d}_5 + e_3 + t_3$, hence $(b_3m_4,\ y_9) = (m_4,\ \overline{b}_3y_9) = 1$, so $b_3m_4 = y_9 + t_3$, hence $(t_3\overline{b}_3,\ m_4) = (t_3,\ b_3m_4) = 1$, therefore

$$t_3\bar{b}_3 = m_4 + t_5, \tag{5}$$

so $2 = (t_3\overline{b}_3,\ t_3\overline{b}_3) = (t_3\overline{t}_3,\ b_3\overline{b}_3)$, so by **Hypothesis 8.1** $\bar{t}_3t_3 = 1 + b_8$, hence by the associative law and (5) we come to:

$$(\overline{t}_3t_3)b_3 = (\overline{t}_3b_3)t_3, b_3 + b_8b_3 = \overline{m}_4t_3 + \overline{t_5}t_3.$$

and by 2) in **Lemma 8.2** it follows that $2b_3 + x_6 + x_{15} = \overline{m}_4t_3 + \overline{t_5}t_3$, so $\bar{m}_4t_3 = 2b_3 + x_6$, hence $5 = (\overline{m}_4t_3,\ \overline{m}_4t_3) = (\overline{m}_4m_4,\ \overline{t}_5t_3)$, then $\overline{m}_4m_4 = 1 + 4b_8$, a contradiction. If

$$y_9\overline{b}_3 = x_{15} + \overline{d}_5 + k_7, \tag{6}$$

where $k_7 \in B$. Then $(b_3\overline{d}_5,\ y_9) = (\overline{d}_5,\ \overline{b}_3y_9) = 1$, hence $b_3\overline{d}_5 = y_9 + \gamma$, where $\gamma = v_6$ or $\gamma = v_3 + w_3$. When $b_3\overline{d}_5 = y_9 + v_3 + w_3$, then $(b_3\overline{v}_3,\ d_5) = (b_3\overline{d}_5,\ v_3) = 1$, also $(b_3\overline{m}_3,\ d_5) = 1$, so $1 \le (b_3\overline{v}_3,\ b_3\overline{m}_3) = (b_3\overline{b}_3,\ v_3\overline{m}_3)$, by **Hypothesis 8.1**, $v_3 = w_3$, then

$$2 = (b_3\overline{d}_5,\ v_3) = (\overline{d}_5,\ \overline{b}_3v_3),$$

so

$$\overline{b}_3v_3 = 2\overline{d}_5$$

a contradiction. When $b_3\bar{d}_5 = y_9 + v_6$, Then by the associative law and (6) and our assumption:

$$\begin{aligned} (b_3^2)\overline{d}_5 &= b_3(b_3\overline{d}_5), \\ \overline{d}_5c_3 + \overline{d}_5b_6 &= y_9b_3 + v_6b_3, \\ \overline{x}_9 + \overline{m}_6 + \overline{d}_5b_6 &= \overline{x}_{15} + d_5 + \overline{k}_7 + v_6b_3. \end{aligned}$$

Hence

$$v_6b_3 = \overline{x}_9 + \overline{m}_6 + t_3, \tag{7}$$

so $(t_3\overline{b}_3,\ v_6) = (t_3,\ b_3v_6) = 1$, hence $t_3\overline{b}_3 = v_6 + p_3$. Therefore $2 = (\overline{b}_3t_3,\ \overline{b}_3t_3) = (t_3\overline{t}_3,\ b_3\overline{b}_3)$, Now by the **Hypothesis 8.1** we get

$$t_3\overline{t}_3 = 1 + b_8. \tag{8}$$

Again by the associative law:

$$b_3(t_3\overline{t}_3) = t_3(b_3\overline{t}_3), b_3 + b_3b_8 = t_3\overline{v}_6 + t_3\overline{p}_3.$$

and by 2) in **Lemma 8.2** we have $2b_3 + x_6 + x_{15} = t_3\overline{v}_6 + t_3\overline{p}_3$, but $(t_3\overline{v}_6,\ b_3) = (t_3\overline{b}_3,\ v_6) = 1$, $(t_3\overline{p}_3,\ b_3) = (t_3\overline{b}_3,\ p_3) = 1$. This means $\overline{v}_6t_3 = b_3 + x_{15}$, $t_3\overline{p}_3 = b_3 + x_6$. Then by (7) and (8) it follows that $2 = (\overline{v}_6t_3,\ \overline{v}_6t_3) = (\overline{v}_6v_6,\ \overline{t}_3t_3) = (\overline{v}_6v_6,\ \overline{b}_3b_3) = (v_6b_3,\ v_6b_5) = 3$, a contradiction.

Assume c) holds , then by (1) one has that $c_3x_9 = \overline{x}_{15} + d_6 + k_6$, so $(c_3d_6,\ x_9) = (d_6,\ c_3x_9) = 1$, hence $c_3d_6 = x_9 + \gamma$, where $\gamma = m_9$ or $\gamma = m_3 + v_3 + k_3$ or $\gamma = v_3 + y_6$ or $\gamma = v_4 + v_5$ or $\gamma = 2v_3 + m_3$ or $\gamma = 3v_3$. If $\gamma = m_9$, then $c_3d_6 = x_9 + m_9$, so by the associative law and 1) in **Lemma 8.2** :

$$\begin{aligned} (c_3^2)d_6 &= (c_3d_6)c_3, \\ d_6 + d_6b_8 &= x_9c_3 + m_9c_3, \\ d_6 + d_6b_8 &= \overline{x}_{15} + d_6 + k_6 + m_9c_3, \end{aligned}$$

$$d_6b_8 = \overline{x}_{15} + k_6 + m_9c_3. \tag{9}$$

We shall that $d_6 \neq x_6,\ \overline{x}_6,\ k_6 \neq x_6,\ \overline{x}_6$. By 4) in **Lemma 8.2** and our assumption if $d_6 = x_6$, then

$$1 = (c_3x_9,\ x_6) = (x_9,\ c_3x_6) = 0,\ 1 = (c_3x_9,\ \overline{x}_6) = (c_3x_6,\ \overline{x}_9) = 0,$$

a contradiction, so $d_6 \neq x_6,\ \overline{x}_6$. in the same way $k_6 \neq x_6,\ \overline{x}_6$. By (9), $(b_8x_{15},\ \overline{d}_6) = (b_8d_6,\ \overline{x}_{15}) = 1$, in the same way $(b_8x_{15},\ \overline{k}_6) = (b_8k_6,\ \overline{x}_{15}) = 1$, then by 8), 10) in **Lemma 8.3**, $(y_9\overline{b}_3,\ x_{15}) = (y_9,\ b_3x_{15}) = 1$, $(y_9\overline{b}_3,\ \overline{d}_6) = 1$, $(y_9\overline{b}_3,\ \overline{k}_6) = 1$. So

$$y_9\overline{b}_3 = x_{15} + \overline{d}_6 + \overline{k}_6. \tag{10}$$

So by the associative law and 2) in **Lemma 8.1** :

$$\begin{array}{rcl}
(\overline{b}_3c_3)y_9 & = & c_3(\overline{b}_3y_9), \\
b_3y_9 + y_9x_6 & = & x_{15}c_3 + \overline{d}_6c_3 + \overline{k}_6c_3, \\
\overline{x}_{15} + d_6 + k_6 + y_9x_6 & = & 2\overline{x}_{15} + \overline{x}_6 + \overline{x}_9 + \overline{x}_9 + \overline{m}_9 + \overline{k}_6c_3, \\
d_6 + k_6 + y_9x_6 & = & \overline{x}_{15} + \overline{x}_6 + 2\overline{x}_9 + \overline{m}_9 + \overline{k}_6c_3.
\end{array}$$

And by 3) in **Lemma 8.3** and (10) and that $c_3d_6 = x_9 + m_9$, since $k_6,\ d_6 \neq x_6$, then $1 \leq (\overline{k}_6c_3,\ d_6) = (\overline{k}_6,\ c_3d_6)$, a contradiction to the assumption that $c_3d_6 = x_9 + m_9$. If $\gamma = m_3 + v_3 + k_3$, then $c_3d_3 = x_9 + m_3 + v_3 + k_3$, so $(c_3m_3,\ d_3) = (m_3,\ c_3d_3) = 1$, $(c_3v_3,\ d_3) = (v_3,\ c_3d_3) = 1$, hence $1 \leq (c_3m_3,\ c_3v_3) = (m_3\overline{v}_3,\ c_3^2)$, then by 1) in **Lemma 8.1** $m_3 = v_3$ a contradiction. If $\gamma = v_3 + y_6$, then $c_3d_6 = x_9 + v_3 + y_6$, so $(c_3v_3,\ d_6) = (v_3,\ c_3d_6) = 1$, hence $c_3v_3 = d_6 + t_3$, so by the associative law and 1) in **Lemma 8.1**, we get equations: $c_3^2v_3 = c_3(c_3v_3)$ and

$$v_3 + v_3b_8 = d_6c_3 + t_3c_3, v_3 + v_3b_8 = x_9 + v_3 + y_9 + t_3c_3.$$

Hence $v_3b_8 = x_9 + y_6 + t_3c_3$. Since $(t_3c_3,\ v_3) = (t_3,\ c_3v_3) = 1$, then $(v_3b_8,\ v_3b_8) \geq 4$, in other hand $2 = (c_3v_3,\ c_3v_3) = (c_3^2,\ \overline{v}_3v_3)$, so by 1) in **Lemma 8.1** : $\bar{v}_3v_3 = 1 + b_8 = \bar{b}_3b_3$, therefore $(v_3b_8,\ v_3b_8) = (b_8^2,\ v_3\overline{v}_3) = (b_8^2,\ \overline{b}_3b_3) = (b_8b_3,\ b_8b_3)$, by 2) in **Lemma 8.2**, $(b_8b_3,\ b_8b_3) = 3$, a contradiction. If $\gamma = v_4 + v_5$, then $c_3d_6 = x_4 + v_4 + v_5$, so by the associative law and 1) in **Lemma 8.1** :

$$c_3^2d_6 = c_3(c_3d_6), d_6 + d_6b_8 = x_9c_3 + v_4c_3 + v_5c_3,$$

hence by our assumption we have $d_6 + d_6b_8 = \overline{x}_{15} + d_6 + k_6 + v_4c_3 + v_5c_3$, thus

$$d_6b_8 = \bar{x}_{15} + k_6 + v_4c_3 + v_5c_3. \tag{11}$$

We shall show that $d_6 \neq x_6,\ \overline{x}_6,\ k_6 \neq x_6,\ \overline{x}_6$. By 4) in **Lemma 8.2** , if $d_6 = x_6$, or $d_6 = \overline{x}_6$, then $1 = (c_3x_9,\ x_6) = (x_9,\ c_3x_6) = 0,\ 1 = (c_3x_9,\ \overline{x}_6) = (c_3x_6,\ \overline{x}_9) = 0,$ a contradiction .In the same way $k_6 \neq x_6,\ \overline{x}_6$. By (11) and 10) in **Lemma 8.3**,

$$(b_8x_{15},\ \overline{d}_6) = (b_8d_6,\ \overline{x}_{15}) = 1$$

in the same way $(b_8x_{15},\ \overline{k}_6) = 1$ and by 10), 8) in **Lemma 8.3** $(y_9\overline{b}_3,\ \overline{k}_6) = 1,\ (y_9\overline{b}_3,\ \overline{d}_6) = 1,\ (y_9\overline{b}_3,\ x_{15}) = 1,$ so $y_9\overline{b}_3 = x_{15} + \overline{k}_6 + \overline{d}_6$. Hence by the associative law an 2) in **Lemma 8.1** :

$$\begin{aligned} (\overline{b}_3c_3)y_9 &= (\overline{b}_3y_9)c_3, \\ b_3y_9 + x_6y_9 &= x_{15}c_3 + \overline{k}_6c_3 + \overline{d}_6c_3, \end{aligned}$$

so by 3) in **Lemma 8.3** and our assumption:

$$\begin{aligned} \overline{x}_{15} + k_6 + d_6 + x_6y_9 &= 2\overline{x}_{15} + \overline{x}_6 + \overline{x}_9 + \overline{k}_6c_3 + \overline{d}_6c_3, \\ k_6 + d_6 + x_6y_9 &= \overline{x}_{15} + \overline{x}_6 + \overline{x}_9 + \overline{v}_4 + \overline{v}_5 + \overline{x}_9 + \overline{k}_6c_3. \end{aligned}$$

hence $1 = (\overline{k}_6c_3,\ d_6) = (\overline{k}_6,\ c_3d_6),$ a contradiction to our assumption . If $\gamma = 2v_3 + m_3$, or $\gamma = 3v_3$, then $c_3d_6 = x_9 + 2v_3 + m_3$ or $c_3d_6 = x_9 + 3v_3$. In two cases, it always follows that $(c_3v_3,\ d_6) = (v_3,\ c_3d_6) \geq 2$, a contradiction. assumed then by (1) $c_3x_9 = \overline{x}_{15} + 2d_6$. Hence $(c_3d_6,\ x_9) = (d_6,\ c_3x_9) = 2$ therefore $c_3d_6 = 2x_9$. so by the associative law and 1) in **Lemma 8.1**, we have that $(c_3^2)d_6 = c_3(c_3d_6)$

$$\begin{aligned} d_6 + d_6b_8 &= 2x_9c_3 \\ &= 2\overline{x}_{15} + 4d_6, \\ d_6b_8 &= 2\overline{x}_{15} + 3d_6. \end{aligned}$$

so $(b_8x_{15},\ \overline{d}_6) = (b_8d_6,\ \overline{x}_{15}) = 2(12)$. by 4) in **Lemma 8.2**, if $x_6 = d_6$, then $2 = (c_3x_9,\ x_6) = (x_9,\ c_3x_6) = 0,$ then $d_6 \neq x_6,$ also $d_6 \neq \overline{x}_6$. then by (12) and 8), 10) in **Lemma 8.3**: $(y_9\overline{b}_3,\ x_{15}) = (y_9,\ b_3x_{15}) = 1,\ (y_9\overline{b}_3,\ \overline{d}_6) = 2$. So $y_9\overline{b}_3 = x_{15} + 2\overline{d}_6$. Hence by the associative law and 2) in lemma 8.1:

$$\begin{aligned} y_9(\overline{b}_3c_3) &= (y_9\overline{b}_3)c_3, \\ y_9b_3 + y_9x_6 &= x_{15}c_3 + 2\overline{d}_6c_3, \end{aligned}$$

then by 3) in **Lemma 8.3** $\overline{x}_{15} + 2d_6 + y_9x_6 = 2\overline{x}_{15} + \overline{x}_6 + \overline{x}_9 + 2\overline{x}_9$, a contradiction. Assume e) then by 1) , $c_3x_9 = \overline{x}_{15} + d_{12}$. Then by 1) in **Lemma 8.1** : $2 = (x_9c_3,\ x_9c_3) = (x_9\overline{x}_9,\ c_3^2) = (x_9\overline{x}_9,\ b_3\overline{b}_3) = (x_9\overline{b}_3,\ x_9\overline{b}_3)$. So by 1) in **Lemma 8.3** $(x_9\overline{b}_3,\ x_{10}) = (x_9,\ b_3x_{10}) = 1$, hence $x_9\overline{b}_3 = x_{10} + x_{17}(13)$. By the associative law and 1) in **Lemma 8.1**: $(c_3^2)x_9 = (b_3\overline{b}_3)x_9 = b_3(\overline{b}_3x_9) = (c_3x_9)c_3,\ x_{10}b_3 + b_3x_{17} = \overline{x}_{15}c_3 + d_{12}c_3$. By 1), 3) and **Lemma 8.3** , $x_{15} + x_6 + x_9 + b_3x_{17} = 2x_{15} + x_6 + x_9 + d_{12}c_3,\ b_3x_{17} = x_{15} + d_{12}c_3$. Then $(x_{15}\overline{b}_3,\ x_{17}) = (x_{15},\ b_3x_{17}) = 1$ and by 2) in **Lemma 8.2** and 1), 8) in **Lemma 8.3**:

$$\begin{aligned} (\overline{b}_3x_{15},\ b_8) = (x_{15},\ b_3b_8) = 1, \\ (\overline{b}_3x_{15},\ x_{10}) = (x_{15},\ b_3x_{10}) = 1, \\ (\overline{b}_3x_{15},\ \overline{b}_3x_{15}) = (x_{15}b_3,\ x_{15}b_3) = 6, \end{aligned}$$

Therefore the only possibility $\overline{b}_3x_{15} = b_8 + x_{10} + x_{17} + m_3 + z_3 + z_4$. So $(b_3m_3,\ x_{15}) = (m_3,\ \overline{b}_3x_{15}) = 1$ a contradiction. Hence the only possibility is that $\alpha = d_3 + d_9$, hence by 1) $x_9c_3 = \overline{x}_{15} + d_3 + d_9$. If $d_3 = c_3$, then $(c_3^2,\ x_9) = (c_3,\ c_3x_9) = 1$, a contradiction to 1) in **Lemma 8.1**. If $d_3 = b_3$, then $(c_3b_3,\ x_9) = (b_3,\ c_3x_9) = 1$ a contradiction to 2) in **Lemma 8.1** in the same way . If $d_3 = \overline{b}_3$, a contradiction so $d_3 \neq c_3,\ b_3,\ \overline{b}_3$. □

Lemma 8.5. *Let*$(A,\ B)$ *satisfy* **Hypothesis 8.1** *and* $(b_8b_3,\ b_8b_3) = 3$*, then* **Lemma 8.4** *hold and we get the following :*

1) $d_3c_3 = x_9,\ x_9 \neq \overline{x}_9$,

2) $d_3b_8 = \overline{x}_{15} + \overline{x}_9$,

3) $b_3\overline{d}_3 = y_9,\ y_9 = \overline{y}_9,\ y_9 \neq x_9$,

4) $x_9c_3 = \overline{x}_{15} + d_3 + \overline{x}_9$,

5) $y_9\overline{b}_3 = \overline{d}_3 + x_9 + x_{15}$,

6) $\overline{d}_3b_6 = d_3 + \overline{x}_{15}$,

7) $b_8x_{15} = 5x_{15} + 3x_9 + 2x_6 + b_3 + \overline{d}_3$,

8) $x_9b_8 = 3x_{15} + 2x_9 + x_6 + \overline{d}_3$,
9) $y_{15}x_6 = 4\overline{x}_{15} + 2\overline{x}_9 + \overline{x}_6 + \overline{b}_3 + d_3$,
10) $b_6x_{15} = 4\overline{x}_{15} + \overline{x}_6 + 2\overline{x}_9 + \overline{b}_3 + d_3$,
11) $d_3y_{15} = 2x_{15} + x_6 + x_9$,
12) $x_9x_{15} = 6\overline{x}_{15} + 2\overline{x}_6 + 3\overline{x}_9 + \overline{b}_3 + d_3$,
13) $d_3b_8 = \overline{x}_{15} + \overline{x}_9$,
14) $\overline{d}_3d_3 = 1 + c_8,\ c_8 \neq b_8$,
15) $d_3^2 = b_6 + y_3,\ d_3 \neq c_3,\ b_3,\ \overline{b}_3,\ y_3 \neq b_3,\ c_3,\ \overline{b}_3$,
16) $b_3d_3 = z_9,\ z_9 \neq y_9,\ x_9,\ \overline{x}_9,\ z_9 = \overline{z}_9$,
17) $y_3^2 = 1 + c_8$.

Proof. By **Lemma 8.4**, $(c_3d_3,\ x_9) = (d_3,\ c_3x_9) = 1$, hence

$$d_3c_3 = x_9. \tag{1}$$

By the associative law and 1) in **Lemma 8.4**, we have $d_3(c_3^2) = x_9c_3$ and $d_3 + d_3b_8 = \overline{x}_{15} + d_3 + d_9$, which leads to

$$d_3b_8 = \overline{x}_{15} + d_9. \tag{2}$$

So $(b_8x_{15},\ \overline{d}_3) = (b_8d_3,\ \overline{x}_{15}) = 1$ and by 10) in **Lemma 8.3** , $(y_9\overline{b}_3,\ \overline{d}_3) = 1 = (y_9,\ b_3\overline{d}_3)$. So

$$b_3\overline{d}_3 = y_9. \tag{3}$$

By the associative law $(\overline{b}_3b_3)\overline{d}_3 = \overline{b}_3(b_3\overline{d}_3)$ and **Hypothesis 8.1**, one has $\overline{d}_3 + \overline{d}_3b_8 = y_9\overline{b}_3$. By (2), we get

$$y_9\overline{b}_3 = \overline{d}_3 + \overline{d}_9 + x_{15}. \tag{4}$$

By the associative law and **Hypothesis 8.1** and (3) we have $(b_3^2)\overline{d}_3 = (b_3\overline{d}_3)b_3 = y_9b_3,\ \overline{d}_3c_3 + \overline{d}_3b_6 = y_9b_3 = d_3 + d_9 + \overline{x}_{15}$. So

$$\overline{d}_3c_3 = d_9, \tag{5}$$

$$\overline{d}_3b_6 = d_3 + \overline{x}_{15}. \tag{6}$$

Hence by (1) we get $\overline{d}_9 = x_9$. By **Lemma 8.4**, we may assume

$$x_9c_3 = \overline{x}_{15} + d_3 + \overline{x}_9.$$

By 10) in **Lemma 8.3** and (4) we meet

$$b_8x_{15} = 5x_{15} + 3x_9 + 2x_6 + b_3 + \overline{d}_3. \tag{7}$$

By the associative law and 1) in **Lemma 8.1** and **Lemma 8.4**:

$$(c_3^2)x_9 = (c_3x_9)c_3, x_9 + x_9b_8 = \overline{x}_{15}c_3 + d_3c_3 + \overline{x}_9c_3.$$

By (1) and 3) in **Lemma 8.3** and **Lemma 8.4**, we get

$$x_9 + x_9b_8 = 2x_{15} + x_6 + x_9 + x_{15} + \overline{d}_3 + x_9,$$

so

$$x_9b_8 = 3x_{15} + 2x_9 + x_6 + \overline{d}_3. \tag{8}$$

By the associative law and 4) in **Lemma 8.3** and 2) in **Lemma 8.1**, we have that $y_{15}(\overline{b}_3c_3) = (y_{15}\overline{b}_3)c_3$, $y_{15}b_3 + y_{15}x_6 = 2x_{15}c_3 + x_6c_3 + x_9c_3$. Moreover by 4) in **Lemma 8.2** and 3), 4) in **Lemma 8.3** and **Lemma 8.4** we get

$$y_{15}b_3 + y_{15}x_6 = 4\overline{x}_{15} + 2\overline{x}_6 + 2\overline{x}_9 + \overline{b}_3 + \overline{x}_{15} + \overline{x}_{15} + d_3 + \overline{x}_9,$$

then

$$y_{15}x_6 = 4\overline{x}_{15} + 2\overline{x}_9 + \overline{x}_6 + \overline{b}_3 + d_3. \tag{9}$$

By the associative law and 8) in **Lemma 8.3** and **Hypothesis 8.1** we get $(b_3^2)x_{15} = (b_3x_{15})b_3$, $x_{15}c_3+b_6x_{15} = 2y_{15}b_3+b_6b_3+y_9b_3$, By 3), 4) in **Lemma 8.3** and 10) in **Lemma 8.2** and equation (4) we have $2\overline{x}_{15}+\overline{x}_6+\overline{x}_9+b_6x_{15} = 4\overline{x}_{15}+2\overline{x}_6+2\overline{x}_9+\overline{b}_3+\overline{x}_{15}+d_3+\overline{x}_9+\overline{x}_{15}$, so $b_6x_{15} = 4\overline{x}_{15}+\overline{x}_6+2\overline{x}_9+\overline{b}_3+d_3$. By the associative law and 6) in **Lemma 8.2** and equations (1), (6) and (8), we have $(c_3b_8)d_3 = (c_3d_3)b_8 = x_9b_8$. Hence

$$\begin{aligned} b_6d_3 + c_3d_3 + y_{15}d_3 &= 3x_{15} + 2x_9 + x_6 + \overline{d}_3, \\ \overline{d}_3 + x_{15} + x_9 + y_{15}d_3 &= 3x_{15} + 2x_9 + x_6 + \overline{d}_3, \\ y_{15}d_3 &= 2x_{15} + x_6 + x_9. \end{aligned}$$

So by the associative law and (1), it follow $(d_3c_3)y_{15} = c_3(d_3y_{15})$ and $x_9y_{15} = 2x_{15}c_3 + x_9c_3 + x_6c_3$. Hence by 3) in **Lemma 8.3** and 4) in **Lemma 8.2** we get that

$$x_9c_3 = \overline{x}_{15} + d_3 + \overline{x}_9, \quad x_9x_{15} = 6\overline{x}_{15} + 2\overline{x}_6 + 3\overline{x}_9 + \overline{b}_3 + d_3.$$

By the associative law 1) and in **Lemma 8.1** and Lemma 8.4 and equation (1) on has that $d_3(c_3^2) = (d_3c_3)c_3,\ \ d_3 + d_3b_8 = c_3x_9 = \overline{x}_{15} + d_3 + \overline{x}_9,$ and $d_3b_8 = \overline{x}_{15} + \overline{x}_9$. Then we have by (6) that $(d_3^2,\ b_6) = (d_3,\ \overline{d}_3b_6) = 1,$ so $d_3^2 = b_6 + y_3(10),$ hence $(d_3\overline{d}_3,\ d_3\overline{d}_3) = (d_3^2,\ d_3^2) = 2$. Now by equation (1) and 1) in **Lemma 8.1** we get $(d_3c_3,\ d_3c_3) = (\overline{d}_3d_3,\ c_3^2) = 1$. Hence

$$d_3\overline{d}_3 = 1 + c_8. \tag{11}$$

where $c_8 \neq b_8$ by main theorem in [13], so $d_3 \neq c_3,\ b_3,\ \bar{b_3}$. Also $y_3 \neq c_3,\ b_3,\ \overline{b}_3,$ since if $y_3 = c_3$, then $1 = (d_3^2,\ c_3) = (\overline{d}_3c_3,\ d_3),$ therefore $(\overline{d}_3d_3,\ c_3\overline{d}_3) = (\overline{d}_3c_3,\ \overline{d}_3c_3) \geq 2$, a contradiction. in the same way if $y_3 = b_3,\ \overline{b}_3$, If $x_9 = \overline{x}_9$, then by (1) we have $1 = (c_3d_3,\ c_3\overline{d}_3) = (\overline{d}_3^2,\ c_3^2)$, a contradiction to 1) in **Lemma 8.1** and that $d_3^2 = b_6 + y_3$, so $x_9 \neq \overline{x}_9$. By equation(11) and **Hypothesis 8.1**, it holds that $1 = (\overline{d}_3d_3,\ \overline{b}_3b_3) = (d_3b_3,\ d_3b_3),$ hence $d_3b_3 = z_9$. By (10) and hypothesis 8.1 , we get $1 = (d_3^2,\ \overline{b}_3^2) = (d_3b_3,\ \overline{d}_3\overline{b}_3)$, so $z_9 = \bar{z_9},$ hence $z_9 \neq x_9,\ \overline{x}_9$. If $z_9 = y_9$, then by (3) we have $1 = (d_3b_3,\ b_3\overline{d}_3) = (d_3^2,\ \overline{b}_3b_3),$ a contradiction to (10) and **Hypothesis 8.1**, hence $z_9 \neq y_9$. By the associative law and equations (11), (6) and (10):

$$(d_3b_6)\overline{d}_3 = b_6(d_3\overline{d}_3), \overline{d}_3^2 + x_{15}\overline{d}_3 = b_6 + c_8b_6,$$

then

$$c_8b_6 = \overline{y}_3 + x_{15}\overline{d}_3,\ c_8,\ b_6$$

are real s and

$$(x_{15}\overline{d}_3,\ y_3) = (x_{15},\ d_3y_3) = 0,$$

so $y_3 = \overline{y}_3$, by (10) , $(\overline{d}_3y_3,\ d_3) = 1$ hence

$$2 \leq (\overline{d}_3y_3,\ \overline{d}_3y_3) = (d_3\overline{d}_3,\ y_3^2),$$

so $y_3^2 = 1 + c_8$. □

Lemma 8.6. *Let*$(A,\ B)$ *satisfy* **Hypothesis 8.1** *and* $(b_8b_3,\ b_8b_3) = 3$*, then* **Lemma 8.5** *hold and we get the following :*

1) $b_8^2 = 1 + 2b_8 + 2x_{10} + z_4 + c_8 + b_5 + c_5,$

2) $\overline{x}_{15}b_3 = x_{10} + b_8 + c_8 + z_9 + b_5 + c_5,$ *either* $b_5,\ c_5$ *are reals or* $b_5 = \overline{c}_5,$

3) $b_6^2 = 1 + b_8 + z_9 + c_8 + b_5 + c_5$,
4) $\overline{x}_6 x_6 = 1 + b_8 + c_8 + z_9 + b_5 + c_5$,
5) $x_{10}^2 = 1 + 2b_8 + 2x_{10} + 2c_8 + 2b_5 + 2c_5 + 3z_9$,
6) $x_{10}\overline{x}_6 = \overline{b}_3 + 3\overline{x}_{15} + d_3 + \overline{x}_9$,
7) $b_8 x_{10} = 2b_8 + x_{10} + \overline{x}_9 b_3 + c_8 + z_9 + b_5 + c_5$,
8) $c_3 y_{15} = x_{10} + b_8 + c_8 + z_9 + b_5 + c_5$,
9) $c_3 b_5 = y_{15}$,
10) $c_3 c_5 = y_{15}$.

Proof. At first we notice that either b_5 and c_5 are reals or $b_5 = \overline{c_5}$ holds. But in these two cases, it always follows that $\overline{b_5 + c_5} = \overline{b}_5 + \overline{c_5} = b_5 + c_5$. By 2) in **Lemma 8.2** and 1), 8) in **Lemma 8.3**, we have $(\overline{x}_{15}b_3,\ \overline{x}_{15}b_3) = 6,\ \ (\overline{x}_{15}b_3,\ x_{10}) = (b_3 x_{10},\ \ x_{15}) = 1,\ (\overline{x}_{15}b_3,\ b_8) = (b_3 b_8,\ x_{15})$, then

$$\overline{x}_{15}b_3 = x_{10} + b_8 + x + y + z + w, \tag{1}$$

where $|x+y+z+w| = 27$. Here the case $\bar{x}_{15}b_3 = x_{10} + b_8 + 2x$ is impossible since $|2x| = 27$ will implies that $|x| = 13.5$. But x is an integer, a contradiction. By the associative law $(\overline{b}_3 b_8)b_3 = b_8(\overline{b}_3 b_3)$ and **Hypothesis 8.1** and 2), 3) in **Lemma 8.2**, we get

$$\overline{x}_6 b_3 + \overline{b}_3 b_3 + \overline{x}_{15} b_3 = b_8 + b_8^2, b_8 + x_{10} + 1 + b_8 + \overline{x}_{15} b_3 = b_8 + b_8^2, 1 + x_{10} + b_8 + \overline{x}_{15} b_3 = b_8^2.$$

Thus

$$b_8^2 = 1 + 2b_8 + 2x_{10} + x + y + z + w. \tag{2}$$

So by 4) in **Lemma 8.1** and 3) in **Lemma 8.2**,

$$b_6^2 = 1 + b_8 + x + y + z + w. \tag{3}$$

By the associative law $(\overline{b}_3 c_3)(b_3 c_3) = (\overline{b}_3 b_3)c_3^2$ and 1), 2) in **Lemma 8.1** and **Hypothesis 8.1** and 3) in **Lemma 8.2** :

$$\begin{aligned} (b_3 + x_6)(\overline{b}_3 + \overline{x}_6) = (1 + b_8)^2 &= 1 + 2b_8 + b_8^2, \\ b_3\overline{b}_3 + b_3\overline{x}_6 + \overline{b}_3 x_6 + x_6\overline{x}_6 &= 1 + 2b_8 + b_8^2. \end{aligned}$$

So by (2) and (1) and 3) in **Lemma 8.2**:

$$x_6\overline{x}_6 = 1 + b_8 + x + y + z + w. \tag{4}$$

By the associative law $(\overline{x}_6b_8)b_3 = (\overline{x}_6b_3)b_8$ and 3) in **Lemma 8.2** and 2) in **Lemma 8.3** :

$$2\overline{x}_{15}b_3 + \overline{b}_3b_3 + \overline{x}_6b_3 + \overline{x}_9b_3 = b_8^2 + x_{10}b_8,$$

then by 3) in **Lemma 8.2** and equations (1) and (2) we have

$$\begin{aligned} &2x_{10} + 2b_8 + 2x + 2y + 2z + 2w + 1 + b_8 + b_8 + x_{10} + \overline{x}_9b_3 \\ &\quad = 1 + 2b_8 + 2x_{10} + x + y + z + w + x_{10}b_8, \end{aligned}$$

so

$$2b_8 + x_{10} + \overline{x}_9b_3 + x + y + z + w = x_{10}b_8. \tag{5}$$

By the associative law $(\overline{x}_6^2)b_3 = \overline{x}_6(\overline{x}_6b_3)$ and 7) in **Lemma 8.3** and 3) in **Lemma 8.2**, we get $2b_6b_3 + y_{15}b_3 + y_9b_3 = \overline{x}_6b_8 + \overline{x}_6x_{10}$. Then So by 1) in **Lemma 8.2** and 2), 4) in **Lemma 8.3** and 5) in **Lemma 8.5**, we have equation:

$$2\overline{b}_3 + 2\overline{x}_{15} + 2\overline{x}_{15} + \overline{x}_6 + \overline{x}_9 + d_3 + \overline{x}_{15} + \overline{x}_9 = 2\overline{x}_{15} + \overline{b}_3 + \overline{x}_6 + \overline{x}_9 + x_{10}\overline{x}_6,$$

so

$$\overline{b}_3 + 3\overline{x}_{15} + d_3 + \overline{x}_9 = x_{10}\overline{x}_6. \tag{6}$$

By the associative $(\overline{x}_6b_3)x_{10} = b_3(\overline{x}_6x_{10})$ and 3) in **Lemma 8.2** : we get $b_8x_{10} + x_{10}^2 = \overline{b}_3b_3 + 3\overline{x}_{15}b_3 + d_3b_3 + \overline{x}_9b_3$. Then by (3) and **Hypothesis 8.1** and (1) and 5) in **Lemma 8.5** it follows that

$$\begin{aligned} &2b_8 + x_{10} + \overline{x}_9b_3 + x + y + z + w + x_{10}^2 \\ &\quad = 1 + b_8 + 3x_{10} + 3b_8 + 3x + 3y + 3z + 3w + z_9 + \overline{x}_9b_3. \end{aligned}$$

Hence

$$x_{10}^2 = 1 + 2b_8 + 2x_{10} + z_9 + 2x + 2y + 2z + 2w. \tag{7}$$

By 13) and 14)in **Lemma 8.5**, one has that $(d_3\overline{d}_3,\ b_8^2) = (d_3b_8,\ d_3b_8) = 2$, hence we get by (2) that $(b_8^2,\ c_8) = 1$. Without loss of generality, say $x = c_8$. By (4) and (7), it holds that $11 \leq (x_{10}^2,\ x_6\overline{x}_6) = (x_{10}\overline{x}_6,\ x_{10}\overline{x}_6)$. But by (6), $(x_{10}\overline{x}_6,\ x_{10}\overline{x}_6) = 12$ holds, thus we may assume $y = z_9$. By (1) , $(\overline{b}_3\alpha,\ \overline{x}_{15}) = (\alpha,\ b_3\overline{x}_{15}) = 1$ holds, where $\alpha \in \{x,\ y,\ z,\ w\}$. So $|\alpha| \geq 5$.

Hence $z = b_5$ and $w = c_5$. Hence by equations (1), (3), (4), (5), (6) and (7), we come to

$$\begin{aligned}
\overline{x}_{15}\overline{b}_3 &= x_{10} + b_8 + c_8 + z_9 + b_5 + c_5, \\
b_8^2 &= 1 + 2b_8 + 2x_{10} + c_8 + z_9 + b_5 + c_5, \\
b_6^2 &= 1 + b_8 + c_8 + z_9 + b_5 + c_5, \\
x_6\overline{x}_6 &= 1 + b_8 + c_8 + z_9 + b_5 + c_5, \\
x_{10}^2 &= 1 + 2b_8 + 2x_{10} + 3z_9 + 2c_8 + 2b_5 + 2c_5, \\
b_8x_{10} &= 2b_8 + x_{10} + \overline{x}_9b_3 + c_8 + z_9 + b_5 + c_5.
\end{aligned}$$

So by the associative law $(\overline{b}_3\overline{x}_6)c_3 = \overline{x}_6(\overline{b}_3c_3)$ and 1), 2) in **Lemma 8.1** and 3), 5) in **Lemma 8.2** :

$$\begin{aligned}
c_3^2 + c_3y_{15} &= b_3\overline{x}_6 + x_6\overline{x}_6, \\
1 + b_8 + c_3y_{15} &= b_8 + x_{10} + 1 + b_8 + c_8 + z_9 + b_5 + c_5, \\
c_3y_{15} &= x_{10} + b_8 + c_8 + z_9 + b_5 + c_5.
\end{aligned}$$

So $(c_3b_5,\ y_{15}) = (b_5,\ c_3y_{15}) = 1$, $(c_3c_5,\ y_{15}) = (y_{15}c_3,\ c_5) = 1$, hence $c_3b_5 = y_{15}$, $c_3c_5 = y_{15}$. □

Lemma 8.7. *Let* $(A,\ B)$ *satisfy* **Hypothesis 8.1** *and* $(b_8b_3,\ b_8b_3) = 3$ *, then* **Lemma 8.6** *hold and we get the following :*

1) $b_3z_9 = x_9 + \overline{d}_3 + x_{15}$,
2) $\overline{x}_9b_3 = z_9 + x_{10} + c_8$,
3) $b_8x_{10} = 2b_8 + 2x_{10} + 2z_9 + 2c_8 + b_5 + c_5$,
4) $b_3c_8 = x_9 + x_{15}$,
5) $d_3x_6 = x_{10} + c_8$,
6) $d_3b_6 = \overline{d}_3 + x_{15}$,
7) $d_3c_8 = \overline{x}_{15} + \overline{x}_6 + d_3$,
8) $y_3\overline{d}_3 = \overline{x}_6 + d_3$,
9) $d_3\overline{x}_6 = y_{15} + y_3$.

Proof. By the associative law $(b_3^2)d_3 = b_3(b_3d_3)$ and 6), 4) in **Lemma 8.5** and **Hypothesis 8.1**, we get $c_3d_3 + b_6d_3 = b_3z_9$. Then by 1), 6) in **Lemma 8.5** it follows that $x_9 + \overline{d}_3 + x_{15} = b_3z_9(1)$. Then $(\overline{b}_3x_9,\ z_9) = (b_3z_9,\ x_9) = 1$.

And by 1) in **Lemma 8.3**, $(\overline{x}_9b_3,\ x_{10}) = (b_3x_{10},\ x_9) = 1$ holds. It follows by 4) in **Lemma 8.5** and 1) in **Lemma 8.1** and **Hypothesis 8.1** that $(\overline{x}_9b_3,\ \overline{x}_9b_3) = (\overline{x}_9x_9,\ \overline{b}_3b_3) = (\overline{x}_9x_9,\ c_3^2) = (x_9c_3,\ x_9c_3) = 3$. Hence

$$\overline{x}_9b_3 = z_9 + x_{10} + d_8. \tag{2}$$

By 1) and 5) in **Lemma 8.6**, we get

$$(b_8^2,\ x_{10}^2) = 18 = (b_8x_{10},\ b_8x_{10}). \tag{3}$$

By 7) in **Lemma 8.6** and equation (2), we have $b_8x_{10} = 2b_8 + 2x_{10} + 2z_9 + c_8 + b_5 + c_5 + d_8,$ then by (3) we get that $c_8 = d_8$, so

$$b_8x_{10} = 2b_8 + 2x_{10} + 2z_9 + 2c_8 + b_5 + c_5. \tag{4}$$

Now we have $(b_3c_8,\ x_9) = (b_3\overline{x}_9,\ c_8) = 1$ by (2) and $(b_3c_8,\ x_{15}) = (b_3\overline{x}_{15},\ c_8) = 1$ by 2) in **Lemma 8.6**, so

$$b_3c_8 = x_9 + x_{15}. \tag{5}$$

By the associative law $d_3(c_3\overline{b}_3) = (d_3c_3)\overline{b}_3$ and 1) in **Lemma 8.5** and 2) in **Lemma 8.1** and equation (2) we see that $d_3(c_3\overline{b}_3) = (d_3c_3)\overline{b}_3,\ \ d_3b_3+d_3x_6 = x_9\overline{b}_3 = z_9 + x_{10} + c_8$. Hence by 14) in **Lemma 8.5** we have

$$d_3x_6 = x_{10} + c_8. \tag{6}$$

By the associative law $(b_3^2)d_3 = (b_3d_3)b_3$ and 14) in **Lemma 8.5** and equation (1) and **Hypothesis 8.1**, it follows $d_3c_3 + d_3b_6 = z_9b_3 = x_9 + \overline{d}_3 + x_{15}$. Hence by 1) in **Lemma 8.5** it holds:

$$d_3b_6 = \bar{d}_3 + x_{15}. \tag{7}$$

By the associative law $(\overline{d}_3d_3)d_3 = \overline{d}_3(d_3^2)$ and 12) and 13) in **Lemma 8.5** we have $d_3 + d_3c_8 = b_6\overline{d}_3 + y_3\overline{d}_3,$ and get $d_3c_8 = \overline{x}_{15} + y_3\overline{d}_3$ by (7) and $(d_3c_8,\ \overline{x}_6) = (d_3x_6,\ c_8) = 1$ by (6). By 12) in **Lemma 8.5**, $(d_3c_8,\ d_3) = (c_8,\ \overline{d}_3d_3) = 1$ holds, hence

$$d_3c_8 = \overline{x}_{15} + \overline{x}_6 + d_3. \tag{8}$$

Therefore

$$y_3\overline{d}_3 = \overline{x}_6 + d_3. \tag{9}$$

Moreover $(d_3\overline{x}_6,\ y_3) = (\overline{x}_6,\ \overline{d}_3 y_3) = 1,$ and by 11) in **Lemma 8.5** it follows that $(d_3\overline{x}_6,\ y_{15}) = 1$, so $d_3\overline{x}_6 = y_{15} + y_3$. ☐

Lemma 8.8. *Let* $(A,\ B)$ *satisfy* **Hypothesis 8.1** *and* $(b_8b_3,\ b_8b_3) = 3$ *, then* **Lemma 8.7** *hold and we get the following :*

1) $x_9b_3 = y_9 + y_{15} + y_3,$
2) $x_9\overline{d}_3 = y_{15} + c_3 + y_9,$
3) $x_{15}\overline{d}_3 = y_{15} + y_6 + y_9,$
4) $c_8b_6 = 2y_{15} + y_3 + y_9 + b_6,$
5) $z_9b_6 = 2y_{15} + 2y_9 + b_6,$
6) $x_{10}b_6 = 3y_{15} + y_3 + c_3 + y_9,$
7) $y_3b_6 = c_8 + x_{10},$
8) $d_3x_{15} = b_8 + z_9 + b_5 + c_5 + x_{10} + c_8,$
9) $y_{15}b_6 = 2b_8 + 3x_{10} + 2z_9 + 2c_8 + b_5 + c_5,$
10) $y_9b_6 = b_8 + 2z_9 + b_5 + c_5 + x_{10} + c_8,$
11) $\overline{x}_{15}x_{15} = 5b_8 + 6x_{10} + 6z_9 + 5c_8 + 3b_5 + 3c_5 + 1,$
12) $b_6b_5 = y_{15} + y_9 + b_6,$
13) $b_3y_3 = \overline{x}_9$

Proof. By the associative law $d_3(c_3b_3) = (d_3c_3)b_3 = x_9b_3$ and 1) in **Lemma 8.5** and 2) in **Lemma 8.1**, we have that $d_3\overline{b}_3 + d_3\overline{x}_6 = x_9b_3$ and by 3) in **Lemma 8.5** that $y_9 + d_3\overline{x}_6 = x_9b_3$. At last, we come to

$$x_9b_3 = y_9 + y_{15} + y_3, \tag{1}$$

by 9) in **Lemma 8.7**.

By the associative law $b_3(c_8\overline{d}_3) = \overline{d}_3(b_3c_8)$ and 4), 7) in **Lemma 8.7**, we get $x_{15}b_3 + b_3x_6 + b_3\overline{d}_3 = x_9\overline{d}_3 + x_{15}\overline{d}_3,$ and by 5) in **Lemma 8.2** and 3) in **Lemma 8.5** and 8) in **Lemma 8.3**, we get $2y_{15} + b_6 + y_9 + c_3 + y_{15} = x_9\overline{d}_3 + x_{15}\overline{d}_3,$ $x_9\overline{d}_3 + x_{15}\overline{d}_3 = 3y_{15} + 2y_9 + b_6 + c_3$. Now from 10, 11), 1) in **Lemma 8.5**, we see that $(x_9\overline{d}_9,\ c_3) = (x_9,\ d_3c_3) = 1$ and $(x_9\overline{d}_3,\ y_{15}) = (x_9,\ d_3y_{15}) = 1$ and $(x_9\overline{d}_3,\ b_6) = (x_9,\ d_3b_6) = 0$, hence $x_9\overline{d}_3 = y_{15} + c_3 + y_9(2)$, which gives

$$x_{15}\overline{d}_3 = 2y_{15} + y_9 + b_6. \tag{3}$$

By the associative law $(\overline{d}_3 d_3)b_6 = \overline{d}_3(d_3 b_6)$ and 6), 12) in **Lemma 8.5**, one has that $b_6 + c_8 b_6 = \overline{d}_3^2 + \overline{d}_3 x_{15}$. And by (3) and 13) in **Lemma 8.5**, we get $b_6 + c_8 b_6 = b_6 + y_3 + 2y_{15} + y_9 + b_6,$ hence

$$c_8 b_6 = 2y_{15} + y_3 + y_9 + b_6. \tag{4}$$

By the associative law $(d_3 b_3)b_6 = d_3(b_3 b_6)$ and 1) in **Lemma 8.2** and 3) and 16) in **Lemma 8.5**, we obtain $z_9 b_6 = d_3\overline{b}_3 + d_3\overline{x}_{15},$ and hence by (3) and 3) in **Lemma 8.5**, we have

$$z_9 b_6 = 2y_{15} + 2y_9 + b_6. \tag{5}$$

By the associative law $(x_6 b_6)d_3 = b_6(x_6 d_3)$ and 5) in **Lemma 8.3** and 5) in **Lemma 8.7**, we have $2\overline{x}_6 d_3 + \overline{x}_{15} d_3 + \overline{x}_9 d_3 = x_{10} b_6 + c_8 b_6$. Then by 9) in **Lemma 8.7** and equations (2), (3) and (4) it follows that

$$2y_{15} + 2y_3 + 2y_{15} + y_9 + b_6 + y_{15} + c_3 + y_9 = x_{10} b_6 + 2y_{15} + y_3 + y_9 + b_6.$$

Hence

$$x_{10} b_6 = 3y_{15} + y_3 + c_3 + y_8. \tag{6}$$

Now we have by (4) $(y_3 b_6,\ c_8) = (y_3,\ b_6 c_8) = 1,\ (y_3 b_6,\ x_{10}) = (y_3,\ b_6 x_{10}) = 1$ by (4) and (6), from which we get

$$y_3 b_6 = c_8 + x_{10}. \tag{7}$$

By the associative law $(d_3^2)b_6 = d_3(d_3 b_6)$ and 15) in **Lemma 8.5** and 6) in **Lemma 8.7**, we get $b_6^2 + y_3 b_6 = d_3\overline{d}_3 + x_{15} d_3$. Moreover by 14) in **Lemma 8.5** and 3) in **Lemma 8.6** and equation (7) we have

$$1 + b_8 + z_9 + c_8 + b_5 + c_5 + x_{10} + c_8 = 1 + c_8 + x_{15} d_3,$$

$$b_8 + z_9 + b_5 + c_5 + x_{10} + c_8 = x_{15} d_3. \tag{8}$$

By the associative law and 5) in **Lemma 8.2** and 5) in **Lemma 8.3** :

$$b_3(x_6 b_6) = b_6(b_3 x_6), 2\overline{x}_6 b_3 + \overline{x}_{15} b_3 + \overline{x}_9 b_3 = b_6 c_3 + y_{15} b_6,$$

By 2) in **Lemma 8.7** and 2) in **Lemma 8.6** and 3) in **Lemma 8.2** :

$$2b_8 + 2x_{10} + x_{10} + b_8 + z_9 + c_8 + b_5 + c_5 + x_{10} + z_9 + c_8 = b_8 + x_{10} + y_{15} b_6,$$

$$y_{15}b_6 = 2b_8 + 3x_{10} + 2z_9 + 2c_8 + b_5 + c_5. \tag{9}$$

By 3) in **Lemma 8.5** and 1) in **Lemma 8.2** :

$$(b_3b_6)\overline{d}_3 = (b_3\bar{d}_3)b_6 = y_9b_6, \overline{b}_3\overline{d}_3 + \overline{x}_{15}\overline{d}_3 = y_9b_6,$$

by 16) in **Lemma 8.5** and (8)

$$b_8 + 2z_9 + b_5 + c_5 + x_{10} + c_8 = y_9b_6. \tag{10}$$

By the associative law and 8) in **Lemma 8.3** and 1) in **Lemma 8.2** :

$$(b_3b_6)x_{15} = b_6(b_3x_{15}), \overline{b}_3x_{15} + \overline{x}_{15}x_{15} = 2y_{15}b_6 + b_6^2 + y_9b_6,$$

so by (10), (9) and 2), 3) in **Lemma 8.6**

$$\begin{aligned} x_{10} + b_8 + z_9 + c_8 + b_5 + c_5 + \overline{x}_{15}x_{15} &= 4b_8 + 6x_{10} + 4z_9 + 4c_8 + 2c_5 + 1 + b_8 + z_9 \\ &\quad +c_8 + b_5 + c_5 + b_8 + 2z_9 + c_8 + x_{10} + b_5 + c_5, \\ \overline{x}_{15}x_{15} &= 1 + 5b_8 + 6x_{10} + 6z_9 + 5c_8 + 3b_5 + 4c_5, \end{aligned}$$

By (9) and (10), we get

$$(b_6b_5,\ y_9) = (b_6y_9,\ b_5) = 1,\ (b_6b_5,\ y_{15}) = (b_5,\ y_{15}b_6) = 1$$

and by (3)

$$(b_5b_6,\ b_6) = (b_5,\ b_6^2) = 1,$$

so

$$b_5b_6 = y_9 + y_{15} + b_6.$$

By (1)

$$(b_3y_3,\ \overline{x}_9) = (b_3x_9,\ y_3) = 1,$$

then $b_3y_3 = \bar{x}_9$. □

Lemma 8.9. *Let* $(A,\ B)$ *satisfy* **Hypothesis 8.1** *and* $(b_8b_3,\ b_8b_3) = 3$ *, then lemma 8 hold and we get the following:*

1) $y_9d_3 = b_3 + x_{15} + x_9$,

2) $z_9d_3 = \overline{b}_3 + \overline{x}_{15} + \overline{x}_9$,

3) $z_9y_9 = 3y_{15} + 2b_6 + 2y_9 + c_3 + y_3$,

4) $c_8b_8 = 2x_{10} + 2z_9 + b_8 + c_8 + b_5 + c_5$,
5) $y_9c_3 = z_9 + x_{10} + c_8$,
6) $\overline{x}_{15}x_6 = 2b_8 + 3x_{10} + 2z_9 + 2c_8 + b_5 + c_5$,
7) $x_{10}d_3 = \overline{x}_{15} + \overline{x}_6 + \overline{x}_9$,
8) $d_3x_9 = x_{10} + b_8 + z_9$,
9) $y_3y_9 = z_9 + b_8 + x_{10}$,
10) $b_6y_9 = 2z_9 + b_8 + x_{10} + b_5 + c_5 + c_8$,
11) $x_{15}^2 = 9y_{15} + 4b_6 + 6y_9 + 2c_3 + 2y_3$,
12) $x_{15}x_6 = c_3 + 4y_{15} + b_6 + 2y_9 + y_3$

Proof. : By the associative law and 13), 3) in **Lemma 8.5**:

$$(b_3\overline{d}_3)d_3 = (\overline{b}_3d_3)d_3 = \overline{b}_3(d_3^2),\ \ y_9d_3 = b_6\overline{b}_3 + y_3\overline{b}_3,$$

then by 1) in **Lemma 8.2** and 13) in **Lemma 8.8** ,

$$y_9d_3 = b_3 + x_{15} + x_9. \tag{1}$$

By the associative law and 16) , 15) in **Lemma 8.5** :

$$(d_3^2)b_3 = (d_3b_3)d_3, b_6b_3 + y_3b_3 = z_9d_3,$$

then by 13) in **Lemma 8.8** and 1) in **Lemma 8.2**,

$$z_9d_3 = \bar{b_3} + \bar{x}_{15} + \bar{x_9} \tag{2}$$

By 16) in **Lemma 8.5** and (1) :

$$(b_3d_3)y_9 = z_9y_9 = (d_3y_9)b_3 = b_3^2 + x_{15}b_3 + x_9b_3,$$

by 8) in **Lemma 8.3** and **Hypothesis 8.1** and 1) in **Lemma 8.8** :

$$c_3 + b_6 + 2y_{15} + b_6 + y_9 + y_9 + y_{15} + y_3 = z_9y_9,$$

$$3y_{15} + 2b_6 + 2y_9 + c_3 + y_3 = z_9y_9. \tag{3}$$

By the associative law and **Hypothesis 8.1** and 4) in **Lemma 8.7**:

$$(b_3\overline{b}_3)c_8 = \overline{b}_3(b_3c_8), c_8 + c_8b_8 = x_9\overline{b}_3 + x_{15}\overline{b}_3,$$

then by 2) in **Lemma 8.7** and 2) in **Lemma 8.6**:

$$c_8b_8 = 2x_{10} + 2z_9 + b_8 + c_8 + b_5 + c_5. \tag{4}$$

By the associative law and 2) in **Lemma 8.1** and 3) in **Lemma 8.5**:

$$(b_3c_3)\overline{d}_3 = (b_3\overline{d}_3)c_3, \overline{b}_3\bar{d}_3 + \overline{x}_6\overline{d}_3 = y_9c_3,$$

then by 16) in **Lemma 8.5** and 5) in **Lemma 8.7** :

$$y_9c_3 = z_9 + x_{10} + c_8. \tag{5}$$

By the associative law and 7) in **Lemma 8.3** and 4) in **Lemma 8.2** :

$$(x_6^2)c_3 = x_6(x_6c_3), 2b_6c_3 + y_{15}c_3 + y_9c_3 = \overline{b}_3x_6 + \overline{x}_{15}x_6,$$

then by (5) and 3) in **Lemma 8.2** and 8)in **Lemma 8.6** :

$$2b_8 + 2x_{10} + x_{10} + b_8 + z_9 + c_8 + b_5 + c_5 + z_9 + x_{10} + c_8 = b_8 + x_{10} + \overline{x}_{15}x_6,$$

$$\overline{x}_{15}x_6 = 2b_8 + 3x_{10} + 2z_9 + 2c_8 + b_5 + c_5. \tag{6}$$

By associative law , 9) in **Lemma 8.7** and 3) in **Lemma 8.2** :

$$(\overline{x}_6b_3)d_3 = (\overline{x}_6d_3)b_3, b_8d_3 + x_{10}d_3 = y_{15}b_3 + y_3b_3,$$

then by 4) in **Lemma 8.3** and 13) in **Lemma 8.8**

$$b_8d_3 + x_{10}d_3 = 2\overline{x}_{15} + \overline{x}_6 + \overline{x}_9 + \overline{x}_9,$$

by 13) in **Lemma 8.5**

$$x_{10}d_3 = \overline{x}_{15} + \overline{x}_6 + \overline{x}_9. \tag{7}$$

So

$$(d_3x_9,\ x_{10}) = (d_3x_{10},\ \overline{x}_9) = 1,$$

and by 13) in **Lemma 8.5** ,

$$(d_3x_9,\ b_8) = (d_3b_8,\ \overline{x}_9) = 1$$

and by (2)

$$(d_3x_9,\ z_9) = (d_3z_9,\ \overline{x}_9) = 1,$$

so

$$d_3x_9 = x_{10} + b_8 + z_9. \tag{8}$$

By the associative law and 15) in **Lemma 8.5** and (1) :

$$(d_3^2)y_9 = d_3(d_3y_9), b_6y_9 + y_3y_9 = b_3d_3 + x_{15}d_3 + x_9d_3,$$

then by 16) in **Lemma 8.5** and (8) and 8) in **Lemma 8.8** :

$$\begin{aligned} b_6y_9 + y_3y_9 &= z_9 + b_8 + z_9 + b_5 + c_5 + x_{10} + c_8 + x_{10} + b_8 + z_9, \\ b_6y_9 + y_3y_9 &= 3z_9 + 2b_8 + b_5 + c_5 + c_8 + 2x_{10}. \end{aligned}$$

by 5), 6) in **Lemma 8.8** and 9) in **Lemma 8.3** :

$$(b_6y_9,\ b_8) = (y_9,\ b_6b_8) = 1,\ (b_6y_9,\ x_{10}) = (y_9,\ b_6x_{10}) = 1,\ (b_6y_9,\ z_9) = (y_9,\ z_9b_6) = 2,$$

hence

$$y_3y_9 = z_9 + b_8 + x_{10}. \tag{9}$$

therefore

$$b_6y_9 = 2z_9 + b_8 + x_{10} + b_5 + c_5 + c_8. \tag{10}$$

By the associative law and 10) in **Lemma 8.5** and 1) in **Lemma 8.2**:

$$(b_6\overline{b}_3)x_{15} = \overline{b}_3(b_6x_{15}), b_3x_{15} + x_{15}^2 = 4\overline{x}_{15}\overline{b}_3 + \overline{x}_6\overline{b}_3 + 2\overline{x}_9\overline{b}_3 + \overline{b}_3^2 + d_3\overline{b}_3.$$

by 8) in **Lemma 8.3** and 5) in **Lemma 8.2** and 1) in **Lemma 8.8** and **Hypothesis 8.1** and 3) in **Lemma 8.5**

$$x_{15}^2 = 6y_{15}+3b_6+3y_9+c_3+y_{15}+2y_9+2y_{15}+2y_3+c_3+b_6+y_9, x_{15}^2 = 9y_{15}+4b_6+6y_9+2c_3+2y_3.$$

By the associative law and 5) in **Lemma 8.3** and 1) in **Lemma 8.2** :

$$(\overline{x}_6b_6)b_3 = \overline{x}_6(b_6b_3), 2x_6b_3 + x_{15}b_3 + x_9b_3 = \overline{b}_3\overline{x}_6 + \overline{x}_{15}\overline{x}_6,$$

then by 5) in **Lemma 8.2** and 8) in **Lemma 8.3** and 1) in **Lemma 8.8** :

$$2c_3+2y_{15}+2y_{15}+b_6+y_9+y_{15}+y_3 = c_3+y_{15}+\overline{x}_{15}\overline{x}_6, x_{15}x_6 = c_3+4y_{15}+b_6+2y_9+y_3.$$

□

Lemma 8.10. *Let*$(A,\ B)$ *satisfy* **Hypothesis 8.1** *and* $(b_8b_3,\ b_8b_3) = 3$, *then* **Lemma 8.9** *hold and we get the following :*

1) $y_3c_3 = z_9$,

2) $z_9c_3 = y_9 + y_{15} + y_3$,

3) $y_3b_8 = y_9 + y_{15}$,

4) $z_9b_8 = 2z_9 + 2x_{10} + 2c_8 + b_8 + b_5 + c_5$,

5) $z_9^2 = 1 + 2x_{10} + 2z_9 + 2b_8 + 2c_8 + b_5 + c_5$,

6) $c_8^2 = 1 + 2c_8 + 2x_{10} + b_8 + z_9 + b_5 = c_5$,

7) $c_8c_3 = y_{15} + y_9$,

8) $x_9^2 = 2b_6 + 3y_{15} + 2y_9 + y_3 + c_3$,

9) $c_8y_3 = b_6 + y_3 + y_{15}$,

10) $x_{10}y_3 = b_6 + y_3 + y_{15}$,

11) $d_3y_3 = \overline{d}_3 + x_6$,

12) $\overline{x}_6y_3 = \overline{d}_3 + x_{15}$,

13) $x_{15}y_3 = 2\overline{x}_{15} + \overline{x}_6 + \overline{x}_9$.

Proof. :By the associative law and **Hypothesis 8.1** and 13) in **Lemma 8.8**:

$$y_3(b_3^2) = \overline{x}_9b_3, y_3c_3 + y_3b_6 = \overline{x}_9b_3,$$

then by 2) in **Lemma 8.7**

$$y_3c_3 + y_3b_6 = z_9 + x_{10} + c_8,$$

then by 7) in **Lemma 8.8**

$$y_3c_3 = z_9. \tag{1}$$

By 1), 16) in **Lemma 8.5** and the associative law and 1) in **Lemma 8.8**:

$$b_3(c_3d_3) = (b_3c_3)d_3 = (b_3d_3)c_3 = z_9c_3,\ b_3x_9 = z_9c_3,$$

then

$$z_9c_3 = y_9 + y_{15} + y_3. \tag{2}$$

So by (1) and 1) in **Lemma 8.1** and the associative law :

$$y_3(c_3^2) = z_9c_3, y_3 + y_3b_8 = y_9 + y_{15} + y_3,$$

Thus

$$y_3b_8 = y_9 + y_{15}.(3)$$

By (2) and the associative law and 1) in **Lemma 8.1**:

$$z_9(c_3^2) = y_9c_3 + y_{15}c_3 + y_3c_3, z_9 + z_9b_8 = y_9c_3 + y_{15}c_3 + y_3c_3,$$

so by (1) and 8) in **Lemma 8.6** and 5) in **Lemma 8.9** :

$$z_9 + z_9b_8 = z_9 + x_{10} + c_8 + x_{10} + b_8 + c_8 + z_9 + b_5 + c_5 + z_9,$$

$$z_9b_8 = 2z_9 + 2x_{10} + 2c_8 + b_8 + b_5 + c_5. \quad (4)$$

By 17) in **Lemma 8.5** and 1) in **Lemma 8.1** and (1) :

$$y_3^2c_3^2 = z_9^2, (1 + c_8)(1 + b_8) = z_9^2, 1 + b_8 + c_8 + c_8b_8 = z_9^2,$$

by 4) in **Lemma 8.9**

$$z_9^2 = 1 + 2x_{10} + 2z_9 + 2b_8 + 2c_8 + b_5 + c_5. \quad (5)$$

By the associative law and 14) in **Lemma 8.5** and 7) in **Lemma 8.7**:

$$(\overline{d}_3d_3)c_8 = \overline{d}_3(d_3c_8), c_8 + c_8^2 = \overline{d}_3\overline{x}_{15} + \overline{x}_6\overline{d}_3 + d_3\overline{d}_3,$$

then by 5) in **Lemma 8.7** and 8) in **Lemma 8.8** :

$$c_8 + c_8^2 = b_8 + z_9 + b_5 + c_5 + x_{10} + c_8 + x_{10} + c_8 + 1 + c_8,$$

$$c_8^2 = 1 + 2c_8 + 2x_{10} + b_8 + z_9 + b_5 + c_5. \quad (6)$$

By 1), 12) in **Lemma 8.5** and the associative law :

$$\overline{d}_3(d_3c_3) = c_3 + c_8c_3, \overline{d}_3x_9 = c_3 + c_8c_3,$$

then by 2) in **Lemma 8.8**

$$c_8c_3 = y_{15} + y_9. \quad (7)$$

By the associative law and 13) in **Lemma 8.8** and 17) in **Lemma 8.5** and **Hypothesis 8.1**:

$$b_3^2y_3^2 = \overline{x}_9^2, (c_3 + b_6)(1 + c_8) = \overline{x}_9^2, c_3 + b_6 + c_3c_8 + b_6c_8 = \overline{x}_9^2,$$

then by (7) and 4) in **Lemma 8.8** :

$c_3+b_6+y_{15}+y_9+2y_{15}+y_3+y_9+b_6=\overline{x}_9^2, x_9^2=2b_6+3y_{15}+2y_9+y_3+c_3.$

By the associative law and 4), 7) in **Lemma 8.8** and 17) in **Lemma 8.5**:

$(y_3^2)b_6=y_3(y_3b_6), b_6+c_8b_6=c_8y_3+x_{10}y_3, 2y_{15}+y_3+y_9+2b_6=c_8y_3+x_{10}y_3,$

by 9) in **Lemma 8.9**, 4) in **Lemma 8.8** and 15) in **Lemma 8.5**: $(c_8y_3,\ b_6)=(y_3,\ c_8b_6)=1,\ (c_8y_3,\ y_3)=(c_8,\ y_3^2)=1,\ (c_8y_3,\ y_9)=(c_8,\ y_3y_9)=0$. So

$$c_8y_3=b_6+y_3+y_{15}, \tag{9}$$

then

$$x_{10}y_3=b_6+y_9+y_{15}. \tag{10}$$

By the associative law and 8) in **Lemma 8.7** and 17) in **Lemma 8.5**:

$$(y_3^2)\overline{d}_3=y_3(y_3\overline{d}_3), \overline{d}_3+\overline{d}_3c_8=\overline{x}_6y_3+d_3y_3,$$

by 7) in **Lemma 8.7**, $2\overline{d}_3+x_{15}+x_6=\overline{x}_6y_3+d_3y_3$, by 15) in **Lemma 8.5** , $(d_3y_3,\ \overline{d}_3)=(d_3^2,\ y_3)=1$. So

$$d_3y_3=\overline{d}_3+x_6, \tag{11}$$

then

$$\overline{x}_6y_3=\overline{d}_3+x_{15}. \tag{12}$$

By the associative law and 6) in **Lemma 8.7** and 7) in **Lemma 8.8**:

$$(d_3b_6)y_3=d_3(y_3b_6), \overline{d}_3y_3+x_{15}y_3=c_8d_3+x_{10}d_3,$$

then by 7) in **Lemma 8.9** and 7) in **Lemma 8.7** and (11):

$$d_3+\overline{x}_6+x_{15}y_3=\overline{x}_{15}+\overline{x}_6+d_3+\overline{x}_{15}+\overline{x}_6+\overline{x}_9, y_{15}y_3=2\overline{x}_{15}+\overline{x}_6+\overline{x}_9.$$

□

Lemma 8.11. *Let* $(A,\ B)$ *satisfy* **Hypothesis 8.1** *and* $(b_8b_3,\ b_8b_3) = 3$, *then* **Lemma 8.10** *hold and we get the following :*

(1) $z_9x_{10} = 3x_{10} + 2b_8 + 2z_9 + 2c_8 + b_5 + c_5$,
(2) $z_9c_8 = 2x_{10} + 2b_8 + 2z_9 + b_5 + c_5 + c_8$,
(3) $c_8x_{10} = 2x_{10} + 2c_8 + 2b_8 + 2z_9 + b_5 + c_5$,
(4) $y_9^2 = 1 + 2z_9 + 2b_8 + 2c_8 + 2x_{10} + b_5 + c_5$,
(5) $x_9c_8 = 3x_{15} + x_6 + 2x_9 + b_3$,
(6) $\overline{x}_9y_3 = b_3 + x_9 + x_{15}$,
(7) $\overline{x}_9x_9 = 1 + 2b_8 + 2x_{10} + 2c_8 + 2z_9 + b_5 + c_5$,
(8) $x_9y_9 = d_3 + 3\overline{x}_{15} + 2\overline{x}_9 + \overline{b}_3 + 2\overline{x}_6$,
(9) $z_9y_3 = y_9 + c_3 + y_{15}$,
(10) $x_9z_9 = 3x_{15} + 2x_9 + 2x_6 + b_3 + \overline{d}_3$.

Proof. : By the associative law and 7) in **Lemma 8.9** and 16) in **Lemma 8.5** :

$$(b_3d_3)x_{10} = b_3(d_3x_{10}), z_9x_{10} = \overline{x}_{15}b_3 + \overline{x}_6b_3 + \overline{x}_9b_3.$$

Then by 2) in **Lemma 8.6** and 3) in **Lemma 8.2** and 2) in **Lemma 8.7**:

$$z_9x_{10} = x_{10} + b_8 + c_8 + z_9 + b_5 + c_5 + b_8 + x_{10} + z_9 + x_{10} + c_8,$$

$$z_9x_{10} = 3x_{10} + 2b_8 + 2z_9 + 2c_8 + b_5 + c_5. \tag{1}$$

By the associative law and 16) in **Lemma 8.5** and 7) in **Lemma 8.7**:

$$(b_3d_3)c_8 = b_3(d_3c_8), z_9c_8 = \overline{x}_{15}b_3 + \overline{x}_6b_3 + d_3b_3,$$

then by 2) in **Lemma 8.6** and 3) in **Lemma 8.2** and 16) in **Lemma 8.5**, we get $z_9c_8 = x_{10} + b_8 + c_8 + z_9 + b_5 + c_5 + b_8 + x_{10} + z_9$ and

$$z_9c_8 = 2x_{10} + 2b_8 + 2z_9 + b_5 + c_5 + c_8. \tag{2}$$

By the associative law and 7) in **Lemma 8.9** and 14) in **Lemma 8.5** :

$$(\overline{d}_3d_3)x_{10} = \overline{d}_3(d_3x_{10}), x_{10} + c_8x_{10} = \overline{d}_3\overline{x}_{15} + \overline{d}_3\overline{x}_6 + \overline{d}_3\overline{x}_9,$$

then by 5) in **Lemma 8.7** and 8) in **Lemma 8.8** and 8) in **Lemma 8.9**,it follows that $x_{10} + c_8x_{10} = b_8 + z_9 + b_5 + c_5 + x_{10} + c_8 + x_{10} + c_8 + x_{10} + b_8 + z_9$ and

$$c_8x_{10} = 2x_{10} + 2c_8 + 2b_8 + 2z_9 + b_5 + c_5. \tag{3}$$

By the associative law and 3), 15) in **Lemma 8.5** and **Hypothesis 8.1**,one has

$$b_3^2\overline{d}_3^2 = y_9^2, (c_3 + b_6)(b_6 + y_3) = y_9^2, c_3b_6 + c_3y_3 + b_6^2 + b_6y_3 = y_9^2,$$

then by 3) in **Lemma 8.2** and 1) in **Lemma 8.10** and 3) in **Lemma 8.6** and 7) in **Lemma 8.8**we have $y_9^2 = b_8+x_{10}+z_9+1+b_8+z_9+c_8+b_5+c_5+c_8+x_{10}$, so

$$y_9^2 = 1 + 2z_9 + 2b_8 + 2c_8 + 2x_{10} + b_5 + c_5. \tag{4}$$

By the associative law and 13) in **Lemma 8.8** and 9) in **Lemma 8.10** :

$$(b_3y_3)c_8 = b_3(y_3c_8), \overline{x}_9c_8 = b_6b_3 + y_3b_3 + y_{15}b_3,$$

then by 13) in **Lemma 8.8** and 1) in **Lemma 8.2** and 4) in **Lemma 8.3**,$\overline{x}_9c_8 = \overline{b}_3 + \overline{x}_{15} + \overline{x}_9 + 2\overline{x}_{15} + \overline{x}_6 + \overline{x}_9$ and

$$\overline{x}_9c_8 = \overline{b}_3 + 3\overline{x}_{15} + 2\overline{x}_9 + \overline{x}_6. \tag{5}$$

By the associative law and 13) in **Lemma 8.8** and 17) in **Lemma 8.5** :

$$(y_3^2)b_3 = y_3(y_3b_3), b_3 + c_8b_3 = \overline{x}_9y_3,$$

then 4) in **Lemma 8.7**

$$\overline{x}_9y_{13} = b_3 + x_9 + x_{15}. \tag{6}$$

By the associative law and 13) in **Lemma 8.8** and (6) :

$$(b_3y_3)x_9 = b_3(y_3x_9), \overline{x}_9x_9 = b_3\overline{b}_3 + b_3\overline{x}_9 + b_3\overline{x}_{15},$$

then by **Hypothesis 8.1** and 2) in **Lemma 8.7** and 2) in **Lemma 8.6** :

$$\overline{x}_9x_9 = 1 + b_8 + z_9 + x_{10} + c_8 + x_{10} + b_8 + c_8 + z_9 + b_5 + c_5,$$

$$\overline{x}_9x_9 = 1 + 2b_8 + 2x_{10} + 2x_{10} + 2c_8 + 2z_9 + b_5 + c_5. \tag{7}$$

By the associative law and 13) in **Lemma 8.8** and 9) in **Lemma 8.9** :

$$(b_3y_3)y_9 = b_3(y_3y_9), \overline{x}_9y_9 = z_9b_3 + b_8b_3 + x_{10}b_3,$$

then by 1) in **Lemma 8.7** and 2) in **Lemma 8.2** and 1) in **Lemma 8.3**:

$$\overline{x}_9y_9 = x_9+\overline{d}_3+x_{15}+x_6+b_3+x_{15}+x_{15}+x_6+x_9 = 2x_9+3x_{15}+2x_6+\overline{d}_3+b_3. \tag{8}$$

By the associative law and 16) in **Lemma 8.5** and 11) in **Lemma 8.10**:

$$(b_3d_3)y_3 = (d_3y_3)b_3, z_9y_3 = \overline{d}_3b_3 + x_6b_3,$$

then by 3) in **Lemma 8.5** and 5) in **Lemma 8.2**

$$z_9y_3 = y_9 + c_3 + y_{15}. \tag{9}$$

By the associative law and 13) in **Lemma 8.8** and (9) :

$$(z_9y_3)b_3 = z_9(y_3b_3), y_9b_3 + c_3b_3 + y_{15}b_3 = z_9\overline{x}_9,$$

then 5) in **Lemma 8.5** and 2) in **Lemma 8.11** and 4) in **Lemma 8.3** :

$$z_9\overline{x}_9 = d_3+\overline{x}_9+\overline{x}_{15}+\overline{b}_3+\overline{x}_6+2\overline{x}_{15}+\overline{x}_6+\overline{x}_9 = 3\overline{x}_{15}+2\overline{x}_9+2\overline{x}_6+\overline{b}_3+d_3. \tag{10}$$

□

Lemma 8.12. *Let* $(A,\ B)$ *satisfy* **Hypothesis 8.1** *and* $(b_8b_3,\ b_8b_3) = 3$, *then* **Lemma 8.1** *hold and we get the following :*

(1) $x_{15}c_8 = 5x_{15} + 2x_6 + 3x_9 + b_3 + \overline{d}_3$,
(2) $x_{15}x_9 = 6y_{15} + 3y_9 + 2b_6 + c_3 + y - 3$,
(3) $\overline{x}_9x_{15} = 3b_8 + 4x_{10} + 3z_9 + 3c_8 + 2b_5 + 2c_5$,
(4) $x_{15}y_{15} = 4\overline{x}_6 + 9\overline{x}_{15} + 6\overline{x}_9 + 2\overline{b}_3 + 2d_3$,
(5) $x_{15}y_9 = 6\overline{x}_{15} + 2\overline{x}_6 + 3\overline{x}_9 + \overline{b}_3 + d_3$,
(6) $\overline{x}_9x_6 = 2z_9 + x_{10} + b_8 + c_8 + b_5 + c_5$,
(7) $x_6x_9 = 2y_9 + 2z_{15} + b_6$,
(8) $x_6y_9 = 2\overline{x}_{15} + 2\overline{x}_9 + \overline{x}_6$,
(9) $x_6z_9 = 2x_{15} + 2x_9 + x_6$,
(10) $x_6c_8 = 2x_{15} + x_6 + x_9 + \overline{d}_3$,
(11) $y_{15}y_9 = 4x_{10} + 3b_8 + 3z_9 + 3c_8 + 2c_5 + 2b_5$.

Proof. : By the associative law and 6), 7) in **Lemma 8.7** :

$$\begin{aligned} (d_3b_6)c_8 &= b_6(d_3c_8), \\ \overline{d}_3c_8 + x_{15}c_8 &= \overline{x}_{15}b_6 + \overline{x}_6b_6 + d_3b_6, \end{aligned}$$

then by 7) in **Lemma 8.7** and 6), 10) in **Lemma 8.5** , 5) in **Lemma 8.3** :

$$x_{15} + x_6\overline{d}_3 + x_{15}c_8 = 4x_{15} + x_6 + 2x_9 + b_3 + \overline{d}_3 + 2x_6 + x_{15} + x_9 + \overline{d}_3 + x_{15},$$

$$x_{15}c_8 = 5x_{15} + 2x_6 + 3x_9 + b_3 + \overline{d}_3. \tag{1}$$

By the associative law and 8) in **Lemma 8.9** and 6) in **Lemma 8.7** :

$$(d_3b_6)x_9 = b_6(d_3x_9), \overline{d}_3x_9 + x_{15}x_9 = x_{10}b_6 + b_8b_6 + z_9b_6,$$

then by and 9) in **Lemma 8.3** and 2), 5), 6) in **Lemma 8.8** :

$$y_{15}+c_3+y_9+x_{15}x_9 = 3y_{15}+y_3+c_3+y_9+2y_{15}+b_6+c_3+y_9+2y_{15}+2y_9+b_6,$$

$$x_{15}x_9 = 6y_{15} + 3y_9 + 2b_6 + c_3 + y_3. \tag{2}$$

By 13) in **Lemma 8.8** and 13) in **Lemma 8.10** :

$$b_3(y_3x_{15}) = (b_3y_3)x_{15} = \overline{x}_9x_{15}, 2\overline{x}_{15}b_3 + \overline{x}_6b_3 + \overline{x}_9b_3 = \overline{x}_9x_{15}.$$

and 2) in **Lemma 8.7** and 3) in **Lemma 8.2 and 2) in Lemma 8.6** :

$$2x_{10} + 2b_8 + 2c_8 + 2z_9 + 2b_5 + 2c_5 + b_8 + x_{10} + z_9 + x_{10} + c_8 = \overline{x}_9x_{15},$$

$$\overline{x}_9x_{15} = 3b_8 + 4x_{10} + 3z_9 + 3c_8 + 2b_5 + 2c_5. \tag{3}$$

By 11), 12) in **Lemma 8.9** and by (2) and 8) in **Lemma 8.3** and 3) in **Lemma 8.8** :

$$(x_{15}y_{15},\ \overline{x}_6) = (x_{15}x_6,\ y_{15}) = 4,\ (x_{15}y_{15},\ \overline{x}_{15}) = (x_{15}^2,\ y_{15}) = 9,$$

$$(x_{15}y_{15},\ \overline{x}_9) = (x_{15}x_9,\ y_{15}) = 6,\ (x_{15}y_{15},\ \overline{b}_3) = (x_{15}b_3,\ y_{15}) = 2,$$

$$(x_{15}y_{15},\ d_3) = (x_{15}\overline{d}_3,\ y_{15}) = 2.$$

Then

$$x_{15}y_{15} = 4\overline{x}_6 + 9\overline{x}_{15} + 6\overline{x}_9 + 2\overline{b}_3 + 2d_3. \tag{4}$$

By (2) and 11), 12) in **Lemma 8.9** and 8) in **Lemma 8.3** and 3) in **Lemma 8.8**:

$$(x_{15}y_9,\ \overline{x}_{15}) = (y_9,\ x_{15}^2) = 6,\ (x_{15}y_9,\ \overline{x}_6) = (x_{15}x_6,\ y_9) = 2,$$

$$(x_{15}y_9,\ \overline{x}_9) = (x_{15}x_9,\ y_9) = 3,\ (x_{15}y_9,\ \overline{b}_3) = (x_{15}b_3,\ y_9) = 1,$$

$$(x_{15}y_9,\ d_3) = (x_{15}\overline{d}_3,\ y_9) = 1.$$

Then

$$x_{15}y_9 = 6\overline{x}_{15} + 2\overline{x}_6 + 3\overline{x}_9 + \overline{b}_3 + d_3. \tag{5}$$

By the associative law and 13) in **Lemma 8.8** and 12) in **Lemma 8.10**:

$$b_3(y_3x_6) = (b_3y_3)x_6 = \overline{x}_9x_6,$$

$$b_3d_3 + b_3\overline{x}_{15} = \overline{x}_9x_6,$$

then by 16) in **Lemma 8.5** and 2) in **Lemma 8.6**

$$2z_9 + x_{10} + b_8 + c_8 + b_5 + c_5 = \overline{x}_9x_6. \tag{6}$$

By the associative law and 13) in **Lemma 8.8** and 12) in **Lemma 8.10**:

$$b_3(y_3\overline{x}_6) = \overline{x}_9\overline{x}_6, b_3\overline{d}_3 + x_{15}b_3 = \overline{x}_9\overline{x}_6,$$

so by 3) in **Lemma 8.5** and 8) in **Lemma 8.3**

$$\overline{x}_6\overline{x}_9 = 2y_9 + 2y_{15} + b_6. \tag{7}$$

By the associative law and 3) in **Lemma 8.5** and 9) in **Lemma 8.7** :

$$b_3(\overline{d}_3x_6) = (b_3\overline{d}_3)x_6 = x_6y_9,$$

$$b_3y_{15} + b_3y_3 = x_6y_9. \tag{8}$$

By 16) in **Lemma 8.5** and 5) in **Lemma 8.7** and the associative law :

$$x_6(b_3d_3) = b_3(x_6d_3), x_6z_9 = x_{10}b_3 + c_8b_3,$$

then by 1) in **Lemma 8.3** and 4) in **Lemma 8.7** :

$$x_6z_9 = x_{15} + x_6 + x_9 + x_9 + x_{15} = 2x_{15} + 2x_9 + x_6. \tag{9}$$

By (1) and 4) in **Lemma 8.6** and 5) in **Lemma 8.11** and 7) in **Lemma 8.7**:

$$(x_6c_8,\ x_{15}) = (x_6,\ c_8x_{15}) = 2,\ (x_6c_8,\ x_6) = (x_6\overline{x}_6,\ c_8) = 1,$$

$$(x_6c_8,\ x_9) = (x_6,\ c_8x_9) = 1,\ (x_6c_8,\ \overline{d}_3) = (c_8d_3,\ \overline{x}_6) = 1,$$

then

$$x_6c_8 = 2x_{15} + x_6 + x_9 + \overline{d}_3. \tag{10}$$

By the associative law and 9) in **Lemma 8.7** and 1) in **Lemma 8.9** :

$$(d_3\overline{x}_6)y_9 = (d_3y_9)\overline{x}_6, y_{15}y_9 + y_9y_3 = b_3\overline{x}_6 + x_{15}\overline{x}_6 + x_9\overline{x}_6,$$

then by (6) and 6), 9) in **Lemma 8.9** and 3) in **Lemma 8.2** :

$$\begin{aligned} y_{15}y_9 + z_9 + b_8 + x_{10} &= b_8 + x_{10} + 2b_8 + 3x_{10} + 2z_9 + 2c_8 \\ &\quad + b_5 + c_5 + 2z_9 + x_{10} + b_8 + c_8 + b_5 + c_5, \\ y_{15}y_9 &= 4x_{10} + 3b_8 + 3z_9 + 3c_8 + 2c_5 + 2b_5, \end{aligned}$$

□

Lemma 8.13. *Let* $(A,\ B)$ *satisfy* **Hypothesis 8.1** *and* $(b_8b_3,\ b_8b_3) = 3$, *then* **Lemma 8.12** *hold and we get the following :*

1) $y_3y_{15} = x_{10} + b_8 + b_5 + c_5 + c_8 + z_9$,
2) $y_{15}^2 = 1 + 3b_5 + 6x_{10} + 6z_9 + 5b_8 + 3c_5 + 5c_8$,
3) $x_{10}y_{15} = 6y_{15} + 3b_6 + 4y_9 + c_3 + y_3$,
4) $z_9x_{10} = 3x_{10} + b_5 + c_5 + 2b_8 + 2z_9 + 2c_8$,
5) $y_9x_{10} = 4y_{15} + 2y_9 + y_3 + b_6 + c_3$,
6) $y_9c_8 = 3y_{15} + 2y_9 + b_6 + c_3$,
7) $z_9y_{15} = 6y_{15} + 2b_6 + 3y_9 + c_3 + y_3$,
8) $x_{10}x_{15} = 3x_6 + 6x_{15} + b_3 + \overline{d}_3 + 4x_9$,
9) $x_{10}x_9 = 4x_{15} + x_6 + 2x_9 + b_3 + \overline{d}_3$,
10) $b_6x_9 = 2\overline{x}_{15} + 2\overline{x}_9 + \overline{x}_6$,
11) $b_8y_9 = 3y_{15} + y_3$,
12) $\overline{x}_6d_3 = y_{15} + y_3$,
13) $b_8y_{15} = 5y_{15} + 2b_6 + 3y_9 + c_3 + y_3$,

14) $x_{15}z_9 = 2x_6 + 6x_{15} + b_3 + \overline{d}_3 + 3x_9$,
15) $x_9y_{15} = 6\overline{x}_{15} + 2\overline{x}_6 + 3\overline{x}_9 + \overline{b}_3 + d_3$,
16) $y_{15}c_8 = 2b_6 + 5y_{15} + c_3 + y_3 + 3y_9$.

Proof. : By the associative law and 9) in **Lemma 8.7** and 15) in **Lemma 8.5** and 7) in **Lemma 8.3** :

$$\begin{aligned} d_3^2\overline{x}_6^2 &= y_{15}^2 + 2y_{15}y_3 + y_3^2, \\ (b_6+y_3)(2b_6+y_{15}+y_9) &= y_{15}^2 + 2y_{15}y_3 + y_3^2, \\ 2b_6^2 + y_{15}b_6 + b_6y_9 + 2b_6y_3 + y_3y_{15} + y_3y_9 &= y_{15}^2 + 2y_{15}y_3 + y_3^2, \end{aligned}$$

by 3) in **Lemma 8.6** and 7) , 9) , 10) in **Lemma 8.8** and 9) in **Lemma 8.9** and 17) in **Lemma 8.5**:

$$\begin{aligned} y_{15}^2 + 1 + c_8 + y_{15}y_3 &= 2 + 2b_8 + 2z_9 + 2c_8 + 2b_5 + 2c_5 + 2b_8 + 3x_{10} \\ &\quad + 2z_9 + 2c_8 + b_5 + c_5 + b_8 + 2z_9 + b_5 + c_5 + x_{10} + c_8 (1). \end{aligned}$$

By the associative law and 11), 15) in **Lemma 8.5**:

$$(d_3^2)y_{15} = (d_3y_{15})d_3, b_6y_{15} + y_3y_{15} = 2x_{15}d_3 + x_6d_3 + x_9d_3,$$

so by 8) , 9) in **Lemma 8.8** and 5) in **Lemma 8.7** and 8) in **Lemma 8.9** :

$$\begin{aligned} 2b_8 + 3x_{10} + 2z_9 + 2c_8 + b_5 + c_5 + y_3y_{15} &= 2b_8 + 2z_9 + 2b_5 + 2c_5 + 2x_{10} + 2c_8 \\ &\quad + x_{10} + c_8 + x_{10} + b_8 + z_9, \end{aligned}$$

$$y_3y_{15} = x_{10} + b_8 + b_5 + c_5 + c_8 + z_9. \tag{2}$$

then by (1),

$$y_{15}^2 = 1 + 3b_5 + 6x_{10} + 6z_9 + 5b_8 + 3c_5 + 5c_8. \tag{3}$$

By 9) in **Lemma 8.8** and 11) in **Lemma 8.12** and 8) in **Lemma 8.6** and (2) :

$$(x_{10}y_{15},\ y_{15}) = (x_{10},\ y_{15}^2) = 6,\ (x_{10}y_{15},\ b_6) = (x_{10},\ y_{15}b_6) = 3,$$

$$(x_{10}y_{15},\ y_9) = (x_{10},\ y_{15}y_9) = 4,\ (x_{10}y_{15},\ c_3) = (x_{10},\ y_{15}c_3) = 1,$$

$$(y_{15}x_{10},\ y_3) = (x_{10},\ y_{15}y_3) = 1.$$

So

$$x_{10}y_{15} = 6y_{15} + 3b_6 + 4y_9 + c_3 + y_3. \tag{4}$$

By 16) in **Lemma 8.5** and 7) in **Lemma 8.9** :

$$b_3(d_3x_{10}) = (b_3d_3)x_{10} = z_9x_{10},$$

$$\overline{x}_{15}b_3 + \overline{x}_6b_3 + \overline{x}_9b_3 = z_9x_{10},$$

then by 2) in **Lemma 8.6** and 3) in **Lemma 8.2** and 2) in **Lemma 8.7**:

$$x_{10} + b_8 + c_8 + z_9 + b_5 + c_5 + b_8 + x_{10} + z_9 + x_{10} + c_8 = z_9x_{10},$$

$$z_9x_{10} = 3x_{10} + b_5 + c_5 + 2b_8 + 2z_9 + 2c_8. \tag{5}$$

□

Lemma 8.14. *Let* $(A,\ B)$ *satisfy* **Hypothesis 8.1** *and* $(b_8b_3,\ b_8b_3) = 3$*, then* $b_5 \neq \overline{c}_5$*.*

Proof. Assume $b_5 = \overline{c}_5$. By 2) in **Lemma 8.6**, $(\overline{b}_3b_5,\ \overline{x}_{15}) = (b_5,\ b_3\overline{x}_{15}) = 1,\ (b_3b_5,\ x_{15}) = (b_3\overline{x}_{15},\ \overline{b}_5) = 1$, then

$$\overline{b}_3b_5 = \overline{x}_{15}, \tag{1}$$

$$b_3b_5 = x_{15}. \tag{2}$$

By 9), 10) in **Lemma 8.8** and 3) in **Lemma 8.6**:

$$(b_6b_5,\ y_{15}) = (b_5,\ b_6y_{15}) = 1,$$

$$(b_6b_5,\ y_9) = (b_5,\ b_6y_9) = 1,$$

$$(b_6b_5,\ b_6) = (b_5,\ b_6^2) = 1,$$

then

$$b_6b_5 = y_{15} + y_9 + b_6. \tag{3}$$

By 4) in **Lemma 8.6** and 6) in **Lemma 8.9** and 6) in **Lemma 8.12**:

$$(x_6b_5,\ x_6) = (b_5,\ \overline{x}_6x_6) = 1,$$

$$(x_6 b_5,\ x_{15}) = (b_5,\ \overline{x}_6 x_{15}) = 1,$$

$$(x_6 b_5,\ x_9) = (b_5,\ \overline{x}_6 x_9) = 1$$

then

$$x_6 b_5 = x_6 + x_{15} + x_9. \tag{4}$$

By 6) in **Lemma 8.9** and 6) in **Lemma 8.12** and 4) in **Lemma 8.6**:

$$(\overline{x}_6 b_5,\ \overline{x}_{15}) = (b_5,\ x_6 \overline{x}_{15}) = 1,$$

$$(\overline{x}_6 b_5,\ \overline{x}_9) = (\overline{x}_6 x_9,\ \overline{b}_5) = 1,$$

$$(\overline{x}_6 b_5,\ \overline{x}_6) = (\overline{x}_6 x_6,\ \overline{b}_5) = 1$$

then

$$\overline{x}_6 b_5 = \overline{x}_{15} + \overline{x}_9 + \overline{x}_6. \tag{5}$$

By 6) in **Lemma 8.9** and 8), 11) in **Lemma 8.8** and 2) in **Lemma 8.6** and 3) in **Lemma 8.12**:

$$(x_{15} b_5,\ x_6) = (b_5,\ \overline{x}_{15} x_6) = 1,$$

$$(x_{15} b_5,\ \overline{d}_3) = (x_{15} d_3,\ \overline{b}_5) = 1,$$

$$(x_{15} b_5,\ x_{15}) = (b_5,\ \overline{x}_{15} x_{15}) = 3,$$

$$(x_{15} b_5,\ x_9) = (b_5,\ \overline{x}_{15} x_9) = 2,$$

$$(x_{15} b_5,\ b_3) = (x_{15} \overline{b}_3,\ \overline{b}_5) = 1,$$

then

$$x_{15} b_5 = x_6 + 3x_{15} + 2x_9 + b_3 + \overline{d}_3. \tag{6}$$

By 6) in **Lemma 8.9** and 8), 11) in **Lemma 8.8** and 3) in **Lemma 8.12** and 2) in **Lemma 8.6**

$$(\overline{x}_{15} b_5,\ \overline{x}_6) = (b_5,\ x_{15} \overline{x}_6) = 1,$$

$$(\overline{x}_{15} b_5,\ d_3) = (b_5,\ x_{15} d_3) = 1,$$

$$(\overline{x}_{15} b_5,\ \overline{x}_{15}) = (\overline{x}_{15} x_{15},\ \overline{b}_5) = 3,$$

$$(\overline{x}_{15} b_5,\ \overline{x}_9) = (\overline{x}_{15} x_9,\ \overline{b}_5) = 1,$$

$$(\overline{x}_{15}b_5,\ \overline{b}_3) = (\overline{x}_{15}b_3,\ \overline{b}_5) = 1,$$

then

$$\overline{x}_{15}b_5 = \overline{x}_6 + 3\overline{x}_{15} + 2\overline{x}_9 + \overline{b}_3 + d_3. \tag{7}$$

By 3), 6) in **Lemma 8.12** and 7) in **Lemma 8.11**:

$$(x_9b_5,\ x_{15}) = (x_9\overline{x}_{15},\ \overline{b}_5) = 2,$$

$$(x_9b_5,\ x_6) = (b_5,\ \overline{x}_9x_6) = 1,$$

$$(x_9b_5,\ x_9) = (x_9\overline{x}_9,\ \overline{b}_5) = 1,$$

then

$$x_9b_5 = 2x_{15} + x_6 + x_9. \tag{8}$$

By 3), 6) in **Lemma 8.12** and 7) in **Lemma 8.11**:

$$(\overline{x}_9b_5,\ \overline{x}_{15}) = (\overline{x}_9x_{15},\ \overline{b}_5) = 2,$$

$$(\overline{x}_9b_5,\ \overline{x}_6) = (b_5,\ \overline{x}_9x_6) = 1,$$

$$(x_9b_5,\ x_9) = (x_9\overline{x}_9x_9,\ \overline{b}_5) = 1,$$

then

$$\overline{x}_9b_5 = 2\overline{x}_{15} + \overline{x}_6 + \overline{x}_9. \tag{9}$$

By 9) in **Lemma 8.8** and 1), 2) in **Lemma 8.13** and 11) in **Lemma 8.12** and 8) in **Lemma 8.6**

$$(y_{15}b_5,\ b_6) = (b_5,\ y_{15}b_6) = 1,$$

$$(y_{15}b_5,\ y_{15}) = (b_5,\ y_{15}^2) = 3,$$

$$(y_{15}b_5,\ y_3) = (y_{15}y_3,\ \overline{b}_5) = 1,$$

$$(y_{15}b_5,\ c_3) = (b_5,\ y_{15}c_3) = 1,$$

$$(y_{15}b_5,\ y_9) = (b_5,\ y_{15}y_9) = 2,$$

then

$$y_{15}b_5 = b_6 + 3y_{15} + 2y_9 + c_3 + y_3. \tag{10}$$

By 11) in **Lemma 8.12** and 10) in **Lemma 8.8** and 4) in **Lemma 8.11**:

$$(y_9b_5,\ y_{15}) = (b_5,\ y_9y_{15}) = 2,$$

$$(y_9b_5,\ b_6) = (b_5,\ y_9b_6) = 1,$$

$$(y_9b_5,\ y_9) = (b_5,\ y_9^2) = 1,$$

then

$$y_9b_5 = 2y_{15} + b_6 + y_9. \tag{11}$$

By 8) in **Lemma 8.8** ,

$$(d_3b_5,\ \overline{x}_{15}) = (d_3x_{15},\ \overline{b}_5) = 1,$$

$$(\overline{d}_3b_5,\ x_{15}) = (b_5,\ d_3x_{15}) = 1,$$

then

$$d_3b_5 = \overline{x}_{15}, \tag{12}$$

$$\overline{d}_3b_5 = x_{15}. \tag{13}$$

Then by 16) in **Lemma 8.5** and associative law:

$$b_3(b_5d_3) = (b_3d_3)b_5,\ \overline{x}_{15}b_3 = z_9b_5,$$

then by 2) in **Lemma 8.6**,

$$z_9b_5 = x_{10} + b_8 + c_8 + z_9 + b_5 + c_5. \tag{14}$$

By 1) in **Lemma 8.13**, $(y_3b_5,\ y_{15}) = (b_5,\ y_3y_{15}) = 1$, then

$$y_3b_5 = y_{15}. \tag{15}$$

Then $1 = (y_3b_5,\ y_3\overline{b}_5) = (b_5^2,\ y_3^2)$, then by 17) in **Lemma 8.5**,

$$(b_5^2,\ c_8) = 1, \tag{16}$$

By (1), (2) we get $1 = (b_3\overline{b}_5,\ b_3b_5) = (b_3\overline{b}_3,\ b_5^2)$, then by **Hypothesis 8.1**,

$$(b_5^2,\ b_8) = 1. \tag{17}$$

By (2), (12) $1 = (\overline{d}_3\overline{b}_5,\ b_3b_5) = (\overline{d}_3\overline{b}_3,\ b_5^2)$, then by 16) in **Lemma 8.5** $(b_5^2,\ z_9) = 1$, so by (16), (17), we get

$$b_5^2 = c_8 + b_8 + z_9. \tag{18}$$

By (1) $1 = (\overline{b}_3b_5,\ \overline{b}_3b_5) = (\overline{b}_3b_3,\ \overline{b}_5b_5)$, then by **Hypothesis 8.1**,

$$(b_5\overline{b}_5,\ b_8) = 0. \tag{19}$$

By (2), (4) , $1 = (x_6b_5,\ b_3b_5) = (x_6\overline{b}_3,\ \overline{b}_5b_5)$, then by 3) in **Lemma 8.2** and (19):

$$(\overline{b}_5b_5,\ x_{10}) = 1.$$

By (13), $3 = (b_6b_5,\ b_6b_5) = (b_6^2,\ \overline{b}_5b_5)$, so by 3) in **Lemma 8.6**, $m_5 = b_5$, or $m_5 = \overline{b}_5$, in the two cases $(\overline{b}_5b_5,\ b_5) \neq 0$ or $(\overline{b}_5b_5,\ \overline{b}_5) \neq 0$, a contradiction to (18). $\square$

Lemma 8.15. *Let* $(A,\ B)$ *satisfy* **Hypothesis 8.1** *and* $(b_8b_3,\ b_8b_3) = 3$, *then* **Lemma 8.13** *hold and we get following:*

1) $b_3b_5 = x_{15}$;
2) $b_3b_5 = x_{15}$;
3) $b_6b_5 = b_6 + y_{15} + y_9$;
4) $b_6c_5 = b_6 + y_{15} + y_9$;
5) $b_5x_6 = x_{15} + x_9 + x_6$;
6) $c_5x_6 = x_{15} + x_9 + x_6$;
7) $x_{15}b_5 = x_6 + \overline{d}_3 + 3x_{15} + b_3 + 2x_9$;
8) $x_{15}c_5 = x_6 + \overline{d}_3 + 3x_{15} + b_3 + 2x_9$;
9) $x_9b_5 = 2x_{15} + x_6 + x_9$;
10) $x_9c_5 = 2x_{15} + x_6 + x_9$;
11) $y_{15}b_5 = b_6 + y_3 + 3y_{15} + 2y_9 + c_3$;
12) $y_{15}c_5 = b_6 + y_3 + 3y_{15} + 2y_9 + c_3$;
13) $y_9b_5 = 2y_{15} + b_6 + y_9$;
14) $y_9c_5 = 2y_{15} + b_6 + y_9$;
15) $d_3b_5 = \overline{x}_{15}$;
16) $d_3c_5 = \overline{x}_{15}$;
17) $z_9b_5 = x_{10} + b_8 + c_8 + z_9 + b_5 + c_5$;

18) $z_9c_5 = x_{10} + b_8 + c_8 + z_9 + b_5 + c_5$*;*

19) $y_3b_5 = y_{15}$*;*

20) $y_3c_5 = y_{15}$*;*

21) $c_5b_5 = c_8 + b_8 + z_9$*;*

22) $b_8b_5 = x_{10} + b_8 + c_8 + c_5 + z_9$*;*

23) $b_8c_5 = x_{10} + b_8 + c_8 + c_5 + z_9$*;*

24) $b_5^2 = 1 + b_5 + z_9 + x_{10}$*;*

25) $c_5^2 = 1 + c_5 + z_9 + x_{10}$*;*

26) $b_5x_{10} = 2x_{10} + b_8 + z_9 + b_5 + c_8$*;*

27) $c_5x_{10} = 2x_{10} + b_8 + z_9 + c_5 + c_8$*;*

28) $c_8b_5 = b_8 + z_9 + c_5 + x_{10} + c_8$*;*

29) $c_8c_5 = b_8 + z_9 + x_{10} + c_8 + b_5$.

Proof. By 2) in **Lemma 8.6** , $(b_3b_5,\ x_{15}) = (b_3\overline{x}_{15},\ b_5) = 1,\ (b_3c_5,\ x_{15}) = (b_3\overline{x}_{15},\ c_5) = 1$, then

$$b_3b_5 = x_{15}, \tag{1}$$

$$b_3c_5 = x_{15}. \tag{2}$$

By 9), 10) in **Lemma 8.8** and 3) in **Lemma 8.6**:
$(b_6b_5,\ b_6) = (b_6^2,\ b_5) = 1,\ (b_6c_5,\ b_6) = (b_6^2,\ c_5) = 1.$
$(b_6b_5,\ y_{15}) = (b_5,\ b_6y_{15}) = 1,\ (b_6c_5,\ y_{15}) = (c_5,\ b_6y_{15}) = 1.$
$(b_6b_5,\ y_9) = (b_5,\ b_6y_9) = 1,\ (b_6c_5,\ y_9) = (c_5,\ b_6y_9) = 1.$
then

$$b_5b_6 = b_6 + y_{15} + y_9 \qquad (3),$$

$$b_6c_5 = y_{15} + y_9 + b_6. \tag{4}$$

By 4) in **Lemma 8.6** and 6) in **Lemma 8.9** and 6) in **Lemma 8.12**:
$(b_5x_6,\ x_6) = (b_5,\ \overline{x_6}x_6) = 1,\ (c_5x_6,\ x_6) = (c_5,\ \overline{x_6}x_6) = 1.$
$(b_5x_6,\ x_{15}) = (x_6\overline{x}_{15},\ b_5) = 1,\ (c_5x_6,\ x_{15}) = (x_6\overline{x}_{15},\ c_5) = 1.$
$(b_5x_6,\ x_9) = (x_6\overline{x_9},\ b_5) = 1,\ (c_5x_6,\ x_9) = (x_6\overline{x_9},\ c_5) = 1.$
then

$$b_5x_6 = x_6 + x_{15} + x_9 \qquad (5),$$

$$c_5x_6 = x_{15} + x_9 + x_6. \tag{6}$$

By 6) in **Lemma 8.9** and 8), 11) in **Lemma 8.8** and 2) in **Lemma 8.6** and 3) in **Lemma 8.12**:

$(x_{15}b_5,\ x_6) = (b_5,\ \overline{x}_{15}x_6) = 1,\ (x_{15}c_5,\ x_6) = (c_5,\ \overline{x}_{15}x_6) = 1.$
$(x_{15}b_5,\ \overline{d}_3) = (x_{15}d_3,\ b_5) = 1,\ (x_{15}c_5,\ \overline{d}_3) = (x_{15}d_3,\ c_5) = 1.$
$(x_{15}b_5,\ x_{15}) = (x_{15}\overline{x}_{15},\ b_5) = 3,\ (x_{15}c_5,\ x_{15}) = (x_{15}\overline{x}_{15},\ c_5) = 3.$
$(x_{15}b_5,\ b_3) = (b_5,\ \overline{x}_{15}b_3) = 1,\ (x_{15}c_5,\ b_3) = (c_5,\ \overline{x}_{15}b_3) = 1.$
$(x_{15}b_5,\ x_9) = (b_5,\ \overline{x}_{15}x_9) = 2,\ (x_{15}c_5,\ x_9) = (x_{15}\overline{x}_9,\ c_5) = 2.$
then

$$x_{15}b_5 = x_6 + \overline{d}_3 + 3x_{15} + b_3 + 2x_9 \qquad (7),$$

$$x_{15}c_5 = x_6 + \overline{d}_3 + 3x_{15} + b_3 + 2x_9. \qquad (8)$$

By 3), 6) in **Lemma 8.12** and 7) in **Lemma 8.11**:

$(x_9b_5,\ x_{15}) = (b_5,\ \overline{x}_9x_{15}) = 2,\ (x_9c_5,\ x_{15}) = (c_5,\ \overline{x}_9x_{15}) = 2.$
$(x_9b_5,\ x_6) = (b_5,\ \overline{x}_9x_6) = 1,\ (x_9c_5,\ x_6) = (c_5,\ \overline{x}_9x_6) = 1.$
$(x_9b_5,\ x_9) = (b_5,\ \overline{x}_9x_9) = 1,\ (x_9c_5,\ x_9) = (c_5,\ \overline{x}_9x_9) = 1.$
then

$$x_9b_5 = 2x_{15} + x_6 + x_9, \qquad (9)$$

$$x_9c_5 = 2x_{15} + x_6 + x_9. \qquad (10)$$

By 9) in **Lemma 8.8** and 1), 2) in **Lemma 8.13** and 11) in **Lemma 8.12** and 8) in **Lemma 8.6**:

$(y_{15}b_5,\ b_6) = (y_{15}b_6,\ b_5) = 1,\ (y_{15}c_5,\ b_6) = (y_{15}b_6,\ c_5) = 1.$
$(y_{15}b_5,\ y_3) = (y_{15}y_3,\ b_5) = 1,\ (y_{15}c_5,\ y_3) = (y_{15}y_3,\ c_5) = 1.$
$(y_{15}b_5,\ y_{15}) = (b_5,\ y_{15}^2) = 3,\ (y_{15}c_5,\ y_{15}) = (y_{15}^2,\ c_5) = 3.$
$(y_{15}b_6,\ c_3) = (y_{15}c_3,\ b_6) = 1,\ (y_{15}c_5,\ c_3) = (y_{15}c_3,\ c_5) = 1.$
$(y_{15}b_5,\ y_9) = (y_{15}y_9,\ b_5) = 2,\ (y_{15}c_5,\ y_9) = (c_5,\ y_{15}y_9) = 2.$
Then

$$y_{15}b_5 = b_6 + y_3 + 3y_{15} + 2y_9 + c_3, \qquad (11)$$

$$y_{15}c_5 = b_6 + y_3 + 3y_{15} + 2y_9 + c_3. \qquad (12)$$

By 11) in **Lemma 8.12** and 10) in **Lemma 8.8** and 4) in **Lemma 8.11**:

$(y_9b_5,\ y_{15}) = (b_5,\ y_9y_{15}) = 2,\ (y_9c_5,\ y_{15}) = (c_5,\ y_9y_{15}) = 2.$
$(y_9b_5,\ b_6) = (y_9b_6,\ b_5) = 1,\ (y_9c_5,\ b_6) = (y_9b_6,\ c_5) = 1.$
$(y_9b_5,\ y_9) = (b_5,\ y_9^2) = 1,\ (y_9c_5,\ y_9) = (c_5,\ y_9^2) = 1.$
then

$$y_9b_5 = 2y_{15} + b_6 + y_9, \tag{13}$$

$$y_9c_5 = 2y_{15} + b_6 + y_9. \tag{14}$$

By 8) in **Lemma 8.8**, $(d_3b_5,\ \overline{x}_{15}) = (d_3x_{15},\ b_5) = 1,\ (d_3c_5,\ \overline{x}_{15}) = (d_3x_{15},\ c_5) = 1.$

then

$$d_3b_5 = \overline{x}_{15}, \tag{15}$$

$$d_3c_5 = \overline{x}_{15}. \tag{16}$$

So by the associative law and 16) in **Lemma 8.5**, we get $(b_3d_3)b_5 = b_3(d_3b_5),\ (b_3d_3)c_5 = b_3(d_3c_5),\ z_9b_5 = b_3\overline{x}_{15},\ z_9c_5 = b_3\overline{x}_{15}$, then by 2) in **Lemma 8.6** ,

$$z_9b_5 = x_{10} + b_8 + c_8 + z_9 + b_5 + c_5, \tag{17}$$

$$z_9c_5 = x_{10} + b_8 + c_8 + z_9 + b_5 + c_5. \tag{18}$$

By 1) in **Lemma 8.13** , $(y_3b_5,\ y_{15}) = (b_5,\ y_3y_{15}) = 1,\ (y_3c_5,\ y_{15}) = (c_5,\ y_3y_{15}) = 1$, then

$$y_3b_5 = \overline{y}_{15}, \tag{19}$$

$$y_3c_5 = \overline{y}_{15}. \tag{20}$$

So $(y_3^2,\ b_5^2) = (y_3b_5,\ y_3b_5) = 1$, $(y_3^2,\ c_5b_5) = (y_3b_5,\ y_3c_5) = 1$, then by 17) in **Lemma 8.5** , $(c_5b_5,\ c_8) = 1$. By (1), (2), $(\overline{b}_3b_3,\ b_5c_5) = (b_3b_5,\ b_3c_5) = 1$. then by **Hypothesis 8.1**, $(c_5b_5,\ b_8) = 1$. By (17),

$$c_5b_5 = c_8 + b_8 + z_9. \tag{21}$$

By the associative and **Hypothesis 8.1** and (1), (2), it follows that$(b_3\overline{b}_3)b_5 = (b_3b_5)\overline{b}_3,\ (b_3\overline{b}_3)c_5 = (b_3c_5)\overline{b}_3,\ b_5 + b_8b_5 = x_{15}\overline{b}_3,\ c_5 + b_8c_5 = x_{15}\overline{b}_3$, then by 2) in **Lemma 8.6**,

$$b_8b_5 = x_{10} + b_8 + c_8 + c_5 + z_9, \tag{22}$$

$$b_8c_5 = x_{10} + b_8 + c_8 + b_5 + z_9. \tag{23}$$

By 5) in **Lemma 8.6**, $(x_{10}b_5,\ x_{10}) = (b_5,\ x_{10}^2) = 2,\ (x_{10}c_5,\ x_{10}) = (c_5,\ x_{10}^2) = 2$. By (22) and (23), $(x_{10}b_5,\ b_8) = (x_{10},\ b_5b_8) = 1,\ (x_{10}c_5,\ b_8) = (x_{10},\ c_5b_8) = 1$. By (17), (18), $(x_{10}b_5,\ z_9) = (x_{10},\ z_9b_5) = 1,\ (x_{10}c_5,\ b_8) = (x_{10},\ c_5b_8) = 1,\ (b_5^2,\ z_9) = (b_5,\ b_5z_9) = 1$ and $(c_5^2,\ z_9) = (c_5,\ c_5z_9) = 1$.

By (19), (20), we come to $(y_3^2,\ b_5^2) = (y_3b_5,\ y_3b_5) = 1,\ (y_3^2,\ c_5^2) = (y_3c_5,\ y_3c_5) = 1$, then by 17) in **Lemma 8.5** $(b_5^2,\ c_8) = 0,\ (c_5^2,\ c_8) = 0$.

By (1) and (2), we see that $(\overline{b}_3b_3,\ b_5^2) = (b_3b_5,\ b_3b_5) = 1,\ (\overline{b}_3b_3,\ c_5^2) = (b_3c_5,\ b_3c_5) = 1$, then by **Hypothesis 8.1**, $(b_5^2,\ b_8) = 0,\ (c_5^2,\ b_8) = 0$ holds.

By (5), (6), (15) and (16), $(b_5^2,\ d_3x_6) = (b_5\overline{d}_3,\ b_5x_6) = 1,\ (c_5^2,\ d_3x_6) = (c_5\bar{d}_3,\ c_5x_6) = 1$, so by 5) in **Lemma 8.7**, $(b_5^2,\ x_{10}) = 1,\ (c_5^2,\ x_{10}) = 1$.

By (5), (21) and (6) we have the following inner-products: $(b_5^2,\ \overline{x}_6x_6) = (b_5x_6,\ b_5x_6) = 3,\ (c_5^2,\ \overline{x}_6x_6) = (c_5x_6,\ c_5x_6) = 3$. $(c_5^2,\ b_5) = (c_5,\ c_5b_5) = 0$ and $(b_5^2,\ c_5) = (b_5,\ b_5c_5) = 0$, then by 4) in **Lemma 8.6** $(b_5^2,\ b_5) = 1,\ (c_5^2,\ c_5) = 1$, hence

$$b_5^2 = 1 + b_5 + z_9 + x_{10},\ c_5^2 = 1 + b_5 + z_9 + x_{10}.$$

So $(b_5x_{10},\ b_5) = (x_{10},\ b_5^2) = 1,\ (c_5x_{10},\ c_5) = (x_{10},\ c_5^2) = 1$.

By 14) in **Lemma 8.5** and (15), (16), one has $b_5(\overline{d}_3d_3) = \overline{d}_3(b_5d_3),\ c_5(\overline{d}_3d_3) = \overline{d}_3(c_5d_3)$. Hence $b_5 + c_8b_5 = \overline{x}_{15}\overline{d}_3,\ c_5 + c_8c_5 = \overline{d}_3\overline{x}_{15}$.

Therefore by 8) in **Lemma 8.8**, we have equations $c_8b_5 = b_8 + z_9 + c_5 + x_{10} + c_8$ and $c_8c_5 = b_8 + z_9 + x_{10} + c_8 + b_5$. Consequently $(b_5x_{10},\ c_8) = (x_{10},\ b_5c_8) = (x_{10},\ c_5c_8) = 1$.

At last we get $b_5x_{10} = c_8 + 2x_{10} + b_8 + z_9 + b_8 + z_9 + b_5$ and $c_5x_{10} = 2x_{10} + b_8 + z_9 + c_5 + c_8$.

□

Theorem 8.1. *Let* $(A,\ B)$ *be a* $NITA$ *generated by an non-real element* $b_3 \in B$ *of degree 3 and without non-identity basis element of degree 1 or 2, such that:* $\overline{b}_3 b_3 = 1 + b_8$ *and* $b_3^2 = c_3 + b_6,\ c_3 = \overline{c}_3,\ (b_8 b_3,\ b_8 b_3) = 3$. *Then* $(A,\ B)$ *is a table algebra of dimension 22:*

$$B = \{b_1,\ \overline{b}_3,\ b_3,\ c_3,\ b_6,\ x_6,\ \overline{x}_6,\ b_8,\ x_{15},\ \overline{x}_{15},\ x_{10},\ x_9,\ \overline{x}_9,\ y_{15},\ y_9,\ d_3,\ \overline{d}_3,\ z_9,\ c_8,\ b_5,\ c_5,\ y_3\}$$

and B *has increasing series of table subsets* $\{b_1\} \subseteq \{b_1,\ b_8,\ x_{10},\ z_9,\ c_8,\ b_5,\ c_5\} \subseteq B$ *defined by:*

1) $b_3\overline{b}_3 = 1 + b_8$;
2) $b_3^2 = c_3 + b_6$;
3) $b_3c_3 = \overline{b}_3 + \overline{x}_6$;
4) $b_3b_6 = \overline{b}_3 + \overline{x}_{15}$;
5) $b_3x_6 = c_3 + y_{15}$;
6) $b_3\overline{x}_6 = b_8 + x_{10}$;
7) $b_3b_8 = x_6 + b_3 + x_{15}$;
8) $b_3x_{15} = 2y_{15} + b_6 + y_9$;
9) $b_3x_{10} = x_{15} + x_6 + x_9$;
10) $b_3\overline{x}_{15} = x_{10} + b_8 + z_9 + c_8 + b_5 + c_5$;
11) $b_3x_9 = y_9 + y_{15} + y_3$;
12) $b_3\overline{x}_9 = x_{10} + z_9 + c_8$;
13) $b_3y_{15} = 2\overline{x}_{15} + \overline{x}_6 + \overline{x}_9$;
14) $b_3y_9 = d_3 + \overline{x}_{15} + \overline{x}_9$;
15) $b_3d_3 = z_9$;
16) $b_3\overline{d}_3 = y_9$;
17) $b_3z_9 = x_9 + \overline{d}_3 + x_{15}$;
18) $b_3c_8 = x_{15} + x_9$;
19) $b_3b_5 = x_{15}$;
20) $b_3c_5 = x_{15}$;
21) $b_3y_3 = \overline{x}_9$;
22) $c_3^2 = 1 + b_8$;
23) $c_3b_6 = b_8 + x_{10}$;
24) $c_3x_6 = \overline{b}_3 + \overline{x}_{15}$;
25) $c_3b_8 = b_6 + c_3 + y_{15}$;
26) $c_3x_{15} = 2\overline{x}_{15} + \overline{x}_6 + \overline{x}_9$;

27) $c_3x_{10} = b_6 + y_{15} + y_9$*;*
28) $c_3x_9 = d_3 + \overline{x}_{15} + \overline{x}_9$*;*
29) $c_3y_{15} = x_{10} + b_8 + z_9 + c_8 + b_5 + c_5$*;*
30) $c_3y_9 = z_9 + x_{10} + c_8$*;*
31) $c_3d_3 = x_9$*;*
32) $c_3z_9 = y_3 + y_9 + y_{15}$*;*
33) $c_3c_8 = y_9 + y_{15}$*;*
34) $c_3b_5 = y_{15}$*;*
35) $c_3c_5 = y_{15}$*;*
36) $c_3y_3 = z_9$*;*
37) $b_6^2 = 1 + b_8 + z_9 + c_8 + b_5 + c_5$*;*
38) $b_6x_6 = 2\overline{x}_6 + \overline{x}_{15} + \overline{x}_9$*;*
39) $b_6b_8 = 2y_{15} + b_6 + y_9 + c_3$*;*
40) $b_6x_{15} = 4\overline{x}_{15} + \overline{x}_6 + 2\overline{x}_9 + \overline{b}_3 + d_3$*;*
41) $b_6x_{10} = c_3 + 3y_{15} + y_9 + y_3$*;*
42) $b_6x_9 = 2\overline{x}_{15} + 2\overline{x}_9 + \overline{x}_6$*;*
43) $b_6y_{15} = 2b_8 + 3x_{10} + 2z_9 + 2c_8 + b_5 + c_5$*;*
44) $b_6y_9 = b_8 + 2z_9 + c_8 + x_{10} + b_5 + c_5$*;*
45) $b_6d_3 = \overline{d}_3 + x_{15}$*;*
46) $b_6z_9 = 2y_{15} + 2y_9 + b_6$*;*
47) $b_6c_8 = b_6 + y_3 + y_9 + 2y_{15}$*;*
48) $b_6b_5 = y_{15} + y_9 + b_6$*;*
49) $b_6c_5 = y_{15} + b_6 + y_9$*;*
50) $b_6y_3 = x_{10} + c_8$*;*
51) $x_6^2 = 2b_6 + y_{15} + y_9$*;*
52) $x_6\overline{x}_6 = 1 + b_8 + z_9 + c_8 + b_5 + c_5$*;*
53) $x_6b_8 = b_3 + 2x_{15} + x_6 + x_9$*;*
54) $x_6x_{15} = 4y_{15} + b_6 + 2y_9 + c_3 + y_3$*;*
55) $x_6x_{10} = b_3 + 3x_{15} + \overline{d}_3 + x_9$*;*
56) $x_6\overline{x}_{15} = 2b_8 + 3x_{10} + 2z_9 + 2c_8 + b_5 + c_5$*;*
57) $x_6x_9 = 2y_{15} + 2y_9 + b_6$*;*
58) $x_6\overline{x}_9 = x_{10} + b_8 + 2z_9 + c_8 + b_5 + c_5$*;*
59) $x_6y_{15} = 4\overline{x}_{15} + 2\overline{x}_9 + \overline{x}_6 + \overline{b}_3 + d_3$*;*
60) $x_6y_9 = 2\overline{x}_{15} + 2\overline{x}_9 + \overline{x}_6$*;*

61) $x_6d_3 = x_{10} + c_8$*;*

62) $x_6\overline{d}_3 = y_{15} + y_3$*;*

63) $x_6z_9 = 2x_9 + 2x_{15} + x_6$*;*

64) $x_6c_8 = 2x_{15} + x_6 + x_9 + \overline{d}_3$*;*

65) $x_6b_5 = x_6 + x_{15} + x_9$*;*

66) $x_6c_5 = x_{15} + x_9 + x_6$*;*

67) $x_6y_3 = d_3 + \overline{x}_{15}$*;*

68) $b_8^2 = 1 + 2b_8 + 2x_{10} + z_9 + c_8 + b_5 + c_5$*;*

69) $b_8x_{10} = 2x_{10} + 2z_9 + 2c_8 + 2b_8 + b_5 + c_5$*;*

70) $b_8x_9 = 3x_{15} + 2x_9 + x_6 + \overline{d}_3$*;*

71) $b_8y_{15} = 5y_{15} + 2b_6 + 3y_9 + c_3 + y_3$*;*

72) $b_8y_9 = 3y_{15} + 2y_9 + b_6 + y_3$*;*

73) $b_8d_3 = \overline{x}_{15} + \overline{x}_9$*;*

74) $b_8z_9 = 2x_{10} + b_8 + 2c_8 + 2z_9 + b_5 + c_5$*;*

75) $b_8c_8 = 2x_{10} + 2z_9 + b_8 + c_8 + b_5 + c_5$*;*

76) $b_8b_5 = b_8 + z_9 + c_5 + c_8 + x_{10}$*;*

77) $b_8c_5 = b_8 + x_{10} + c_8 + z_9 + b_5$*;*

78) $b_8y_3 = y_9 + y_{15}$*;*

79) $b_8x_{15} = 5x_{15} + 2x_6 + 3x_9 + b_3 + \overline{d}_3$*;*

80) $x_{15}^2 = 9y_{15} + 4b_6 + 6y_9 + 2c_3 + 2y_3$*;*

81) $x_{15}x_{10} = 3x_6 + 6x_{15} + b_3 + \overline{d}_3 + 4x_9$*;*

82) $x_{15}\overline{x}_{15} = 5b_8 + 6x_{10} + 6z_9 + 5c_8 + 3b_5 + 3c_5 + 1$*;*

83) $x_{15}x_9 = 6y_{15} + 3y_9 + 2b_6 + c_3 + y_3$*;*

84) $x_{15}\overline{x}_9 = 3b_8 + 4x_{10} + 3z_9 + 3c_8 + 2b_5 + 2c_5$*;*

85) $x_{15}y_{15} = 4\overline{x}_6 + 9\overline{x}_{15} + 6\overline{x}_9 + 2\overline{b}_3 + 2d_3$*;*

86) $x_{15}y_9 = 6\overline{x}_{15} + 2\overline{x}_6 + 3\overline{x}_9 + \overline{b}_3 + d_3$*;*

87) $x_{15}d_3 = b_8 + z_9 + b_5 + c_5 + x_{10} + c_8$*;*

88) $x_{15}\overline{d}_3 = 2y_{15} + y_9 + b_6$*;*

89) $x_{15}z_9 = 2x_6 + 6x_{15} + b_3 + \overline{d}_3 + 3x_9$*;*

90) $x_{15}c_8 = 5x_{15} + 2x_6 + 3x_9 + b_3 + \overline{d}_3$*;*

91) $x_{15}b_5 = x_6 + 3x_{15} + 2x_9 + b_3 + \overline{d}_3$*;*

92) $x_{15}c_5 = x_6 + 3x_{15} + 2x_9 + b_3 + \overline{d}_3$*;*

93) $x_{15}y_3 = \overline{x}_6 + 2\overline{x}_{15} + \overline{x}_9$*;*

94) $x_{10}^2 = 1 + 2b_8 + 2x_{10} + 2c_8 + 2b_5 + 2c_5 + 3z_9$*;*

95) $x_{10}x_9 = b_3 + 4x_{15} + \overline{d}_3 + 2x_9 + x_6$;

96) $x_{10}y_{15} = 6y_{15} + 3b_6 + 4y_9 + c_3 + y_3$;

97) $x_{10}y_9 = 4y_{15} + 2y_9 + y_3 + b_6 + c_3$;

98) $x_{10}d_3 = \overline{x}_{15} + \overline{x}_6 + \overline{x}_9$;

99) $x_{10}z_9 = 3x_{10} + b_5 + c_5 + 2b_8 + 2z_9 + 2c_8$;

100) $x_{10}c_8 = 2x_{10} + 2c_8 + 2b_8 + 2z_9 + b_5 + c_5$;

101) $x_{10}b_5 = b_8 + 2x_{10} + z_9 + c_8 + b_5$;

102) $x_{10}c_5 = b_8 + z_9 + c_5 + 2x_{10} + c_8$;

103) $x_{10}y_3 = y_{15} + y_9 + b_6$;

104) $x_9^2 = y_3 + c_3 + 2b_6 + 3y_{15} + 2y_9$;

105) $x_9\overline{x}_9 = 1 + 2b_8 + 2x_{10} + 2c_8 + 2z_9 + b_5 + c_5$;

106) $x_9y_{15} = 6\overline{x}_{15} + 2\overline{x}_6 + 3\overline{x}_9 + \overline{b}_3 + d_3$;

107) $x_9y_9 = d_3 + 3\overline{x}_{15} + 2\overline{x}_9 + \overline{b}_3 + 2\overline{x}_6$;

108) $x_9d_3 = x_{10} + b_8 + z_9$;

109) $x_9\overline{d}_3 = y_9 + c_3 + y_{15}$;

110) $x_9z_9 = 3x_{15} + 2x_9 + 2x_6 + b_3 + \overline{d}_3$;

111) $x_9b_5 = 2x_{15} + x_6 + x_9$;

112) $x_9c_5 = 2x_{15} + x_6 + x_9$;

113) $x_9y_3 = \overline{b}_3 + \overline{x}_9 + \overline{x}_{15}$;

114) $y_{15}^2 = 1 + 3b_5 + 6x_{10} + 6z_9 + 5b_8 + 3c_5 + 5c_8$;

115) $y_{15}y_9 = 4x_{10} + 3b_8 + 3z_9 + 3c_8 + 2c_5 + 2b_5$;

116) $y_{15}d_3 = 2x_{15} + x_6 + x_9$;

117) $y_{15}z_9 = 6y_{15} + 2b_6 + 3y_9 + c_3 + y_3$;

118) $y_{15}c_8 = 2b_6 + 5y_{15} + c_3 + y_3 + 3y_9$;

119) $y_{15}b_5 = b_6 + 3y_{15} + 2y_9 + c_3 + y_3$;

120) $y_{15}c_5 = b_6 + c_3 + 3y_{15} + y_3 + 2y_9$;

121) $y_{15}y_3 = b_5 + b_8 + z_9 + c_5 + x_{10} + c_8$;

122) $y_9^2 = 1 + 2z_9 + 2b_8 + 2c_8 + 2x_{10} + b_5 + c_5$;

123) $y_9d_3 = b_3 + x_{15} + x_9$;

124) $y_9z_9 = 3y_{15} + 2b_6 + 2y_9 + c_3 + y_3$;

125) $y_9c_8 = 3y_{15} + 2y_9 + b_6 + c_3$;

126) $y_9b_5 = 2y_{15} + b_6 + y_9$;

127) $y_9c_5 = 2y_{15} + y_9 + b_6$;

128) $y_9y_3 = z_9 + b_8 + x_{10}$;

129) $d_3\overline{d}_3 = 1 + c_8$;

130) $d_3^2 = b_6 + y_3$;

131) $d_3 z_9 = \overline{b}_3 + \overline{x}_{15} + \overline{x}_9$;

132) $d_3 c_8 = \overline{x}_{15} + d_3 + \overline{x}_6$;

133) $d_3 b_5 = \overline{x}_{15}$;

134) $d_3 c_5 = \overline{x}_{15}$;

135) $d_3 y_3 = \overline{d}_3 + x_6$;

136) $z_9^2 = 1 + 2x_{10} + 2z_9 + 2b_8 + 2c_8 + b_5 + c_5$;

137) $z_9 c_8 = 2x_{10} + 2b_8 + 2z_9 + b_5 + c_5 + c_8$;

138) $z_9 b_5 = x_{10} + b_8 + z_9 + c_8 + b_5 + c_5$;

139) $z_9 c_5 = x_{10} + b_8 + z_9 + c_8 + b_5 + c_5$;

140) $z_9 y_3 = y_9 + c_3 + y_{15}$;

141) $c_8^2 = 1 + 2c_8 + 2x_{10} + b_8 + z_9 + b_5 + c_5$;

142) $c_8 b_5 = b_8 + z_9 + c_5 + x_{10} + c_8$;

143) $c_8 c_5 = b_8 + z_9 + x_{10} + c_8 + b_5$;

144) $c_8 y_3 = b_6 + y_3 + y_{15}$;

145) $b_5^2 = 1 + b_5 + x_{10} + z_9$;

146) $b_5 c_5 = b_8 + z_9 + c_8$;

147) $b_5 y_3 = y_{15}$;

148) $c_5^2 = 1 + z_9 + x_{10} + c_5$;

149) $c_5 y_3 = y_{15}$;

150) $y_3^2 = 1 + c_8$.

Proof. The equations hold by lemmas 8.1-8.13 and 8.15. □

References

[1] Z. Arad and H. Blau. On table algebras and application to finite group theory, **J. Algebra** 138(1991), 137-185

[2] Z. Arad and M. Muzychuk. Standard Integral Table Algebras Generated by a Non-real Element of Small Degree. Lecture Note in Mathematics, Vol. 1773, Springer(2002), 126 pages.

[3] Z. Arad, H. Arisha, M. Muzychuk. Integral table algebras with a faithful nonreal element of degree 3, **J. of Algebra**,231(2),(2000), 473-483.

[4] Z. Arad, E. Fisman and M. Muzychuk. Standard integral tabel algebra generated by elements of degree two. (preprint)

[5] H. I. Blau. Integral table algebra, affine diagrams, and the analysis of degree two, **J. Algebra**, 178(1995), 872-918

[6] H. I. Blau. Homogeneous integral table algebras of degree two, **Algebra Colloq.** 4(1997), 393-408

[7] H. I. Blau and B. T. Xu. On homogeneous table algebras, **J. Algebra**, 199(1998), 393-408

[8] H. I. Blau, B. Xu, Z. Arad, E. Fisman, V. Miloslvsky and M. Muzychuk. Homogeneous integral table algebras of degree three: a trilogy. Memoirs of the AMS, 144(684)(2000)

[9] H. I. Blau. Quotient structures in C-algebra. J. of Algebra, v. 177(1995), pp. 297-337

[10] H. I. Blau. Integral table algebras and Bose-Mesner algebras with a faithful nonreal element of degree 3, **J. of Algebra** ,231(2),(2000),484-545.

[11] H. F. Blichfeldt. Finite Collineation Groups. University of Chicago Press, Chicago (1917)

[12] R. Brauer. *Über endliche lineareGruppen von Primzahlgrad*, Math. Ann., 169(1967), pp. 73-96

[13] G. Y. Chen, Z. Arad. On Normalized Table Algebras Generated by a Faithful Non-real Element of Degree 3. J. Algebra, 283 (2005), 457-484

[14] J. H. Conway, R. T. Curtis, S. P. Norton, R. A. Parker and R. A. Wilson, Atlas of Finite Groups, Oxford University Press, New York, London, Oxford, 1985

[15] W. Feit. The current situation in the theory of finite simple groups, Actes, *Congrès intern. math.*, 1970. Tome1, pp. 55-93

[16] Y. Kawada. Uber den Dualitatssatz der vCharaktere nichtcommutative Gruppen. Proc. Phys. Math. Soc. Japan, 1942, 24(3), pp. 97-109

[17] G. Hoheisel, Uber Charatere. Monatsch. f. Math. Phys. 1939, 48, pp. 448-456

[18] J. H. Lindsey. On a projective reperesentation of Hall-Janko group, Bull. AMS, 74(1968), p. 1094

[19] D. B. Wales. Finite linear groups of degree seven I, Cana. J. Math., 21(1969), pp. 1025-1041

[20] B. T. Xu. On a class of integral table algebra, **J. Algebra.**, 178(1995), 760-78